
FONGENIS


Skirting, Siding, Bottom Board, Shutters, Gutters, Patio Covers, Screen Rooms, Carports, Vinyl Fencing, Steps, Decks Anchors, Straps, Augers, Tie-Downs, Pier Pads, Wood Blocks Doors, Grills, Drip Caps, Locks, Striker Plates, Windows, Screens, Operators Roof Coatings, Cements, Patcher/Sealers, Caulks, Stain Killers, Paints, Adhesives, Cleaners, Brushes Refrigerators, Ranges, Range Hoods, Vents, Fans, Dishwashers, Washers & Dryers Screwdrivers, Bits, Drills, Staplers, Cutters, Screws, Door Parts, Wall, Vents, Vent Caps, Tape, Signs, Miscellaneous Tools Vinyl floor covering, carpet, carpet tools and padding Light Fixtures, Bulbs, Ceiling Fans, Receptacle Plates, Switches, Plugs, Outlets, Fuses, Cables, Disconnect Switches, Circuit Breakers, Battery Chargers, Electrical Pipe Heating Systems Water Heaters, Elements, Faucets, Toilets, Bath Accessories, Sinks, Pipe Fittings, Valves, Hoses, Cement, Molding, Tubs, Tub Surrounds, Shower Stalls, Insulation, Antifreeze Jacks, Couplers, Hitch Balls, Mirrors, Safety Equipment, Axle Parts, Breakaway Kits, Fire Extinguishers Air Conditioners, Heaters, Furnaces, HVAC Equipment & Accessories



TruGard Component & Replacement Parts

LIFETIME WARRANTY Products & Labor

IVI	aıntaın your ı	nvestment with premier quality skii	rting fron	ı IruGara.				
	CODE	DESCRIPTION	LENGTH	PACKAGING DATA	WHITE	CAMEO	VICTORIAN GRAY	SAND
A	15 TLVMS	Solid Skirting Panel (13" exposure)	12 ft.	15 pc/ctn	0201040	0201057	0200954	0201055
B	15 VENT	Vented Skirting Panel (13" exp.)	12 ft.	15 pc/ctn	0201028	0201058	0200953	0201054
C	TTF	Top Trim Front	12 ft.	15 pc/ctn	0201020	0201060	0200950	0201051
0	TTM	Top Trim Mounting	12 ft.	15 pc/ctn	0201021	0201059	0200951	0201050
E	VGC	Vinyl Ground Channel	12 ft.	15 pc/ctn	0201022	0201061	0200952	0201052
F	SP/NAIL	Nail & Spike Kit		128 Spikes/ 256 Nails		020	1065	
		7" Skirting Spike		100/Bundle		020	1070	
		1" Hex Head Screw		500 per box		026	3102	
		Windguard	24 in.	32 per bundle	0200818			
		Windguard	12 in.	32 per bundle	0200819			
		PolyClip® Skirting Attachments		50 per bag		020	1075	



TruGard

TruGard VinyISkirt® Carton Information

Maintain your investment with quality skirting from TruGard.

CODE	DESCRIPTION	LENGTH	WHITE	CAMEO	VICTORIAN GRAY	SAND
15 TLVMS	PANEL CARTON: 76 lbs./Ctn.		0201040	0201057	0200954	0201055
	15 Skirting Panels per carton; 13 in. exposure; 195 sq. ft. per carton	12 ft.				
15 VENT	VENTILATED* PANEL CARTON: 76 lbs./Ctn.		0201028	0201058	0200953	0201054
	15 perforated skirting panels; 13 in. exposure;	12 ft.				
	14.06 sq. in. of free air space per linear ft.;					
	195 sq. ft. per carton					
14 TKT	TRIM CARTON: 100 lbs./Ctn.		0201043	0201056	0200955	0201053
	10 pcs. Top Trim Front; 120 linear ft.	12 ft.				
	• 4 pcs. Top Trim Front; Factory-notched corner; 48 lin. ft.	12 ft.				
	• 14 pcs. Top Trim Mounting; 168 linear ft.	12 ft.				
	• 14 pcs. Vinyl Ground Channel; 168 linear ft.	12 ft.				
	• 252 Nails					
	• 126 7-in. Spikes					

^{*}Ventilation shall be provided for the crawl space at a minimum of one sq. foot of free area for every 150 sq. ft. of the home's floor area. Ventilation openings shall be placed at or near each corner of the home and as high as practicable. Openings shall be located to provide cross ventilation on at least two opposite sides. Where an acceptable ground vapor barrier is installed and one such ventilation opening is within 3 feet of each corner of the home, the total area of ventilation openings may be reduced to one sq. foot for every 1,500 sq. feet of the home's floor area. Where local codes have minimum ventilation requirements for crawl spaces, these requirements shall apply to homes with skirting and continuous foundations.

Measuring for TruGard:

You must first determine the approximate linear feet and average height.

- 1. Determine linear feet: To determine the linear feet of skirting material needed, measure the entire perimeter of the home.
- 2. Determine the Average Height: To find the average height, measure the height of the space between the ground and the home's bottom edge at each corner and the center of each side. Total all six measurements and divide by 6. Then, add 1 inch.
- 3. Using the Calculation Chart: Then go to the easy-to-read calculation chart below and find the appropriate measurements. The chart will then tell you what you will need to complete the installation.

Park Mod	els*	T	RUG	ARD	CAL	<u>.CUL.</u>	<u>ATIO</u>	N CH	IART	FOR	SIN	GLE	WIDE	E / DO	DUBL	_E W	IDE			
Typical Home Size (Ft.)	8 x 32	8 x 35	12 x 65	12 x 70	14 x 60	14 x 65	14 x 70	14 x 76	14 x 80	16 x 70	16 x 80	24 x 50	24 x 60	24 x 65	24 x 70	28 x 65	28 x 70	28 x 80	32 x 70	32 x 80
Lin. Ft.**	80	86	146	156	140	150	160	172	180	164	184	140	160	170	180	178	188	208	196	216
Avg. Ht. of Skirt						NUM	BER	OF 12	2-FOC	OT PA	NELS	REC	UIRE	D						
18"	10	10	17	18	17	18	19	20	21	19	21	17	19	20	21	21	22	24	23	25
24"	13	14	23	24	22	24	25	27	28	25	28	22	25	27	28	28	29	32	30	33
28"	16	16	27	29	26	28	30	32	34	30	34	26	30	32	34	33	35	38	36	40
30"	16	17	29	30	27	29	31	34	35	38	42	27	31	33	35	35	43	48	45	50
36"			34	36	33	35	37	40	42	38	42	33	37	40	42	42	43	48	45	50
42"			45	48	44	47	50	53	56	50	57	44	50	53	56	55	58	64	60	66
Trim Parts	3				NUME	BER C	F 12-	-F00	T TRI	м со	MPO	NENT	S RE	QUIR	ED					
VGC	7	8	13	13	12	13	14	15	15	14	16	12	14	15	15	15	16	18	17	18
TTM	7	8	13	13	12	13	14	15	15	14	16	12	14	15	15	15	16	18	17	18
TTF	7	8	13	13	12	13	14	15	15	14	16	12	14	15	15	15	16	18	17	18
Spikes	60	65	110	117	105	113	120	129	135	123	138	105	120	128	135	134	141	156	147	162
Nails	120	129	219	234	210	225	240	258	270	246	276	210	240	255	270	267	282	312	294	324

All panels and trim components packaged in 12-ft. lengths—Panels 13-inch wide exposure. Above calculations are exact with no allowance for error in cutting. *Park model calculations do not include material needed for tip outs. ** Less hitch.

Heating & Cooling



Available in the following colors:

White Gray Sand

Cameo Pebblestone

Due to the printing process, colors shown are only approximations. Your salesman can show you samples with more accurate color.

- 16" Wide Panels
- Rich Woodgrain Texture, 5 colors
- Panels .037", Trim .052" thickness.
- U-Shaped Ground Channel
- Momeowner's Warranty
- ✓ Vented Panels
- 🗹 Trim Kits with Hardware
- Factory Notched Front Rail Corner Pieces
- 15-Year Warranty on Product & Labor

Lifestyle Premium Vinyl Skirting

The Features You Want . . .

The Value You Need!

Lifestyle's center-vent panel is a better solution for your skirting needs:


- Allows you to carry less inventory and makes ordering easier
- Each full panel = 4.94 sq. inches of net free area per linear foot for 57.63 square inches or 0.4 sq. ft of net free area per panel; Exceeds most manufacturer's requirements* for open space under homes, meaning less chance of moisture problems & customer complaints.
- # Eliminates calculations to find out how many vent panels are needed
- Saves time during installation you don't have to waste time figuring out where to put regular vent panels

"Ventilation shall be provided for the crawl space at a minimum of one sq. foot of free area for every 150 sq. ft. of the home's floor area. Ventilation openings shall be placed at or near each corner of the home and as high as practicable. Openings shall be located to provide cross ventilation on at least two opposite sides. Where an acceptable ground vapor barrier is installed and one such ventilation opening is within 3 feet of each corner of the home, the total area of ventilation openings may be reduced to one sq. foot for every 1,500 sq. feet of the home's floor area. Where local codes have minimum ventilation requirements for crawl spaces, these requirements shall apply to homes with skirting and continuous foundations.

Lifestyle Component & Replacement Parts

	CODE	DESCRIPTION	WHITE	CAMEO	GRAY	SAND	PEBBLESTONE
A	LIFCV	CENTER-VENT PANEL CARTON: 12 Centervent skirting panels per carton; Each panel 11' 8" long; 16" exposure; 186.5 sq. ft./carton; 65 lbs./Ctn.	0200597	0200596	0200598	0200599	0200595
В	LIF12	PANEL CARTON: 12 skirting panels/carton Each panel 11' 8" long; 16" exposure; 186.5 sq. ft./carton • 65 lbs./Ctn.	0200605	0200590	0200607	0200608	0200606
	LIFTKT	TRIM CARTON: 90 lbs./Ctn. 10 pcs. Top Trim Front • 11' 7.25" long • 116 lin. ft. 4 pcs. Top Trim Front • 11' 7.25" long • Factory-notched corner • 46.5 lin. ft. 14 pcs. Top Trim Mounting • 11' 7.25" long. • 162 lin. ft. 14 pcs. Vinyl Ground Channel • 11' 7.25" long • 162 lin. ft. 200 Nails, 100 7-in. Ground Spikes	0200600	0200604	0200602	0200603	0200601
C	LIFTTM	TOP MOUNT • 40 per carton	0200620	0200624	0200622	0200623	0200621
D		TOP TRIM FRONT • 40 per carton	1			0200612	
E	LIFVGC	GROUND CHANNEL • 40 per carton	0200614	0200618	0200616	0200617	0200615
F		GROUND SPIKES & NAIL KIT 100 Spikes, 200 Nails			020106	6	
		Skirting Spike 7" • 100/bundle			020107	0	
		1" Hex Head Screws • 500 per box			026310	2	
Ш		WINDGUARD • 24" • 32 per bundle			020081	8	
		WINDGUARD • 12" • 32 per bundle			020081	9	
		POLYCLIP • 50 per bag			020107	5	

Lifestyle Component & Replacement Parts



Lifestyle











(SP/NAIL)



- 1. How to Determine Linear Feet To determine the linear feet of skirting material needed, measure the entire perimeter of the home.
- 2. How to Determine the Average Height To find the average height, measure the height of the space between the ground and the home's bottom edge at each corner and the center of each side. Total all six measurements and divide by 6. Then, add 1 inch.
- 3. Using the Calculation Chart Then go to the easy-to-read calculation chart below and find the appropriate measurements. The chart will then tell you what you will need to complete the installation.

	Pa Mod		L	_IFES	STYL	E CA	LCU	ILATI	ON (CHAF	RT FO	OR S	INGL	E W	IDE /	DOL	JBLE	WID	E	
Home Size (Ft.)	8x32	8x35	12x65	12x70	14x60	14x65	14x70	14x76	14x80	16x70	16x80	24x50	24x60	24x65	24x70	28x65	28x70	28x80	32x70	32x80
Lin. Ft.*	80	86	146	156	140	150	160	172	180	164	184	140	160	170	180	178	188	208	196	216
Avg. Ht. Of Skirt					NUN	IBER	OF 1	1 FO	OT - 8	3 INC	H PA	NELS	REC	UIRE	D					
18"	9	10	16	17	15	16	17	19	19	18	20	15	17	18	19	19	20	23	21	24
23"	10	11	19	20	18	19	20	22	23	21	23	18	20	22	23	23	24	26	25	27
28"	12	13	22	24	21	23	24	26	27	25	28	21	24	26	27	27	28	32	30	33
35"	15	17	28	30	27	29	30	33	34	31	35	27	30	32	34	34	36	39	37	41
42"	20	22	37	39	35	38	40	43	45	41	46	35	40	43	45	45	47	52	49	54
Trim Parts			N	UMB	ER O	F 11	F OO 1	Г - 7-1	1/4 IN	CH T	RIM (COMF	ONE	NTS	REQL	JIRE)			
LIFTTM	7	8	13	14	12	13	14	15	16	15	16	13	14	15	16	16	17	18	17	19
LIFTTF	7	8	13	14	12	13	14	15	16	15	16	13	14	15	16	16	17	18	17	19
LIFVGC	7	8	13	14	12	13	14	15	16	15	16	13	14	15	16	16	17	18	17	19
Ground Spikes	49	56	91	98	84	91	98	105	112	98	112	91	98	105	112	112	119	130	123	135
Nails	98	112	182	196	168	182	196	210	224	196	224	182	196	210	224	224	238	260	245	270


^{*} Less Hitch & Tip Out

Heating & Cooling



Panels


Available in three great colors: Brown • Sandstone • Gray*



0201119 32" x 5' Brown 0201120 36" x 5' Brown 0201121 48" x 5' Brown



0201115 32" x 5' Sandstone 0201116 36" x 5' Sandstone 0201117 48" x 5' Sandstone



0201122 32" x 5' Gray 0201123 36" x 5' Gray 0201124 48" x 5' Gray

Access Doors



0201126 32" W x 36" H Brown 0201127 32" W x 36" H Gray **0201111** 32" W x 36" H Sandstone Ships with keys stapled to rear of door.

Total Dimensions



Door Dimensions 28.5"



6" clearance below door

Tongue Cover



0201140 **Brown** 0201141 Gray

Screws

Sheet metal screws, 1-1/4" hex washer head, painted. Zinc plated. #8 gauge.

0262611 Black; 250/Box 0262612 Black; 500/Box 0262632 Cream; 500/Box

K-Rok Calculation Chart

Mobile Home Size	14	14	14	14	14	14	14	14	14	16	24	24	24	24	24	24	28	28	28	28	28
	х	х	х	х	х	х	х	х	х	x	х	x	х	х	х	х	х	х	х	х	х
	46	50	52	56	60	65	70	72	80	85	44	50	60	64	65	70	44	52	60	64	70
Linear Ft. (Less Hitch)	112	120	124	132	140	150	160	164	180	194	128	140	160	168	170	180	136	152	168	176	188
Number of Panels	24	26	27	28	30	32	34	35	38	41	27	30	34	36	36	38	29	32	36	38	40

Note: A 5-foot panel actually covers 57"


Metal Top Trim, 10'

0201132 Brown **0201133** Gray **0201134** Sandstone




Metal Corners, 36"

0201145 Brown 0201146 Gray **0201147** Sandstone



Metal Bottom Track & Frost Heave Channel



Bottom track shown

STANDARD TRACK, 10'

0201128 Brown Track

0201129 Gray Track

0201130 Sandstone Track

FROST HEAVE TRACK, 10'

0201150 Brown Channel

0201151 Gray Channel

0201152 Sandstone Channel



square footage divided by 150 = number of vents needed.



0201125 Universal Vent, Black 0201108 Universal Vent, Sand


Skirting Panels



0201200 48" x 5' Brown Panel 0201201 48" x 5' Gray Panel 0201202 36" x 5' Brown Panel

0201203 36" x 5' Gray Panel 0201204 32" x 5' Brown Panel 0201205 32" x 5' Gray Panel

Access Doors



0201207 Gray Access Door* 0201206 Brown Access Door*

Ships with keys stapled to rear of door.

Heating & Cooling



Brick & Stone Skirting

Colors	Panels	Ledges	Corners
Used Red	0200450	0200456	0200451
Red Blend	0200452	0200457	0200453
Used Buff	0200462	0200464	0200463
Buff Blend	0200469	0200471	0200470
Colonial White	0200458	0200460	0200459
Char Brown	0200485		0200486
Canyon Gray "Stone"	0200466	0200468	0200467

All the beauty of brick or stone without the high cost

. . . In a variety of attractive styles



Not stocked at all locations.

Nailite will help you create an extraordinary look for your home. Authentic beauty so unexpected that everyone will believe it's real Hand-Laid Brick and Hand-Cut Stone. It performs beautifully because it is manufactured from extremely durable, long-lasting polypropylene.

Nailite can be used for skirting and as accents on exterior walls. Note: FHA approval depends on location of material being used.

						Cł	าล	rt i	foi	r N	lai	llit	e :	Sk	irt	in	g						
Typical Home Size	8 x 32	8 x 35	12 x 50	12 x 55	12 x 60	12 x 70	14 x 60	14 x 65	14 x 70	14 x 76	14 x 80	16 x 70	16 x 80	24 x 50	24 x 60	24 x 65	24 x 70	28 x 45	28 x 50	28 x 55	28 x 60	28 x 65	28 x 70
Lin. Ft. (less hitch)	80	86	124	134	144	164	148	158	168	180	188	172	192	148	168	178	188	145	156	166	176	186	196

Aver. Height of Skirt							Νι	ımb	er o	f 40	" Na	ailite	Par	nels	Red	quire	ed						
6"-18"	24	26	37	41	44	50	45	48	51	54	57	52	58	45	51	54	57	44	47	50	53	56	59
19"-36"	48	52	74	82	88	100	90	96	102	108	114	104	106	90	102	108	114	88	94	100	106	112	118
37"-54"	72	78	111	123	132	150	135	144	153	162	171	136	164	135	153	162	171	132	141	150	159	168	177


NAILITE		1	Num	ber	of F	ece	es o	f Sta	artei	· Str	ip a	nd J	Ch	ann	els I	Req	uire	d (1	2 ft.	lenç	gths)	
too are too are too	7	8	11	12	12	14	13	14	14	15	16	15	16	13	14	15	16	13	13	14	15	16	17

Brick and Stone Skirting

Nailite products are made with extremely durable, easy to clean polypropylene. Not Available At All Locations


Panels






Carton weight: 10 lbs.; 10/Ctn. Approx. linear ft. per carton: 26.75


Hand-Laid Brick



Carton weight: 12 lbs.; 10/Ctn. Approx. linear ft. per carton: 30


Ledge






Carton weight: 12 lbs.; 10/Ctn. Approx. linear ft. per carton: 30

Corners (90° Outside Corner)



Carton weight: 11 lbs.; 10/Ctn; Lin. Ft./Ctn.: 15



Carton weight: 10 lbs.; 10/Ctn; Lin. Ft./Ctn.: 15

Universal Starter Strip

Galvanized Steel Length: 10' Linear Feat: 250

Carton weight: 39 lbs.; 25/Ctn.

0200455




Carton weight: 39 lbs. Approx. linear ft. per carton: 30

J-Channel

Matte Vinyl; 1 1/8" Opening Lenath: 12' 6" Linear Feet: 275

Carton weight: 38 lbs.; 40/Ctn.

0200461



Mortar Fill Caulk



Cement gray caulk matches "mortar." Average job generally requires two tubes. Siliconized acrylic sealant repairs cracks in brick, mortar and any other cementitious surface. Mortar Seal is a flexible, weather resistant material that cures to a cement-like color. Can be cleaned with soap and water.

0200480 12/Ctn; Carton weight: 17 lbs.; Color: Mortar Line Gray

BRICK STUCCO AND STONE

Expansion
Chairmet
Pairel
Pairel
Pairel
Brown Brick
Gray Stone
Stucco

- Attractive, durable textured finishes
- 1-1/8" EPS foam panels are coated with SpaceGuard, a Class "A" fire rated masonry coating, installed with a selfsupporting matching steel framework.
- Any home looks custom built
- ✓ Insulating: R-5 value
- Light weight
- Blow-out resistant
- Maintenance free
- Field and lab tested



Automatic Foundation Vents

Saves energy 0421280 Black Vent 0421281 Gray Vent 0421282 Brown Vent 0421283 White Vent

Brown Brick	30)"
Panels	0202	051
Corner Plates	0202	060
Join Support Channels	0202	056
Access Posts	0202	045
48" Expansion Channel	0202	054
12' Base Channel	0202	041
Gray Stone	30"	48"
Panels	0202030	0202032
Corner Plates	0202038	0202040
Join Support Channels	0202035	0202070
Access Posts	0202044	0202042
48" Expansion Channel	0202	033
12' Base Channel	0202	041
Stucco	24"	30"
Panels	0202015	0202016
Corner Plates	0202023	0202024
Join Support Channels	0202020	0202021
Access Posts	0202047	0202048
48" Expansion Channel	0202	019
12' Base Channel	0202	041

*Not Stocked at All Locations.

A-10

"The Ultimate Skirting"

the **flexibility** of skirting

the durability of perimeter foundations

the attractiveness of stone





0201301 & 0201341 StoneSkirt Unit

6 panel solid concrete perimeter block - sandstone

0201344 Sill Block

16" x 4" x 4" - sandstone



0201306 I-Beam Aluminum I-Beam

0201307 **Frame Bracket**

Galvanized metal frame bracket secures StoneSkirt columns to the home



0201332 Concrete Adhesive

columns

29 oz



0201301 Sandstone 24" x 8" x 2.5" Six-Panel Block Unit **0201341** Sandstone 16" x 8" x 2.5" Six-Panel Block Unit

0201344 Sandstone 16" x 4" x 4" Sill Block

0201306 Aluminum I-Beam

0201307 Frame Bracket or L Bracket

0201309 Base Block **0201310** Angle Iron

0201311 Manual Damper Vent, Brown

0201318 24" x 24" Access Panel, Gray 0201320 32" x 24" Access Panel, Gray

0201336 32" x 24" Metal Access Panel, Gray

0201332 Concrete Adhesive 29 oz.

*Not Stocked at All Locations.

Access **Panel**

0201320 Gray Access Panel, 32" x 24"



Manual Damper Vent



Appliances

CertainTeed Fiber Cement Skirting System

The look of textured stucco with the ease of skirting panels



0200410	Panel 4' x 4'	0200404	Outside Corner Post
0200407	Panel 4' x 8'	0201066	Hardware Kit
0200401	Grd Channel, Gray	0262635	Screw 8" x 1-1/4"
0200406	H-Channel, Gray		/500 Box

Top Trim Mount: 11' 7.25"L

0200620	White	0200609	White
0200621	Pebblestone	0200610	Pebblestone
0200622	Gray	0200611	Gray
0200623	Sand	0200612	Sand
0200624	Cameo	0200613	Cameo

CertainTeed Outperforms the Competition!

Exclusive DuraPress® embossing ensures product thickness consistency and authentic grains and textures, panel to panel, lot to lot.

Superior resistance to damaging moisture -- no delamination ever. 60% higher interlaminate bond strength versus the competition means no delamination guaranteed!

Proven highest durability. Fracture/brittleness tests prove it.

CertainTeed's exclusive precure chamber stops chalking.

FiberTect™ Sealant saves money because it penetrates into and bonds with Fiber Cement. Once the board is sealed, it requires 15% less paint than competitive panels.

The longest paint "window" means greatest job site flexibility - 24 months before a finish must be applied -- versus just the six months allowed by competitive siding manufacturers.

Excellent safety from fire and wood-boring insects. Class 1 (A) fire rating and are impervious to wood-boring insects like termites.


Peace of mind with a solid warranty. 50-year limited transferable warranty. And with CertainTeed's exclusive SureStart warranty protection, 100% of material and labors are covered during the SureStart period. (50-year warranty applies only if the product is installed according to installation instructions.)

2' x 3' banner.

0265735



Top Trim Front: 11' 7.25"L



See vents on page A-17





Item ID	Item Description	Size	Color
0200700	Rapid Wall Panel	4 x 12	white
0200701	Rapid Wall Trim Kit w/hardware		white
0200702	Rapid Wall Front Rail		white
0200703	Rapid Wall Ground Rail		white
0200704	Rapid Wall Back Rail		white
0200708	Rapid Wall Panel	4 x 12	gray
0200709	Rapid Wall Trim Kit w/hardware		gray
0200710	Rapid Wall Front Rail		gray
0200711	Rapid Wall Ground Rail		gray
0200712	Rapid Wall Back Rail		gray
0200716	Rapid Wall Panel	4 x 12	almond
0200717	Rapid Wall Trim Kit w/hardware		almond
0200718	Rapid Wall Front Rail		almond
0200719	Rapid Wall Ground Rail		almond
0200720	Rapid Wall Back Rail		almond
0201072	Hardware F/ Rapid Wall Skirting		N/A

Clean Concrete Foundation Like Appearance.

Introducing one of the latest

innovations in


foundation

systems!

- Installs like traditional vinyl skirting. No special training required.
- **3** 4 ft. wide panels mean fast installation.
- EPS foam backing gives the panel R8 insulating value.
- Foam backing stiffens the panel and can be installed without framework in most cases.
- **6** No special tools required for installation.


See vents on page A-17

Rapid Wall Calculation Chart										
Skirting Panels Required	Skirting Panels Required									
Typical Home Size	14 x 70	14 x 80	16 x 70	16 x 80	24 x 60	24 x 65	24 x 70	28 x 65	28 x 70	32 x 70
Linear Feet Less Hitch	160	180	164	184	160	170	180	178	188	196
To 24 Inches	7	8	7	8	7	8	8	8	8	9
To 28 Inches	8	9	9	10	8	9	9	9	10	10
To 36 Inches	10	12	11	12	10	11	12	12	12	13
Trim Parts										
Top Front Rail	14	15	14	16	14	15	15	15	16	17
Top Back Rail	14	15	14	16	14	15	15	15	16	17
Ground Channel	14	15	14	16	14	15	15	15	16	17
Min # of Vents Required	10	10	10	10	12	12	14	14	16	18





Wheeling Corrugating Company



Rock Face Panels

Good-looking, cost-effective and practical. Formed of durable, deep-stamped galvanized metal that deflects wind, helps reduce heat loss and keeps your under-home storage areas dry and clean. Easy and quick to install, virtually maintenance free! Lightweight, 28" x 59" panels may be installed with screws on a simple wooden frame. If, at a later time, your home is to be moved, just unfasten the panels and take them with you.

0202200 28" x 59" See vents on page A-17





Amerimax BUILDING PRODUCTS, INC.


Not Stocked At All Locations

Steel Panels

36" x 96"; Approx. 34" Face Coverage


0207804 Colonial White **0207806** White

0207809 Rich Brown



Aluminum Siding Panels

0207844 48" x 96" Colonial White **0207845** 48" x 96" White




Mini Gutter

14' Long

0207812 Colonial White

0207822 White

0207813 Rich Brown




Outside Corner

96"; cedar embossed hem.

0207821 Colonial White

0207825 White

0207823 Rich Brown




Mansard Receiver

14' Long

0207818 Colonial White

0207828 White

0207819 Rich Brown




Bottom Starter

14' Long

0207810 Colonial White

0207820 White

0207811 Rich Brown




Divider Bar

14' Long

0207814 Colonial White

0207824 White


0207815 Rich Brown




J-Rail

12' Long

0207816 Colonial White **0207826** White





Premium Dutch Lap Vinyl Siding

A home could be the largest investment many people will make. With that being said, it is important for the home owner to invest in products that will preserve the appearance of the home. Adding Elixir vinyl siding is just the product for that task. Our vinyl will help maintain that needed "curb appeal" and will also help protect the value of the homeowner's investment.

Produced in Tuscumbia, Alabama - our vinyl siding is held up to the most ardent quality standards. Our siding product is engineered for longevity and carries a 50 year warranty. It won't dent, rust, peel, chip, fade, blister, pit, or warp. Elixir vinyl siding is virtually maintenance free.

	White	Clay	Gray
D4.5 Dutchlap Siding	0207951	0207952	0207953
1/2" J-Channel	0207960	0207961	0207962
3/4" J-Channel	0207967	0207968	0207969
Outside Corner, 10'	0207957	0207958	0207956
D5 Soffit, Vented	0207971		
D5 Soffit, Solid	0207972		
Window Door Trim, 8'		0207955	
Vinyl Starter Strip		0207975	
PVC Trim Coil	0207976		
Utility Trim	0207977		

Not Stocked At All Locations







edges. Fits in pocket, only 4". Use it as a scribe or square to mark or score precise

lines... or

Go straight to cutting with your utility knife in the precisely marked 1/8" holes.

0381003





SideSwiper®

Saves time!

Unique offset design makes work more accessible so you can work faster and safer. Wider body and comfortable vinyl-grip handle

conforms to your hand, protects knuckles and gives you greater leverage and control when replacing siding panels. Durable one-piece, spring steel construction is virtually indestructible. 6/Ctn.

0381002

Using the SideSwiper



Wedge tip under the bottom end of overlapping panel and hook on the back lip of buttlock in one easy motion.

Pull downward on SideSwiper's® handle and slide row of siding panel to disengage lock and expose nail row of sliding panel to be replaced.

Use in the same manner to install replacement panel.

Metal Shears Drop-forged.

heavy duty, 12-3/4" long.

0381004

Pro Snap-Lock Punch Tool

For vinyl only; 1/2" throat depth. Produces wider, more secure locking tab projections.

0380105



Snap-Lock Punch Tool

For vinyl and aluminum; 3/8" throat depth.

0380104

Aluminum Handled Snips

New design! Handle gives strength of steel with only half the weight. Straight cuts through the hardest sheet metal (even seams) and vinyl. Long-life pressure fit inset steel blades are easy to replace and extended tips reach all the way into corners. Larger handle loops accommodate gloves. 3" cut, weighs only 1 lb., 12" long.

0381012 M12N Snips

0381014 Rpl. Blade for M12N Snips

Heating & Cooling


PolyClip

PolyVulc has pioneered the way for skirting attachments with the new PolyClip.

- Durable
- Doesn't Degrade
- Made from 100% Recycled Materials
- Easily Attaches to the Rim Joist of House

Item #	Description	
0201075	PolyClips [®] , Bag of 50	
Additio	onal Supplies Needed	Used for installation of skirting to vinyl
0380108 5/32" Drill Bit For Steel, Pk Of 12		sided houses to comply with HUD
0390608 6" Bit Holder		Code 3285.
0263050 1/2" Sheet Metal Screws, Box of 500		Innovation Through Recycling
0263102	1" Sheet Metal Screws, Box of 500	100% Recycled Materials
0263043	3/4" Self Tap Screws, Box of 100] (*)

Adjustable Skirting Studs



- Fast and easy installation
- Works in a variety of positions
- Adjusts to proper height in seconds
- No sawing, measuring or toe nailing
- Automatically adjusts to freeze & thaw
- Prevents blow-offs
- Made of durable galvanized steel

Adjustable bracing support behind vinyl skirting. The top of the stud attaches to the rim of the home, while the bottom attaches to the ground with spikes or rebar. Design allows panels to be attached directly to the studs, which adjust with any ground movement.

0200825 Stud 24" - 40" **0200826** Stud 40" - 72"

Vent with Adjustable Damper

Provides 72 sq. in. of air flow

0201137 Deluxe Vent w/Damper, Black

NOTE: To determine the number of vents needed: square footage divided by 150 = number of vents needed.

Open Vent

Provides 72 sq. in. of air flow

0201125 Universal Vent, Black **0201108** Universal Vent, Sand



Skirt-Guard



From this....

to this... in a snap!

Snaps right on to existing bottom track to hide and/or protect from string trimmer damage. UV protected vinyl is thicker and smoother than ordinary skirting with no edges for trimmer to catch on; even butt joints are smooth. Hides damage up to 4" high. Can be trimmed to bend to both outside and inside corners. Patented design keeps top edge snug -- will not blow out or collect debris. White color only.

0200900 7' Sections; 30/Box

Automatic Foundation Vents

Saves energy!







- Automatically opens at 70°, closes at 40°
- Bi-metal coil fully enclosed in patented protection
- High-density thermo plastic construction
- Stainless steel and corrosion resistant metal parts
- Heavy-duty aluminum mesh screen in front and back
- Fits standard 8" x 16" vent openings
- Limited lifetime warranty
- 65 sq. in. net free area

0421280 Black **0421282** Brown

0421281 Gray **0421283** White





Frame and door fit securely into wall, and access is equally well designed.

Just pull door open at the top and lift out of frame. When finished replace and lock door for complete security.

Elixir Crawlspace Doors

It's important to have access to the crawlspace under the home on a regular basis for:

- Plumbing Repair
- ♦ Insect and Vermin Inspection
- Standing Water Awareness
- Insulation Maintenance

The crawlspace doors currently on the market tend to rust, which not only causes an eyesore, it prevents the latches and hinges from functioning.

The new Elixir Crawlspace Doors and surround are made of sturdy aluminum, so they never rust. The core of the door can be removed from the frame to aid in accessing the crawlspace, while light enough to make the job easy.

The latching system is simple, yet effective, and allows the option of padlocking the door for security and safety. Installers and suppliers love this product and so will you!

Quality Homes Demand a Quality Crawlspace Door

- ◆ Rust Resistant Construction
- ◆ Removable Door for Easy Access
- Security from Intruders and Vermin
- ◆ Can be Mounted Flush or Recessed
- ♦ Aesthetically Appealing
- ◆ Safe and Easy to Handle
- Energy Efficiency

E	Elixir Crawlspace Doors					
Item #	Dimensions					
0212300	24"W x 24"H					
0212301	32"W x 24"H					
0212302	32"W x 32"H					

Elixir Crawlspace Doors Feature:

Special sizes available upon request.

Crawl Space Door Systems

Plastic – No Rust or Rot Crawlspace Doors & Vents for Homes (New Construction & Replacement)

Easy Access • Modular Use • Can Be Painted

Increased Net Free Air Size Save Money On Flood Insurance! Item No. **Opening Sizes** Non Eng. **Net-Free Air** Eng. 0212310 12" X 20" 240 380 220 0212311 12" X 32" 384 610 353 0212312 16" X 16" 256 410 235 0212313 16" X 24" 384 610 353 471 0212314 16" X 32" 512 810 0212315 20" X 32" 1,020 589 640 0212316 24" X 24" 920 576 530 0212317 24" X 36" 864 1,380 795

Flood Vents:

Certified To Meet FEMA Flood Zone Requirements



Air Vents Reduce: Moisture, Mold, Radon & Odors Increased Net Free Air Size & Fewer Vents are Required!





Constructed of tough ABS material, will not rot, dent, rattle, tear or fade. Side-ventilated to prevent heat build-up and wind resistance. Pre-drilled and prefinished, all hardware included for easy installation. Maintenance free - just clean off with a garden hose. Available in white, brown or blue, can be painted.

To Order:

Measure width of door or window, including trim and molding. Select the next larger size.

Awnings

(Drop 24", Projection 24")

0207725 36" 0207726 42" 0207727 48"

WeatherBest Awnings



Door Canopies

(Drop 16", Projection 39-3/4") 0207730 63"

All Aluminum Door Canopy



Available in white canopy with white, tan or brown fascia. Made of durable aluminum with snow-white baked enamel finish, complete with rain gutter.

0207750 40" x 48" w/White Fascia 0207752 40" x 60" w/White Fascia 40" x 48" w/Tan Fascia 40" x 60" w/Tan Fascia Special Order





Not Stocked at All Locations Other Colors & Sizes Available By Special Order



Weatherbest Window Shutters

Molded shutters of high-impact polystyrene with realistic woodgrain texture. KORAD® finish will not crack, peel or chip. Sold boxed as a pair.*

0207601	Black
0207602	White
0207603	Green
9" x 53"	
0207610	Brown
0207611	Black
0207612	White
0207613	Green
9" x 41"	
0207605	Brown

9" x 27.5" 0207600 Brown

Brown
Black
White
Green
Brown
Black
White
Green

12" x 31"	15" x 31"
0207615 Brown	0207630 Brown
0207616 Black	0207631 Black
0207617 White	0207632 White
0207618 Green	0207633 Green
12" x 55"	15" x 55"
0207620 Brown	0207635 Brown
0207621 Black	0207636 Black
0207622 White	0207637 White
0207623 Green	0207638 Green
12" x 63"	15" x 63"
0207625 Brown	0207640 Brown
0207626 Black	0207641 Black
0207627 White	0207642 White
0207628 Green	0207643 Green













- Versatility
- Low-maintenance
- Quality materials
- Standard or Custom Units
- Wind & Snow Load **Engineering**

MASON CANOPIES ARE FULLY ENGINEERED TO COMPLY WITH ALL BUILDING CODES.




MASON CORPORATION

Preserve Your Investment...

Provide shelter from rain, hail, snow and blistering heat. Year round protection is available at a reasonable cost to you. Covers are custom fabricated to suit your needs at a price to fit your budget.

16" W Pa	anel Unit	12" Flat	Panel (Riser Pan)
0207100	8x16 Top only (.019 aluminum)	0207110	8x16 Top only (.024 aluminum)
0207101	8x16 with three 10' aluminum posts (.019 aluminum)	0207112	8x16 with three 10' aluminum posts (.024 aluminum)
0207102	10x20 Top only (.025 aluminum)	0207113	10x20 Top only (.032 aluminum)
0207103	10x20 with three 10' aluminum posts (.025 aluminum)	0207114	10x20 with three 10' aluminum posts (.032 aluminum)
0207104	12x20 Top only (.032 aluminum)	0207115	12x20 Top only (.032 aluminum)
0207105	12x20 with three 10' aluminum posts (.032 aluminum)	0207116	12x20 with three 10' aluminum posts (.032 aluminum)
0207120	Bottom Bracket f/3" Po	ost	



0207121 Bottom Bracket f/3" Post

(for wood)





0207123 Column 3"x8'

Square, White, Aluminum

(.078" extruded)

0207124 10' - Flat, Ornamental, Aluminum

.060" extruded, White

0207125 10' - One-Half Flat, Ornamental,

Aluminum (.060" extruded), White



Add Beautiful Space for Outdoor Entertaining...

All roof components are made from aluminum or steel, custom cut to the exact size you need. They're rugged, weathertight, and feature a baked-on polyester finish which requires little maintenance.

leating & Cooling

SUNEHEVEN


Window & Entrance Awnings



Custom-manufactured to add beauty and privacy. Saves energy by keeping home cooler in the summer.

- Constructed of aluminum components, maintenance-free
- Standard roll form available in white, brown or tan
- Step-down style available in a wide variety of colors
- Factory pre-assembled for easy installation
- Standard with all hardware necessary for installation
- All aluminum support columns available in white, brown, black or tan
- Scallop available on closed end awnings in a wide variety of colors.
 Special Order Only

Adjustable Window Awnings



White baked-on enamel finish

0207801 White 36" Width-30" Projection **0207802** White 48" Width-30" Projection **0207803** White 40" Width-40" Projection

Patio Covers



- Designed and engineered for maximum strength using aluminum components
- Baked-on enamel finish for care-free maintenance
- Ridged roll-form outer frame with integrated gutter system
- Standard with all necessary installation hardware

Available Options:


- W-Pan, Flat Pan, 3" or 4" insulated
- Color-matched downspouts
- Heavy-duty aluminum columns available (scrolled, standard, 3" fluted, 3" heavy wall, rose or oak)
- Self-mating beams can be used for increased span and rigidity

0207704 10' x 20' White (Includes Posts and Down spouts) Other sizes available by special order.

Galvanized Roofing

Replace the complete roof. Best certified steel, .125 mil thick.

Special Order Only 0207505 Galvanized Roofing



SUNHINEN



Enclosures

- All aluminum sturdy construction frame work
- Baked-on enamel finish for carefree maintenance
- Available in 2" non-insulated, 2" poly-core or 4" insulated
- Kit form or pre-built
- Available in choice of tan or white
- Many options available to custom design your enclosure to meet your special project needs
- Standard with all necessary installation hardware
- Enclosure walls are available with aluminum, vinyl or optional OSB to be custom finished

Special Order Only

*Please note:

Special orders are manufactured to your specifications, so the final product may not look exactly like the pictures shown here.

Screen Rooms

- All aluminum sturdy construction
- Baked-on enamel finish for carefree maintenance
- Available in choice of white or tan
- Aluminum non-insulated kick panel standard
- 2" poly-core kick panel available with aluminum, vinyl or optional OSB to be custom finished
- Many options available to custom design your screen room to meet your special project needs
- Standard with all necessary installation hardware

Special Order Only




*Please note:

Special orders are manufactured to your specifications, so the final product may not look exactly like the pictures shown here.

SUNEHEVEN





Attached and Free-standing Carports

- Designed and engineered for maximum strength using aluminum components
- Ridged roll-form outer frame with integrated gutter system
- Permanent baked-on enamel finish
- Standard with all necessary installation hardware

Available Options:

- W-Pan, Flat Pan, 3" or 4" insulated
- Color-matched downspouts
- Heavy-duty aluminum columns available (scrolled, standard, 3" fluted, rose, oak or 3" heavy wall for free-standing applications)
- Self-mating beams can be used for increased span and rigidity

Special Order Only

*Please note:

Special orders are manufactured to your specifications, so the final product may not look exactly like the pictures shown here.

Insulated Over-Roofs



SUN HAVEN over-roofs eliminate summer heat build-up, winter heat loss, constant recoating, unsightly water streaks, expansion leaks, condensation in roof and noises caused by weather.

- Constructed with .024 aluminum panels
- Manufactured to fit any structure
- Includes installation hardware
- All maintenance-free aluminum components

Special Order Only

SUNEHIMEN Sunhaven Sheds

Sheds

SUN HAVEN sheds are available with a flat roof (pictured) or with poly-core gable roof.

- Available in custom sizes to fit any need
- Designed and engineered for maximum strength using maintenance-free aluminum components
- Permanent baked-on enamel finish
- Standard with all necessary installation hardware
- Walls are pre-assembled for simple installation

Special Order Only



SUNEHMEN Decorative Railings & Columns

Railings

- Manufactured with all aluminum components with a powder coat finish
- Available in white, tan or black
- Standard and custom sizes up to 15 feet
- Railing sections are factory preassembled for easy installation
- Fully adjustable for slope or step applications

Columns

- S-scroll, Rose and Oak (flat or corner) available in white, tan, black ór brown
- 3" x 3" fluted available in tan and white
- 3" x 3" heavy wall available in white only
- Standard heights 8', 9' or 10' (custom heights available)




*Please note: Special orders are manufactured to your specifications, so the final product may not look exactly like the pictures shown here.

Special Order Only

leating & T

Genova



Vinyl Hitch Hider

Attractive and clever way to hide hitches. All vinyl, maintenance-free. Makes lots more attractive too.

0207850 8' **0207851** 10'



6' available by special order.



Leakproof designUV ProtectionTough Polymer Panes

Energy EfficientAnti-FoggingEasy Installation

Pre-punched flange, complete and ready to mount over roof opening. Can be installed on metal or sloped roofs. Minimum 3:12 pitch.

Emerald Skylights

0463000 16" x 32" 0463004 16" x 16" 0463005 16" x 48" 0463001 24" x 24" 0463002 24" x 32" 0463006 24" x 48" 0463007 32" x 32" 0463003 48" x 48"

Dome SD Skylights


0463009 16" x 24" 0463010 16" x 32" 0463014 16" x 16" 0463015 16" x 48" 0463011 24" x 24" 0463012 24" x 32" 0463016 24" x 48" 0463013 48" x 48"



0110390 Sealant

Options

- Multiple pans for maximum insulation
- Bronze polycarbonate for added sun control



Emerald Skylight

Dome SD Skylight





Pre-Fabricated Brick Chimney Covers


Hides unsightly fireplace flue stacks and roof jacks giving a realistic brick chimney appearance.

Base unit comes standard as a 24" x 24" x 36" weighing only 35 lbs. with an optional 3 ft. extension, can stack to 9 ft. Developed by sandwiching lightweight polystyrene between durable 1/8" durable brick marble aggregate exterior and a strong no-rust aluminum inner framework will never fade or rust and takes just minutes to install. Box includes brick chimney panels, lid, flange, all mounting hardware and simple directions. Will outlast all traditional wood or vinyl covered flue pipes.

0200200 Red Brick Cover w/all Mounting Hardware

0200201 Red Brick 36" Extension

0200205 Gray Brick Cover w/all Mounting Hardware



Heating & Cooling

Pressure Treated Steps

These sturdy pine-treaded steps, attached to a super-strong, cross-braced metal frame, offer attractive access to any mobile home at an economical price. Step tread on the 29" wide step is 9-1/2" wide. On the 36" wide step, the tread is 11-1/2" wide.

Two Step



0350901 18" H; 12/Ctn. **0350902** Hand Rail; 5/Ctn.

Three Step



 26" H x 29" W; 12/Ctn. Rail for **0351001**; 5/Ctn. 26" H x 36" W Rail for **0351005**

Steps with Half Platform & Rail



Two steps with the third step being a 19" x 29" half platform with rail for safety.

0351050 10/Ctn.

Three steps with the fourth step being a 19" x 29" half platform with rail for safety.

0351052 10/Ctn.

Platform and rail attaches easily to steps for an attractive addition.

0351056 19" D x 29" W for 4-Step 0351057 24" D x 36" W for 3-Step 0351058 24" D x 36" W for 4-Step 0351055 19" D x 29" W for 3-Step


Four Step



0351101 34" H x 29" W **0351004** Rail for 29" 4 Step; 5/Ctn. **0351007** 34" H x 36" W; 12/Ctn.* **0351008** Rail for 36" 4 Step

*The 36" wide not available at all locations.

Half Platform & Rail Kit



(Shown with three step: NOT included)

BLACK POWDER COATED ALUMINUM RAILS





- Wrought-iron look at an affordable price.
- Give your customers more options.
- Available in BOCA rails only.



The beauty of wrought-iron at an affordable price.

	\$	Standard Sto (Enclosed	For use with these Black Powder rails:			
100	Sand Steps	White Steps	Descripti H = Heigh	ion ht; D = Depth; W = Width	Powder Coat BOCA (black) Side Rail	Powder Coat BOCA (black) Back Rail
	0352291	0351291	2-Step	16"H x 38"D x 38"W	0351087	0351069
	0352053	0350053	3-Step	24"H x 38"D x 38"W	0351067	0351069
	0352052	0350052	4-Step	28"H x 38"D x 38"W	0351085	0351069
	0352057	0350057	4-Step	32"H x 38"D x 48"W	0351086	0351154
	0352061	0350061	5-Step	36"H x 38"D x 48"W	0351161	0351154
		0350062	5-Step	40"H x 38"D x 48"W	0351163	0351154
	0352333	0351333	3-Step	24"H x 20"D x 34"W		
	0352318	0351318	4-Step	28"H x 20"D x 34"W		
	0352321	0351321	4-Step	32"H x 20"D x 34"W	0351160	

H = Height of Step

D = Depth of Top Landing

W = Width of Step

BOCA Rail = Meets BOCA Code



- Steps constructed of heavy-duty treated plywood and 2 x 4's designed to last decades even under heavy water contact.
- Deep-penetrating treatment protects all exterior and interior wood against rotting, warping and other decay.
- Grooved nails give superior strength in key bracing areas.
- Fiberglass and resin exterior coating provides strength and durability.
- White or sand exterior with special "Black Buckshot" finish for added visual appeal.
- Slip-resistant texture on all treads and landings for additional safety.



	Standard Ste	ep Sizes (Enclosed Back)		For use with	these rails:	
Sand Steps	White Steps	Description H = Height; D = Depth; W = Width	Side Rail	BOCA Side Rail	Standard Back Rail	BOCA Back Rail
0352291	0351291	2-Step 15.5"H x 38"D x 38"W	0351292	0350087	0351357	0350069
0352054	0350054	3-Step 23.25"H x 24"D x 38"W	0351348	0350068	0351357	0350069
0352053	0350053	3-Step 23.25"H x 38"D x 38"W	0351342	0350067	0351357	0350069
	0350055	3-Step 23.25"H x 38"D x 48"W	0351342	0350067	0351354	0350154
0352056	0350056	4-Step 28"H x 24"D x 38"W	0350078	0350158	0351357	0350069
0352052	0350052	4-Step 27.5"H x 38"D x 38"W	0350075	0350085	0351357	0350069
0352063	0350063	4-Step 27.5"H x 38"D x 48"W	0350075	0350085	0351354	0350154
0352058	0350058	4-Step 32"H x 24"D x 38"W	0351366	0350159	0351357	0350069
0352059	0350059	4-Step 31"H x 38"D x 38"W	0351365	0350086	0351357	0350069
0352057	0350057	4-Step 31"H x 38"D x 48"W	0351365	0350086	0351354	0350154
0352180	0350180	5-Step 36"H x 38"D x 38"W	0350190	0350161	0351357	0350069
0352061	0350061	5-Step 35"H x 38"D x 48"W	0350190	0350161	0351354	0350154
0352050	0350050	5-Step 40"H x 24"D x 38"W	0351367	0350162	0351357	0350069
0352051	0350051	5-Step 38.75"H x 38"D x 38"W	0351368	0350163	0351357	0350069
	0350062	5-Step 38.75"H x 38"D x 48"W	0351368	0350163	0351354	0350154
0352047	0350047	6-Step 46.5"H x 38"D x 38"W		0350168	0351357	0350069
	0350046	6-Step 46.5"H x 38"D x 48"W		0350168	0351354	0350154
		Economy Ste	p Sizes			
0352290	0351290	2-Step 15.5"H x 38"D x 38"W	0351292	0350087	0351357	0350069
0352333	0351333	3-Step 24"H x 20"D x 34"W	0351369	0350150		
0352318	0351318	4-Step 28"H x 20"D x 34"W	0351370	0350090	0351360	
0352303	0351303	4-Step 28"H x 24"D x 38"W	0350078	0350158	0351357	0350069
	0351300	4-Step 27.5"H x 38"D x 38"W	0350075	0350085	0351357	0350069
0352321	0351321	4-Step 32"H x 20"D x 34"W	0351351	0350152	0351360	
0352312	0351312	4-Step 32"H x 24"D x 38"W	0351366	0350159	0351357	0350069
0352315	0351315	4-Step 31"H x 38"D x 38"W	0351365	0350086	0351357	0350069
0352327	0351327	4-Step 31"H x 38"D x 48"W	0351365	0350086	0351354	0350154
	0351328	4-Step 35"H x 24"D x 34"W	0351352	0350084		
0351326		5-Step 36"H x 24"D x 38"W	0350165		0351357	
0352325	0351325	5-Step 35"H x 38"D x 48"W	0350190	0350161	0351354	0350154
0352339	0351339	5-Step 40"H x 24"D x 38"W	0351367	0350162	0351357	0350069
0352324	0351324	5-Step 38.75"H x 38"D x 38"W	0351368	0350163	0351357	0350069
0352340	0351340	5-Step 38.75"H x 38"D x 48"W	0351368	0350163	0351354	0350154

H = Height of Step D = Depth of Top Landing W = Width of Step BOCA Rail = Meets BOCA Code



The perfect stair system for all installations old or new. Not only are they built rugged but the textured brick finish will enhance any home or business entrance for years. R-Co Steps are constructed of heavy gauge steel, then coated with R-CO Products' original SpaceGuard coating.

SpaceGuard is noted for its weather resistance and nonskid qualities. It has been used extensively in the precast concrete industry as a surface sealant and slip-resistant agent. R-Co Steps design features make them adaptable to virtually any entrance configuration desired.

R-Co Steps are packaged in one tread units, including predrilled tread components with hardware and instructions. All tread and deck units are engineered to mate perfectly for beautiful and long lasting installation.

Treads: 20 gauge steel treads with a non-slip SpaceGuard coating, 10 1/2" deep by 47" wide. Spot welded "Hat" channels provide the rigidity of solid concrete.

Risers: Heavy steel constructed risers are 7" high and coated with SpaceGuard in a brick, stone and stucco pattern. Pre-drilled for easy assembly.

Side Panels: Heavy steel side panels with SpaceGuard coating in a stone and stucco pattern. Pre-drilled. Also used as side panels for deck platforms.

Stabilizer/Back Enclosures: Heavy gauge steel panels with SpaceGuard coating. Used to enclose step back opening when desired entrance is on the side.





See matching skirting on page A-9

STEPS STEPS			
R-Co Steps:			
0350350	4 Step	Brown Brick	
0350351	5 Step	Brown Brick	
0350355	4 Step	Gray Stone	
0350356	5 Step	Gray Stone	
0350360	4 Step	Stucco	
0350361	5 Step	Stucco	
R-Co 10" Platforms:			
0350330	4 Step	Brown Brick	
0350331	5 Step	Brown Brick	
0350332	4 Step	Gray Stone	
0350333	5 Step	Gray Stone	
0350334	4 Step	Stucco	
0350335	5 Step	Stucco	
R-Co Stabilizer/Back Enclosures:			
0350325	No Finish		
0350326	Gray Stone		
0350327	Brown Brick		
0350328	Stucco		

KEYSTUNE EXTERIOR DESIGNS

REVOLUTIONARY

Keystone Exterior Designs adapted the time-tested strength of the keystone to create an innovative connector for joining wood.

WHY KEYSTONE
DECKS ARE BETTER
THAN SITE-BUILT
DECKS:

Better value

Meets national building standards

Factory-built to exacting standards and quality controls

Grows with homeowner's needs

Free-standing design

New Generation treated wood

Immediately available from your parts distributor

Financing available

Limited lifetime warranty

No nails, no screws, NO SWEAT!


A-31

ECKI

Custom Styling with Production Economy

You've grown accustomed to the predictable style and fine quality of Keystone Decks and our new design makes ordering and installation even simpler.

Keystone Decks are still portable and the stairways repositionable. The decks are still expandable. Start out small and upsize at a later date. Keystone Decks are still codecompliant, so assemble them with confidence.



Keystone's new Deckit approach includes sub-post support every four feet. The load carrying capacity is increased to accommodate most spas, and floor rigidity is noticeably increased. 8' sections are still available by special order.

- Minimal tools required
- Customizable design
- Flexible sizing
- Meets International **Residential Code** Requirements
- KDAT lumber treated with MCA wood preservative
- Quick & easy assembly
- Multiple stairway options
- Expandable
- Portable





Basic 4 x 4 Deck

Ideal for an attractive front entry. The stairway is able to mount in 4 different positions.

(2) Stairway Kits (See P.33)

Where space is limited or

(1) Stairway Kit (See P.33)

Mount the Stairway on any side.

(1) Kit A (#0205150)

For Jack & Jill, order

economy is needed, this unit can grow as your needs

Order

change. Order

- (1) Kit A (#0205150)
- (1) Kit B (#0205151)
- (1) Stairway Kit

Mount the Stairway on any side.

For Jack & Jill, order (2) Stairway Kits (See P.33)





Basic 4 x 12 Deck

Popular for slider door entries or for a more dramatic front entrance.

Order

- (1) Kit A (#0205150)
- (2) Kit B (#0205151)
- (1) Stairway Kit (See P.33)



This popular deck is a great starter, has plenty of room for entertaining and it's expandable.

Order

- (1) Kit A (#0205150)
- (1) Kit B (#0205151)
- (1) Kit C (#0205152)
- (1) Kit D (#0205153)
- (1) Stairway Kit (See P.32)



This deck provides plenty of space for a picnic table and is perfect for entertaining.

Order

- (1) Kit A (#0205150)
- (2) Kit B (#0205151)
- (1) Kit C (#0205152)
- (2) Kit D (#0205153)
- (1) Stairway Kit

EXTERIOR DESIGNS

Basic 8 x 12 Deck



Each Keystone kit is carefully packaged at the factory for efficient transportation and storage. Please note that the New Keystone Deckit is supplied with support posts suitable for a five tread deck (45" height). Support posts may require cutting to length at the job site.

ORDERING INSTRUCTIONS

- 1. Determine the size of your deck (multiples of 4' per side).
- 2. Use the diagram to the right to determine the kits you need to build the desired size deck.
- 3. Determine the height of your deck for step kit.

(Note: If more than one Stairway kit is ordered, you will have a surplus 4' rail section for each additional Stairway kit.)


Examples:

Kit A and Kit E makes a 4' x 4' with 2 steps

10

if you need a 4' x 8' with 3 steps choose:

Kit A & Kit B and Kit F makes a 4' x 8' with 3 steps



Deck Kits		
Stock #	Kit	Description
0205150	Α	Normal 4x4 Starter Kit (One required with each deck)
0205151	В	Normal 4x4 Sideways Expand (Expands along house)
0205152	С	Normal 4x4 Projection Expand (Projects from starter kit)
0205153	D	Normal 4x4 Fill-In Kit (Completes rectangular deck)
Stairway Kits		
0205154	E	2-Tread Stairway Kit (For 22.5" deck height)
0205155	F	3-Tread Stairway Kit (For 30" deck height)
0205156	G	4-Tread Stairway Kit (For 37.5" deck height)
0205157	Н	5-Tread Stairway Kit (For 45" deck height)
0205160		Stairway Modification Stairtreads

"Ask About Our Decks" Banner

2' x 4' white vinyl sign with grommets and ropes for attaching to decks or homes on the lot. Red lettering.



0265730 Banner

Double Disc Anchor with 4" & 6" Disc



Shaft: 3/4", Length: 36",

Discs: 6" & 4"

Recommended for Soil Class 4

0120019 6/Bundle; 180/Skid 0121019 6/Bundle; 180/Skid, Galvanized



0120003

Single Disc Anchors

Earth anchor with disc and double fastening and tensioning head.

Recommended for Soil Class 4

With 6" Disc

0120000 48" L, 5/8" Shaft; 6/Bundle, 180/Skid 0120003 48" L, 3/4" Shaft; 6/Bundle, 180/Skid 0120001 36" L, 3/4" Shaft; 6/Bundle, 180/Skid

With 8" Disc

0120020 60" L, 3/4" Shaft; Each

Galvanized Single Disc

0120400 48" L, 5/8" Shaft Galv., 6" Disc, 6/Bdl. 0120401 48" L, 3/4" Shaft Galv., 6" Disc, 6/Bundle, 180/Skid

0120402 60" L, 3/4" Shaft Galv., 8" Disc, 6/Bundle, 180/Skid

ZipCap Anchor Stabilizer HOME PRIDE



Easy to install; screws into ground with anchor when you use a ZIPCAP adapter. Saves money; you don't need to stock two types of anchors. Saves space; packaged 8 to a box for easy transport. Better performance; free-floating ZIPCAP doesn't move when anchor pulls vertically.

More flexibility; approved for soil class 2 & 3 with 0120004 and soil class 4 with 0120019.

0120050 HP34 & HP3 3/4" x 30" Anchor, 4" Discs,

150/Skid (F/Class 3)

0120051 HP34 & HP17 3/4" x 36" Anchor, 6" Discs, 0120050

110/Skid (F/Class 4)

0120029 Electric Anchor Adapter for Zip Cap

Double Disc Anchors

Double 4" disc earth anchor with double fastening and tensioning head for use with straps. Designed to be augured into extremely hard soil where 6" disc anchor will not suffice. Two 4" discs. 200/Skid: 8/Bundle.

Recommended for Soil Classes 2 & 3

0120004 30" L, 3/4" Shaft;

8/Bundle, 200/Skid

0121004 Same as 0120004.

but Galvanized

0120008 30" L, 5/8" Shaft; 8/Bundle, 200/Skid

0120011 48" L. 3/4" Shaft


0120012 42" L. 3/4" Shaft

0121012 Same as 0120012, but Galvanized

0120004

HOMEPRIDE

Minute Mananchors, ... **E-Z Anchors**



0120025 3/4" Shaft, 30" L 4430 36" with 4" and 6" disks. 150/Skid

0120023 36" w/ 4" and 6" disks

Not stocked at all locations

Cross Drive Anchors

Drive anchor with fastening and tensioning head, 3/4" shafts. Welded tubing guides the two 48" long drive rods. Designed to be driven into solid rock. 200/Skid; 4/Box.

Recommended for Soil Class 1/Solid Rock

0120002 48" Long **0120010** 36" Long **0120017** Head Only

0120048 36" Rod Only



ZipCap



0120028 HP34 ZIPCAP only, 8/Bdl.



Minute Mananchors, ... **GW-2 Anchor**

Nu Concept Anchor includes:





0120022 GW-2 Soil Anchor 0121022 GW-2 Soil Anchor, Galvanized



6"

Patio Slab Anchors

Patio slab hooked rod attachment with fastening and tensioning head installed when pouring concrete slab. 16/Box HOMEPRIDE

0120007 "L" Anchor


0121007 "L" Anchor, Galvanized

0120005 "J" Anchor w/Swivel Head


0121005 "J" Anchor w/Swivel Head, Galv.

Anchor Head With Sleeve

Use with wet concrete




Solid Eye Adaptor



0120209 24/Ctn.

Anchor Head HOME PRIDE **With Lag Bolt**

0120009 2-Pc. Unit; 32/Box



0120014 Head Only

0121014 Head Only - Galvanized

0120018 5/8" Lag Bolt Only

Anchor Bolt & Nut




Knurled bolt increases friction between strap and bolt shaft for greater strength than smooth bolts. Slotted for use with strap. Not included with anchor.

0120006 400/Keg, 8/bag

M-Plate Stabilizer HOME PRIDE



- More cutting points for better balance
- Smaller and shorter plate is easier to get into ground.



"Power Ridge" provides extra strenath for as much or more resistance than traditional plates

- More resistance concentrated at the top of the anchor, so plate performs as good or better than traditional plates even though it is smaller
- Meets all state requirements except FL, so can replace traditional stabilizer plates
- Average installation in 1/3 the time of traditional plates

0120188 7"H x 12"W M-Plate, 8/Box 0121188 7"H x 12"W M-Plate 8/Box, Galvanized

Anchor Stabilizing Device

Prevents anchors from becoming loose by cutting through the soil when heavy winds occur.

Required in most anchor installations.



0120180 Stabilizer 12"H x 12"W 0121180 Stabilizer 12"H x 12"W, Galvanized

Stabilizer Plate



ABS Lateral Stabilizer Plate. Designed for loose soil conditions. 10" x 24" Class 4B Fla.; 6/Bdl.

0120186

Stabilizer Plate

Wind Zones 2 & 3



ABS Stabilizer Plate 1055-19

0120181



No more scraped up hands!

One handed operation tightens bolt & strap at the same time. 15/16" impact socket on one side and a 15/16" nut on the other. Combine with your own ratchet and 15/16" socket, and you have the fastest way to tighten slotted bolts.

0380107

Double Buckle w/8' Strap 0120296 Box 0120297 Bulk

Single Buckle with Strap

Galvanized strap with single buckle for fastening around home frame. 4/Bdl.

0120290 w/7' L Strap; Boxed; 48/Ctn.

0120308 w/7' L Strap; Bulk

0120275 w/8' L Strap; Boxed; 48/Ctn.

0120295 w/8' L Strap; Bulk

0120291 w/10' L Strap; Boxed; 32/Ctn.

0120292 w/10' L Strap; Bulk 0120294 w/15' L Strap; Bulk

Strap Buckle

Steel strap buckle for use in fastening strap around frame of mobile home.



0120311 2-Slot Buckle; 200/Bx 0120314 2-Slot Buckle; Each 0120300 1-Slot Buckle; Each


Strap Protector

Attaches between strap and I-beam to prevent cutting

or breaking.



Strap Seal Crimping Tool




7' Column Tie-



For marriage wall columns where opening is 48" or larger. Fasten to the column above the normal up-lift straps or to block with 13#8 1-1/4" screws (minimum).

PRIDE 0120435 HP38 HOME

Frame Clamp II with Strap



Frame clamp with strap for fastening around bottom flange of home frame. 4/Bdl.

0120313 Clamp II Only; 24/Ctn. 0120324 w/6' L Strap; Bulk 0120325 w/7' L Strap; 48/Box 0120329 w/7' L Strap; Bulk

0120330 w/8' L Strap; Bulk 0120276 w/8' L Strap; 48/Box

0120326 w/10' L Strap; 32/Box

0120348 w/10' L Strap; Bulk **0120312** w/12' L Strap; Bulk

0120331 w/12' L Strap; 32/Box

0120327 w/15' L Strap; 32/Box 0120328 w/15' L Strap; Bulk

Anchor Strap



1-1/4" wide (with standard galvanized coating) strapping exceeds 4,725 lbs. breaking strength. (100 lb. roll: approx. 650'.)

0120301 37' L Roll, G-60; 12/Ctn. 0120307 100 lb. Roll. G-60

Same as above but with galvanized coating, approved for Florida.

0120431 37' L Roll, G120; 12/Ctn. 0120430 100 lb. Roll, G120

Strap Seal



Secures strapping together with buckles or frame clamps. Must use strap seal crimping tool (120316). 300/Ctn.

0120299

Strap Connector





0120417 Galvanized Strap; 6' 0120482 Galvanized Strap; 8'

Strap with Quick Connector



0120380 6' Strap with Small Connector Hole

0120384 7' Strap with Large Connector Hole


0120383 5' G120 Strap with Large Connector Hole (F1 Approved)

Appliances

Heating & Cooling

Roof Bracket

Use for cable or strap passing over the mobile home. Holds straps or cable away from roof and sides. 100/Ctn. (Black steel, not galvanized.)




0120302 6", 24/Box

0120304 L-Bracket for Hurricane Strap


Beam Hooks

Use with swivel frame connectors for attaching anchor straps to I-beams.

Not stocked at all locations




Swivel Connector with Strap



Factory attached strap for applications where use of standard frame ties is prohibited. To be used with beam hook. 4 per box. (Not stocked at all locations)

0120415 5' L Strap with Swivel Connector, 400/Skid
0120481 6' L Strap with Swivel Connector, 400/Skid
0120404 7' L Strap with Swivel Connector, 400/Skid
0120405 10' L Strap with Swivel Connector, 400/Skid
0120416 12' L Strap with Swivel Connector, 200/Skid

Longitudinal Frame Tie (4 Bolt)



Use outside holes for 3-1/2" to 4" flanges; use inside holes for 2" to 3" flanges. For Wind Zone 1. 4 1/2" x 1-1/2" Grade 5 machine bolts and 8 1/2" high strength washers included.

0120420 MMA34/2822

Minute Mananchors, ...

Corner Tie With 7' Strap

0120421 2709, 400/Skid Minute Mananchors.

Angle Bracket

Use with swivel frame connectors for attaching anchor straps to I-beams.



0120409 HP24, 24/Box

0120418 Replacement Nut and Bolt, 50/Box

Not stocked at all locations

Gator Clamp

(Longitudinal Beam Clamp)

Use with swivel frame connectors for attaching anchor straps to I-beams.

0120410 HP28, 4/Pk

Not stocked at all locations

Stable Safe Tie Downs

- Anchors solidly against wind to concrete foundations
- Eliminates motion caused by wind or occupant movement
- · No hurricane straps are required
- Takes only minutes to install
- · Adjusts in seconds to the exact height
- · Requires no maintenance
- Install when concrete is being poured
- 16/Box

0120333

Vinyl Coated, Galvanized Cable



Heavy duty, ABS Molded Plastic Cable:

Size: 1/8 x 3/16"; Const.: 7x7

B.S. lbs.: 1700; S.W.L. Lbs.: 340 Wt.: 20.1; Spool: 6"

0120470 500' L









Features 12 RPM, 1/2 HP, 115 volt, 6 cycle, 9 amp motor, on-off, forwardreverse switches. With its 12 RPMs, it far outpaces any 6- or 9-RPM units. When running off a generator, a minimum of 4500 watts is required.

0120315 Reversing Switch

0120317 Anchor Adapter Only

0120318 On-Off Replacement Switch

0120319 Electric Anchor Machine Only

Electric Anchor Machine





0120317

Anchor Adapter Only

Anchors may be effectively and safely installed manually, but the electric auger machine will make the job easier and faster. Remember, however, that this method of installation requires two people.

Always make sure to avoid underground water, phone and power lines.

Attach the anchor to drive machine. Line up the auger with the strap and start machine. Install anchor at a slight angle (12° - 15°) underneath the house. This will ensure that the head of the anchor will be concealed behind future skirting.

RIDGID 700 Portable



Power Drive

Heavy-duty hand-held power drive. Features reversible 115V or 230V universal motor. Horsepower: 1/2; RPM: 32; Weight: 25 lbs.; 115 AC. All shafts are ball-bearing mounted. Gears are packed in grease. Spring-loaded adapted pawls with forged steel spindle gear. No load: 7.5 amps, 750 watts With load: 18.0 amps, 1750 watts. Includes: drive, metal carrying case, attachment handle, connector, square adapter. CSA approved. Approved to UL standards

0120260 Ridgid 700 Drive Installer Package 0120261 1" Adaptor

(NRTLC).



0120264 Replacement Brushes

0120263 Square Adapter Assy. (HP71)



Portable:

for one person operation and easy maneuverability

Torque Free:

for maximum operator safety and no kick back

Hydraulic:

Powerful 11 HP Honda power source is reliable and reversible

Versatile:

Fencing, foundations, soil sampling, anchor installation & more



Little Beaver's Hydraulic Earth Drill has a highly maneuverable three-wheel chassis with pneumatic tires, a five-gallon hydraulic reservoir and an 11 HP engine. Patented torque tube eliminates the kickback found on other earth drills, so one-man drilling is safe, fast and productive.

0120710 Complete Assembly includes:

Little Beaver 11 HP Power Source Anchor Handle Attachment

Anchor Adaptor

0120700 Power Source

0120701 Handle Attachment 0120702 Replacement Adaptor





* Note: Head on 0120026 not welded to shaft of anchor

0120026* 24" for Rock, 3/4" Shaft, 200/Skid
0121026 Same as 0120026, but Galvanized
0120024 26" with Cable & Lag, 5/8" Shaft
0120032 34" for Coral with Head, 3/4" Shaft
0120033 30" for Asphalt, 3/4" Shaft, HP9-A, 200/Skid
0120034 30" for Asphalt with Bolt Hole,


3/4" Shaft, 2 Hole Bracket **0120039** 24" U-Shaped Barb Anchor

Not stocked at all locations

Shed Anchor Kit Minute Mananchors, ...

Four Eye Anchors 15" Long, w/ 3" Disk and 50' of 500 lb. test cable.

0120306 Shed Anchor Kit





Eye Anchor






Shaft: 5/8" Eye: 1-1/2"0120101 48" L; 6" Single Disc
0120102 30" L; 4" Single Disc
0120115 30" L; 4" Disc
0120021 30" L; Double 4" Discs

0120021 30° L; Double 4° Disc **0120044** Length: 5/8" x 36"

0120035 Bolt Set – *includes:* 2" Fender Washers, 1/2" Nut, 4-1/2" x 1/2" Hex Hd Bolt

0120120 Eye Anchor Adapter



AC Pad Anchor System

Easy to install. No cables. No special tools. Great theft deterrent. Two anchors plus Tek screws included with system.

0120040 AC Pad Anchor System



Soil Test Probe Kit




Determines soil conditions below the surface near the anchor's helical plate. Provides maximum anchor holding strength by insuring the use of the proper anchor for each soil condition. Complete with carrying case, torque wrench, wrench adapter and instructions.

0120321

Minute Mananchors, ...

Pocket Penetrometer





Direct-reading scale in tons/square feet. Ground and polished stainless-steel loading piston. Calibrated spring and penetrometer body plated for rust-resistance and long life. Complete with convenient belt-loop carrying case.

0120322 Penetrometer **0120323** Foot



Poly**Vůlc. Pier Pad**

Lightweight, heavy-duty recycled materials, superior drainage. Reduces Worker's Comp. claims. New design is **stronger** than ever with more surface area to distribute weight evenly for greater pier spacing so you need fewer pads! Answer to **new regulations** calling for larger footprint pad for heavier homes.

Cost efficient: costs LESS and is stronger than stacking THREE of the competitor's pads to handle the same weight. 100% recycled composite materials.



0265440 16" x 16" x 1"; 15/Bundle; 405/Skid **0265444** 17" x 23" x 1"; 15/Bundle; 240/Skid **0265431** 18.5" x 18.5" x 1"; 15/Bundle; 270/Skid **0265432** 20" x 20" x 1"; 15/Bundle; 270/Skid **0265448** 24" x 24" x 1"; 15/Bundle; 160/Skid

ABS Oval Foundation Pads

For use on mobile, manufactured homes, and modular housing. Patent #5503500 and other Patents Pending

Benefits: Easy Installation, Cost Efficient, Thicker, Lighter, and Stronger, Maximize Time and Areas of Labor, Saves On Shipping and Handling, Made from Recycled Materials



17" x 22" Oval Pad Shown

	Item #	Oval Pad Size	Max. Load Capacity (lbs.)
	265205	16" x 18.5"	6,000
	265206	17" x 22"	7,500
!	Special Order	17.5" x 22.5" (Oklahoma Pad)	8,000*
	265208	17.5" x 25.5"	9,000*
0	265209	21" x 29"	12,000*
	265210	23.25" x 31.25"	9,388*

^{*} Concrete blocks are only rated at 8,000 pounds. 8,000 lbs and higher must be double blocked.

ABS Square Foundation Pads

For use on all mobile and manufactured homes, including HUD approved homes and modular housing. Patent #5503500 and other Patents Pending

Benefits: Same As Above 24" x 24" Square Pad Shown


Item #	Square Pad Size	Max. Load Capacity (lbs.)
0265200	16" x 16"	5,333
Special Order	13" x 26"	2,375
0265202	18.5" x 18.5	7,100
0265203	20" x 20"	8,250*
0265204	24" x 24"	8,000*

^{*} Concrete blocks are only rated at 8,000 pounds. 8,000 pounds and higher must


ABS Foundation Pad®

- · Bigger, thicker, stronger and better
- · Lighter than concrete, saves labor
- Larger pads to increase spacing, by up to 12% saving time and material on pier sets
- Easily stackable for larger pad area and wider pier spacing
- Triple stack for 4, 5 & 6 Sq. Ft. to maximize pier spacing

0265445 16" x 22.5" x 2.5 sq ft 0265446 17" x 25" x 3 sq ft 0265447 16" x 18" x 2 sq ft 0265448 24" x 24" x 4 sq ft



Minute Mananchors, inc. **Longitudinal & Lateral Stabilizing Systems**



Top-quality heavy gauge steel throughout system

Versatile: provides combined lateral and longitudinal support, or only lateral, or only longitudinal

Flat pad design installs easily, eliminates digging and driving foundation pad into ground

Exceeds requirements for all wind zones. Eliminates frame ties and stabilizers, saving time and money.


- Versatile: provides combined lateral and longitudinal support, or only lateral, or only longitudinal
- Flat pad design installs easily. eliminates digging and driving foundation pad into ground
- Top quality, heavy gauge steel provides stability
- Utilizes adjustable tubing for structural integrity with less inventory
- Easy to install and neatly packaged for warehousing and transport

Longitudinal Lateral





Lateral/Longitudinal



Minute Mananchors, inc

Longitudinal System

Zone 1 **Zones 2 & 3** 0120355 0120397 39"* 39"* 0120356 44"* 0120398 44"*

0120399 53"* 0120357 53"*

* Refers to the length of the bracing tube

Longitudinal system includes the following, as needed for proper zone:

20" Galvanized Steel Pad Beam Clips w/Hardware 1.5" Square Bracing Tubes

Lateral/Longitudinal System

Zones 2 & 3 Zone 1 0120377 39"* 0120373 39"*

0120374 44"* 0120378 44"* 0120375 53"* 0120379 53"*

* Refers to the length of the bracing tube

Lateral/Longitudinal system includes the following, as needed for proper zone:

20" Galvanized Steel Pad 60" Adjustable Lateral Tube w/Hardware Beam Clips w/Hardware 2 - 1.5" Square Bracing Tubes

Lateral System

Not stocked at all locations

0120370 Lateral System

Lateral system includes the following:

1 - 20" Galvanized Steel Pad

1 - 60" Adjustable Lateral Tube with Hardware

Replacement Pins for Pan Systems

0120368 16" Pin



Concrete Dry Set Longitudinal System includes:

- 2 0120346 Dry Set Flanges and Hardware
- 2 0120350 Beam Clips With Hardware
- 2 1.5" Square Bracing Tubes

/et/Dry Set Systems

0120385 39" Dry Set Longitudinal System 0120386 44" Dry Set Longitudinal System 0120387 53" Dry Set Longitudinal System

60" Lateral Dry Set System includes:

- 1 0120346 Dry Set Flange and Hardware
- 1 0120349 60" Lateral Tube and Hardware

0120395 Lateral Dry Set System Assy.

0120340 Lateral Dry Set System Assy. (for Missouri)

Wet Set Longitudinal System includes:

- 2 0120347 Wet Set Flanges and Hardware
- 2 0120350 Beam Clips With Hardware
- 2 1.5" Square Bracing Tubes

0120388 39" Wet Set Longitudinal System 0120389 44" Wet Set Longitudinal System 0120390 53" Wet Set Longitudinal System

60" Lateral Wet Set System includes:

- 1 0120347 Wet Set Flange and Hardware
- 1 0120349 60" Lateral Tube and Hardware

0120396 Lateral Wet Set System Assy.

Guide to Components for

Longitudinal & Lateral Stabilizing Systems

These are the components of the assemblies on these two pages. You do NOT need to order them separately, but the following part numbers and descriptions are provided for your information.



0120350

Beam Clip (bottom of beam) with Bolts & Nuts




20" Galvanized Steel Pier Pad 0120358 w/16" Drive Pins

0120368 16" Pins

0120320 Replacement Hardware Pack **Hardware Pack Contains:**

- (2) 2" x 7-3/4" Lateral Clamps (top of beam)
- (2) 1-5/8" x 2" Tube Clamps
- (4) 1/2" x 2-1/2" Bolts & Nuts
- (2) Instruction Sheets



(8) 1/4" x 3/4" Self Drilling Screws

- 0120346 3534 Mark MMCAF Dry Set:
 - 1 Concrete Anchor Flange: MMCAF
 - 1 1/2" x 1-1/2" Carriage Bolt and Nut
 - 2 5/8" x 3" Shield Anchors



0120347 3536 Mark MMCFW Wet Set:

- 1 1/2" x 1-1/2" Carriage Bolt and Nut



0120349 60" Adjustable Lateral Tube With Hardware (3530)

1 - Concrete Anchor Flange: MMCFW


0120352 39" L. Square Bracing Tube 0120353 44" L. Square. Bracing Tube **0120354** 53" L. Square Bracing Tube

0120359 65" x 1.5" Square Bracing Tube (Optional)






VECTOR SYSTEM LATERAL STABILIZATION FOR CONCRETE





0120441 - Single block pads with hardware, swivel straps and slotted bolts.






0120440 - Double block pads with hardware, swivel straps and slotted bolts.


Longitudinal Stabilization Hardware Kit for Concrete

0120477 - Includes 2 beam clamps, tension brackets, nuts and bolts.

For use with 0120440 & 0120441, (longitudinal struts not included)



Struts for Longitudinal Systems



STRUTS FOR LONGITUDINAL SYSTEMS						
PART NO.	LENGTH	PIER HEIGHT				
0120473	30"	up to 2 Blocks				
0120445	39"	up to 3 Blocks				
0120446	44"	up to 4 Blocks				
0120447	53"	up to 5 Blocks				
0120448	65"	up to 6 Blocks				





Foundation Systems Component Parts List

Xi2 Ground Systems

Includes: 5' Strut Pad Hardware

0120487

Longitudinal Struts for "Ground Systems"

_
cks

Special Order Only

Longitudinal Hardware Kit

0120489 (Includes 2 sets per kit: I-beam brackets, U-bolt, nuts, bolts and washers)

Xi System with Xi Steel Pier

0120498 - Xi, 12" steel Pier, & Longitudinal System 0120490 - Xi, 25.5" steel Pier, & Longitudinal System 0120494 - Xi, 36" steel Pier, & Longitudinal System

Steel Piers can be combined with one of the following for lateral support:

0120491 - Xi, Lateral Strut, 5' w/hardware 0120496 - Xi, Lateral Strut, 5' w/hardware - GA 0120495 - Xi, Lateral Strut, 6' w/hardware 0120497 - Xi, Lateral Strut, 6' w/hardware - GA 0120488 - Xi Steel Pier Hardware Kit



3 Sq. Ft. Pad Vector Longitudinal System

Includes 2 beam clamps,2 tension brackets, nuts &

Struts for Longitudinal System on Page B-10

0120442 - 3' Vector Pad 0120478 - Longitudinal Hardware

All Steel Foundation Systems

Versions of the ASF Systems are available for

every wind zone

Systems can be purchased to offer lateral

protection, or lateral & longitudinal protection

Systems are available for pre-poured concrete

sets, and pre-existing concrete sets

Cost Efficient

Longitudinal system eliminates 2 piers

Approved for use with most home

manufacturers

Eliminates Most Frame Anchors

Eliminates 2 Piers

Lateral System



0120525 1100 ITV Lateral Pan System

0120526 1100 ITCV Wet Concrete Lateral Pan System

0120527 1100 ITCV Dry Concrete Lateral Pan System

Lateral & Longitudinal System

For Complete System Add Appropriate Conversion Kit & Tube **To Above Lateral System** Wind Zone 1 & 2

0120460 Longitudinal Pan Conversion Kit

0120462 Longitudinal Wet Concrete Conversion Kit

0120461 Longitudinal Dry Concrete Conversion Kit

Longitudinal Tubes (2 req.)				Longitudinal Tubes (2 req.)		
Zone 1 & 2	Size	Pier Height		Zone 1 & 2	Size	Pier Height
0120582	20"	14" - 18"		0120585	44"	30" - 40"
0120583	28"	18" - 25"		0120586	54"	36" - 48"
0120584	39"	24" - 35"				

North Carolina Lateral System

Wind Zone 1

0120530 NC-1100 ITV Lateral Pan System

0120531 NC-1100 ITCV Wet Concrete Set

0120532 NC-1100 ITCV Dry Concrete Set

Wind Zone 1 & 2 For Complete System Add Appropriate Conversion Kit & Tube **To Above Lateral System**

0120460 Longitudinal Pan Conversion Kit

0120464 Wet Set Concrete Conversion Kit

0120463 Dry Set Concrete Conversion Kit

N. Carolina Long. Tubes (2 req.)			N. Carolina Long. Tubes (2 req.)		
Zone 1 & 2	Size	Pier Height	Zone 1 & 2	Size	Pier Height
0120587	20"	14" - 18"	0120590	44"	30" - 40"
0120588	28"	18" - 25"	0120591	54"	36" - 48"
0120589	39"	24" - 35"			

ASF Florida System



0120533 Lat./Long. Pan System - Less Longitudinal Tubes

0120537 Lat./Long. Wet Concrete System - Less Long. Tubes

0120538 Lat./Long. Dry Concrete System - Less Long. Tubes

0120534 Long. Pan System - Less Longitudinal Tubes

0120535 Long. Wet Concrete System - Less Tubes

0120536 Long. Dry Concrete System - Less Tubes

Florida Long. Tubes (2 req.)			Florida Long. Tubes (2 req.)		
Zone 1 & 2	Size	Pier Height	Zone 1 & 2	Size	Pier Height
0120575	14"	12" - 18"	0120578	44"	33" - 41"
0120576	22"	17¾" - 25"	0120579	54"	40" - 48"
0120577	32"	24¾" - 33"			

ASF Michigan System



0120592 Dry Concrete Hardware Kit

0120580 5' Lateral Arm

ASF Georgia System



• 0120539 Lateral Pan System

All Steel Foundation System Replacement Parts





	Part #	Parts Desc	Pallet Qty.				
	0120366	Bolt Bag for	Bag Each				
ı	0120367	Extended I-E					
	0120582	20" Longitud	4/Bndl. Each				
	0120583	28" Longitud	4/Bndl. Each				
	0120584	39" Longitud	39" Longitudinal Arm (Painted)				
	0120585	44" Longitud	inal Arm (Painted)	4/Bndl. Each			
	0120586	54" Longitud	inal Arm (Painted)	4/Bndl. Each			
	0120625	5' Lateral Arr	m (Painted)	2/Bndl. Each			
	0120632	20" Longitud	inal Arm (Galvanized)	4/Bndl. Each			
ı	0120633	28" Longitud	inal Arm (Galvanized)	4/Bndl. Each			
	0120634	39" Longitud	39" Longitudinal Arm (Galvanized)				
	0120635	44" Longitud	44" Longitudinal Arm (Galvanized) 54" Longitudinal Arm (Galvanized)				
	0120636	54" Longitud					
	0120626	5' Lateral (G	alvanized)				
	Part #	Florida Re	placement Parts				
	0120637	18" x 1.5" Te	lescoping Arm				
		To be used w	vith one of the following ar	ms			
		Part #	Longitudinal Tubes				
		0120638	8 14" x 1.25" Longitudinal Tube				
		0120639	22" x 1.25" Longitudinal Tube				
	OTI	0120640	120640 32" x 1.25" Longitudinal Tube				
		0120641	44" x 1.25" Longitudinal 7	Tube			
		Tube					

Adjustable Outrigger



- Costs less than perimeter blocking under doors and windows
- Unaffected by frost heave
- ◆ Eliminates problems with anchor spacing
- Easy to install
- Never interferes with skirting
- Doors easily adjusted
- **Never settles**
- **Tested and approved**
- D.A.P.I.A. approved

0120280 14" Wide 0120281 16" Wide

Hydraulic Jacks

Bottle Jacks

Fifty-percent safety overload factor. Fewer parts, internally machined oil passages, smooth bearing surfaces and close tolerances ensure longer life and fewer breakdowns. No-leak "Uni-weld" construction. Can be used in vertical, angular or horizontal positions. Carrying handle included.



0410191 12 Ton Standard; 4/Ctn. 0410190 12 Ton Shorty; 4/Ctn.

0410192 20 Ton; 2/Ctn.

0410196 Repair Kit for 20 Ton 76520, 76820 (2-9/16" plunger)

0410189 Repair Kit for 12 Ton (2-9/16" plunger)

0410193 Oil Filler Plug; 25/Ctn.

Air Hydraulic Jacks Equipped with U.S. Patented air motor kit for quick, easy lifting.


Quick-connector provides easy

removal of air hose. Uses standard shop air.

Min. 9-1/2" H, max. 18-5/8".

0410050 12 Ton; 26 lbs. 0410051 20 Ton; 35.2 lbs.

QUICK JACK Adjustable Perimeter Support




FEATURES	BENEFITS
Adjustable from 28" to 40" with threaded rod design	Set up of perimeter piers takes only minutes. SAVES TIME!
Added base blocks allow additional height	Versatile: can be used in a variety of set-up situations
Adjustable system with nut is easy to use	Homeowner can make adjustments on their own, so fewer call backs and lower service costs!
Light, compact design	Easier to transport and handle than concrete blocks
Strong: capacity of up to 4,000 lbs.	Provides all the support needed for doorways and bay windows

For use in supporting doorways and windows for manufactured housing and portable buildings.

0120285 HP62; 4/Box

Jacking Plates

Use when jacking the frame's main beam to avoid damage to the beam and voiding of the warranty. Distributes the concentrated load of the jack head to the frame members. Prevents home from slipping off the jack and causing injury.



Frame Pullers

Attach the puller to the I-Beams at the top of the frame. To be used with come-along.



0120255 Frame Pullers

Heating &

Heavy Duty Utility Rollers

These heavy duty utility rollers are a low cost alternative to other more complete systems. They have a strong steel back plate, which allows you to crib directly on top of the roller. The steel back plate can be removed. They can be rolled on most smooth hard surfaces.

0411465 Flat Top Utility Roller, 5 Ton Capacity **0411466** Point Jack Utility Roller, 5 Ton Capacity

For additional weight capacity order sets as follows.

SETS	CAPACITY	PARTS & QUANTITY TO ORDER				
3 point set	27,000 lbs	2 - Flat Top + 1- Point Jack Roller				
4 point set	36,000 lbs	4 - Flat Top				
5 point set	45,000 lbs	4 - Flat Top + 1- Point Jack Roller				

4 Point Multi-Directional System



40,000 LB CAPACITY

System includes:

- 4 5' Aluminum Rolling Channel
- 4 6 Roll High Capacity Lower Dolly
- 4 Hydraulic Jack Dolly Guide, 15"
- 4 Jack Head Plate
- 4 6 Roll High Capacity Upper Dolly

12 Ton Jacks sold separately (see page B-14). This system is not recommended for homes over 70' long

Warning:

As a safety precaution, tires and axles should be left on the home as long as possible and/or proper safety cribbing used with this equipment.

0411470

Extra Heavy Duty

Cable Puller

Capacity: 3 ton

Weight: 23.9 lbs

Includes 18' of flexible 5/16" wire cable. Portable to go anywhere. 3:1 safety factor.

0382008



Ratchet Puller

Leverage: 36:1

Capacity: 2 tons; 2:1 safety factor

1 ton; 4:1 safety factor

Lift: 6'

Galvanized 3/16" aircraft cable, plated steel frame & parts. Each unit tested before shipment. Weight: 7.2 lbs.

0382009



Minute Mananchors, inc.

Lightweight and stackable for easy storage, shipping and handling. Adjustable heights for precise installation. Only 16 piers replace the 64 concrete blocks normally required to support a 70' x 14' mobile home. Withstands in excess of 15,000 lbs. of pressure—more than 12 times the actual mobile home load of 1,268 lbs. on each stand. Ideal for quick, secure setups in dealer lots as well as the home site.

PIER HEAD NUT MUST BE ORDERED WITH EACH PIER

Painte	d Piers	Galvar	nized Piers
0120196	12"	0121196	12"
0120202	14"	0121202	14"
0120197	16"	0121197	16"
0120198	18"	0121198	18"
0120203	20"	0121203	20"
0120199	22"	0121199	22"
0120200	24"	0121200	24"
0120204	26"	0121204	26"
0120205	28"	0121205	28"
0120206	30"	0121206	30"
0120192	Pier Head w/Nut	0121192	Pier Head w/Nut


Roof Jacks

Made exclusively for the Manufactured Housing Industry

For jacking from the ground:

The fast, simple, inexpensive way to lift roofs. Jacks are adjustable for setting homes with varying pitches up to 7/12 from the ground. Adjustable from 11'6" to 18' for setting homes with a pitch up to 5/12. For pitches up to 7/12, an extension tube is provided giving jack adjustment up to 21'6". Comes with:

- 1) 12" x 12" base plate
- 1) 1500 Lb., 2-way brake winch w/cable
- 1) Steel pulley with holder
- 1) 4' lifting bracket
- 1) Roller jacking foot
- 1) 3-1/4" inside pole, 10' long
- 1) 3-1/2" outside pole, 10' long
- 1) Extension tube, 4' long



0410155 RJ-1000G;

1000 lbs. load cap. per jack.

Jack weight: 95 lbs. Tubing O.D. = 3.5" Tubing I.D. = 3.25"





- ◆ 1/2" 100% recycled polyethylene plastic
- Virtually indestructible, even in harsh conditions
- Double-sided, skid and slip resistant
- Low cost alternative to fiberglass mats
- Easily portable
- Maintenance free

Get vehicles and equipment over lawns, through mud and across soft terrain while saving labor, bog-down time, towing charges and ground restoration fees—perfect for set-ups.

0265301 2' x 4' 0265303 2' x 8' 0265302 2' x 6' 0265304 4' x 8'

Blocks

Bundled with heavy bailing wire.



Pressure-Treated Blocks

1" x 8" x 16"

0265422 10/Bundle, 60/Skid

0265455 20/Bundle

2" x 8" x 16"

0265423 5/Bundle, 60/Skid

0265457 10/Bundle

Untreated Blocks

1" x 8" x 16"

0265428 10/Bundle

0265401 Oak; 10/Bundle

2" x 8" x 16"

0265426 5/Bundle

0265402 Oak; 5/Bundle

Dip-Treated Blocks

0265416 2" x 8" x 16"; Oak; 5/Bundle 0265415 1" x 8" x 16"; Oak; 10/Bundle

Wedges

Pressure-Treated Wedges

0265433 4"; 80/Bundle, 28/Skid

0265436 4"; 100/Bundle

Dip-Treated Wedges

0265425 3"; 30/Bundle 0265411 4"; 30/Bundle



Untreated Wedges

0265424 3"; 30/Bundle 0265400 Oak 3"; 30/Bundle 0265420 4"; 30/Bundle 0265403 Oak 4"; 30/Bundle

> Not Stocked at All Locations Due to Varying State Codes and Regulations. Ask your rep which product is right for your needs.



The OTI Plastic Wedge

Benefits: No Slip Serrated Edges, Impact Resistant, Packaged Loose, Made from Recycled Materials.



0265220 200/Bag 3.5" x 6" x 1"

OTI Cap Board



For use on all mobile and manufactured homes, including **HUD** approved homes and modular housing. Patent #D517.702



Benefits: Non-Slip Surface, UV Tested & Approved, Non-Porous (Not Affected by Freeze or Thaw) Tested & Approved, Environmentally Safe, Made from Recycled Materials.


Product #	Size	Maximum Load Capacity (lbs)
0265215	1" x 8" x 16"	8,000
0265216	2" x 8" x 16"	8,000

Heating & Cooling

Electronic Water Level

Easy, accurate digital leveling for mobile homes.

- Totally sealed; just check fluid monthly
- Scale reads in inches and tenths
- Typically will level to .2" (1/5") over entire radius
- Fluid is safe to sub-zero temperatures (red RV antifreeze)
- Includes: 100' tubing, storage reel



To Use:

- 1. Place reservoir end (square block marked "THIS END UP") on solid surface such as a concrete block near one end of the home.
- 2. Place the display on the bottom lip of the frame where you want to start and level the remainder of the frame to its reading.

0380075



Roof Cap Flashing

0200056 0200057 0200058 0200059

0200055 Galvanized, 12" x 60' Aluminum, 10" x 50' Galvanized, 10" x 50' Aluminum, 10" x 70' Galvanized, 8" x 50'

Re-Usable Ridge Cap

The best alternative for retail lot set-up. Made from high density woven polyethylene providing rugged durability. Lightweight material makes for easy one-man installation using wood screws. The economical solution for temporary home protection.


0200050 10" x 70' **0200051** 24" x 70' **0200052** 10" x 80'

0200053 24" x 80'

0263075 Wood Screws w/Washers;150/Box

Adjustable FHA Building or Basement Columns by GrowCo

- All building columns meet the specifications of ICC Evaluation Services
- Columns are available in 3" 3-1/2" and 4" diameter, 11 gauge material; lengths to 12'; adjustable or fixed lengths



- All tube and component parts are manufactured in-house assuring a consistently high quality manufactured product
- GrowCo offers a number of top-plate configurations to adapt to the material supported (Wood, Steel, LVL, etc.)
- Columns are powder coated to provide a rust resistant finish
- Crawl space and special length adjustable columns are available upon request
- All column labels have a scannable UPC for inventory control
- All GrowCo columns are constructed from materials that are made in the USA

Product #	Adjustable	Gauge	Min. FHA Load Capacity
0120450	7' 6" - 7' 10" x 3"	11	14,300 lbs.
0120451	7' 9" - 8' 1" x 3"	11	14,300 lbs.
0120452	8' 9" - 9' 1" x 3"	11	13,100 lbs.
0120453	8' 9" - 9' 1" x 4"	11	13,700 lbs.
0120455	8' 6" - 8' 10" x 3"	11	13,100 lbs.

Rumble Buttons



1-1/8" dia. steel washer with neoprene backing for the best roof leak resistance. Suggested spacing is 16" x 24". For #8 Screws. Clear Box. 4/ctn

0263027 500/Box 0263028 100/Box


Pacstrap Polyester Cord Strapping

No splinters... no sharp edges... easy to transport and store... and PACSTRAP can be stapled through, too!



- High tensile polyester varn out performs steel and polypropylene
- Absorbs sudden impacts that might break steel strapping
- Doesn't stretch out of shape like polypropylene
- Unaffected by moisture; will not rot, rust, discolor or mildew
- Impervious to extreme temps
- Resistant to UV light and many chemicals and solvents
- Soft and pliable, so it's safe and easy to use; no recoil when cut, no sharp edges or corners
- Reusable or easily disposed
- Tie by hand or secured with buckle or a seal
- Can be stapled through


0265030 1/2" x 3900'




PERFECT FOR CLOSING OFF MOBILE HOME SEGMENTS... **REPLACES FURRING STRIPS WITH EASE!**

Vapor Barrier

Clear Plastic Vapor Barrier									
0265017	8' x 100'	6 ml Vapor Barrier							
0265016	10' x 100'	6 ml Vapor Barrier	7						
0264996	16' x 100'	6 ml Vapor Barrier							
0265018	10' x 100'	10 ml Vapor Barrier							
0265019	12' x 100'	10 ml Vapor Barrier							
0264998	14' x 100'	10 ml Vapor Barrier							



Black Pla	stic Va	por Barrier
0264997	10' x 100'	6 ml Vapor Barrier
0265005	14' x 100'	6 ml Vapor Barrier
0265004	16' x 100'	6 ml Vapor Barrier
0265002	20' x 100'	6 ml Vapor Barrier
0265001	24' x 100'	6 ml Vapor Barrier
0265000	16' x 150'	6 ml Vapor Barrier
0265007	20' x 150'	6 ml Vapor Barrier



Section 3285.505 Crawlspace Ventilation - A crawlspace with skirting must be provided with ventilation openings. The minimum net area of ventilation openings must not be less than one sq ft for every 150 sq ft of the home's floor area. The total area of ventilation openings may be reduced to one sq ft for every 1,500 sq ft of the home's floor area, where a uniform 6 mil polyethylene sheet material or other acceptable vapor retarder is installed, according to 3285.204, on the ground surface beneath the entire floor area of the home.

Section 3285.204 Ground Moisture Control - The HUD code does not permit any voids or tears in the ground vapor retarder, requires all joints to be overlapped at least 12", and allows the vapor retarder to be installed around or over footings and other obstructions. The final rule requires the thickness of the vapor retarder to be a minimum of 6 - mil polyethylene sheeting. All enclosed and skirted areas are to be provided with a ground vapor retarder, except in arid regions and areas for open porches, decks and recessed entries.

White Close-Off Film

0265027 1" x 2" x 8' (25/Bundle)

Lathes

(Furring Strips)

Wooden strips used to attach

plastic covers, etc. to homes.

0265025 2" x 2" x 8'

0265026 2" x 2" x 3'

0265028 1" x 2" x 8'



6 ml Close-Off Film

for secondary moves 12' x 120' 6 ml Close-Off Film 0265003 0265009 16' x 100' 6 ml Close-Off Film 0265006 14' x 300' 5 ml Close-Off Film

White Close-Off Tape

16' x 150'



5.5 utility grade polyethylene patching and repair tape for close-off film and general use. White.

0360725 2" x 36 yards 0360726 4" x 36 yards

0265008

0265050

Bottom Board

Constructed of one-ply polyethylene fabric for physical strength coated with black polyethylene film for a positive moisture barrier. (Not self-adhesive.)

0360010 28" x 100' 0360007 4' x 600' 0360001 14' x 4'

0360000 14' x 70' 0360008 16' x 80'

Flexible insulating

foam core

Center-Seal

Centerline Insulator

Foam is completely sealed inside a high-strength vapor barrier sheathing

- Provides a continuous seal
- Withstands exposure to the elements
- Does not blow off during transport
- Lasts even through repeated resets
- Eliminates customer concern over visible daylight
- Superior insulation for better energy efficiency and protection against rodents and insects
- Compact, lightweight and easy to handle; no skin irritation
- Needs no special tools staples or tucks
- Installs faster than fiberglass, spray foam, etc.
- Unlike other materials, does not absorb moisture but blocks it, protecting home against structural and cosmetic damage

0265055 2" x 375'



Specifically made for patching and splicing bottom board paper used in mobile homes. Excellent adhesion to wood. metal and plastic. Tears and hangs straight, no curl. Certified to meet HUD specifications of the Office of Mobile Home Standards and approved and certified for HVAC applications. 2" x 60 yards.

0360703 24/Ctn.

Premium Bottom

Seal-Tite #620 with high tack a heavier adhesive layer, exceptionally high peel and sheer strength. 2" x 36 yards/

0360704 24/Ctn.



Multi-purpose ridged sill plate gasket provides resilient sealing—perfect for setup of double wide mobile homes.

- 5.5" x 50' Roll
- Fills gaps against air infiltration
- Easy to install—no special tools
- Resists moisture penetration to interior
- Helps seal out insects



Sta'-Put Spray Adhesive

Works well on bottom board, vinyl tops, metal or vinyl trim, styrofoam, foam rubber, glass, plastics and much more. Gives high solids, water-resistant bonds offering quick tack, nonwrinkling and flexibility.

0110250 16 oz.; 12/Ctn. 0110253 40# Canister

Sta'-Put II Spray Adhesive

Spray directly onto polystyrene safely with no melt-down. Ready to bond in four minutes. Water resistant. Especially formulated for styrofoam.

0110252 13 oz.; 12/Ctn.



Sta'-Put High Temp Adhesive

For use where high temperatures are an issue. Flame resistant to approx. 225° F. Non-flammable after tacked. Welds onto surface after about one minute. Not as tacky to the touch, but offers a much stronger bond once cured.

0110256 12/Ctn.

Sta'-Put II Remover

Simplifies clean-up of overspray and removes bonded materials. Virtually no residue. Compatible with most surfaces. Not recommended for paperprinted wallpaper without vinyl coating.

0110254 15 oz.; 12/Ctn.

FLEX-PATCH Bottom Closure Mending Material

Flex-Patch is a woven polyethylene fabric, solid-coated with a specially formulated, very aggressive adhesive. An easily removed paper release is laminated to the fabric. Use scissors to cut any size patch to fit the damaged area. Shipped in a poly sleeve, 100' rolls are individually boxed.

- Neat. A Flex-Patch is almost invisible when used to repair damaged woven polyethylene bottomboards.
- * Quick. Simply cut the right size patch and peel off the paper release liner. In just seconds, the entire hole or tear is covered permanently!
- Waterproof. Both the substrate and the adhesive are unaffected by moisture or water.
- * Strong. An attempt to remove the patch will result in destruction of the patched area.
- * Permanent. Neither the substrate or adhesive will deteriorate.
- * Unaffected by Cold. Flex-Patch can be applied in below freezing temperatures and will hold regardless of the season.



MobileFlex Bottom Board Mending Kit



Ten sq. ft. (54" x 28") of Flex-Patch along with 20 sq. ft. (108" x 28") of woven polyethylene bottomboard (without adhesive) packed in a 2-1/2" diameter spiral tube. Repair small holes, tears and cuts by cutting patches from Flex-Patch or larger damaged areas where the original bottomboard is missing using bottomboard replacement material. Then, Flex-Patch can be cut into strips and applied as a tape to seal the un-coated bottomboard patch in place. Application instructions are printed on the outside of each tube.

0360005 Kit: 15 Kits/Ctn.

10 sq. ft. of Flex-Patch and 20 sq. ft. of Bottom Board

FLEX-PATCH Mending Tape

Easy-to-use tape form, perfect for small jobs. Easily removed paper release.

0360016 Mending Tape, 4" x 100' roll. **Boxed**



ECONO-MEND Economy Mending Tape


Same as above, only with no release paper, 4" x 165' roll.

0360011 4" x 165'



C-1







Special Order Doors

Taking Measurements For a Door:

There are many ways to measure for a door replacement, but Elixir recommends you measure your rough opening and select the replacement size which is closest to it.


For example, your rough opening measures 32-1/4" x 76-1/4". ALWAYS BACK DOWN TO THE NEAREST SIZE and order size 32" x 76".

To determine if your door is right or left handed, simply look at it from the outside of the home to see which side the hinges are on.

Installing the Door:

- Make certain all mounting surfaces (siding seams included) are securely fastened and flat around perimeter of door opening.
- 2. Apply a suitable non-hardening sealant tape (such as Elixir 10-B Mobile Seal) to the backside of the door's mounting flange.
- 3. Do not remove any shipping clips or fasteners an keep the door closed and locked during the installation. Opening the door prior to the installation will destroy the pre-squaring by the manufacturer.
- 4. Insert the door assembly carefully into the rough opening. Make certain the door sill is secure on the floor. Move door to hinge side until it is firmly against hinge side stud.
- 5. Proceed to fasten door with screws. Drive the first 3 screws into the outer frame in the middle at the hinge side. Then, drive the next 3 screws in the middle of the outer frame on the lock side. Then, secure the balance of the hinge side, across the sill, up the lock side and the header.
- 6. Remove the shipping clips and open the door. Install the appropriate hardware.
- If it is a house-type door with storm door, make certain
 2 long screws are put through the storm door plunger bracket fastened to the jamb. This is to anchor the bracket securely to your hinge side stud.
- If the house-type inner door is secured to the outer frame with butt type hinges (steel sixpanel door only), run one long screw through each hinge on the jamb side to penetrate the hinge side stud.
- 9. The house-type door has an adjustable stop. Adjust the stop to the exterior of the inner door to insure a good seal.

If the above steps are followed, the door will be sealed and operate properly.



HINGE SIDE STUD


HINGE

DOOR

JAMB

HINGE SIDE STUD

Steps 8



CLOSER

BUTT

TYPE

HINGE

BRACKET

Heating & Cooling

Series 9000 Vinyl Steel Combo Door - Six Panel Style



Shown with all glass white storm and six-panel door

Door Features:

Vinyl Laminated Galvanized Steel

- Our Thickest Gauge of Long Lasting Steel
- · Upgrade from Series 8000 Steel

Double Seal

- Folded Steel Edge with Weather Stripping
- · Lifetime Warranty Weather-Stripping
- Protects Against Air, Light and Water
- · Easy Installation

Polyurethane Foam Core

• Highly Energy Efficient R-Values

Quality Wood Jambs

· Finger Jointed Solid Pine

Three-Finger Vinyl Sweep Factory Installed Swivel Latch Bolt

Doors with windows below are drilled for deadbolt. All other stocked 6 panel doors have knocker, viewer and drilled for a dead bolt.






3/4 Oval Light Door

			3/4 Oval Light	Fan Light	Fan Light				
Jamb Width:		4"	4"	4"	4"	6.5"	4.5"	4"	4"
Door Inside:		White	White	White	White	White	White	White	White
Door Outside):	White	White	White	White	White	White	White	White
Storm Color:		White	White	Mill	White	White	White	White	White
Storm Style:		Full View All Glass	Full View	Standard	Standard	Standard	Full View All Glass	Standard	Full View All Glass
32 x 76	L/H				0211131	0211216			
	R/H				0211132	0211217			
34 x 76	L/H	0211755	0211150 0211153	0211121	0211122	0211140	0211761	0211757	0211759
	R/H	0211756	0211151 0211152	0211120	0211123	0211141	0211760	0211766	0211758
34 x 78	L/H		0211154		0211144			0211752	
	R/H		0211162		0211145			0211747	
34 x 80	L/H		0211148		0211146	0211142		0211762	
	R/H		0211149	0211124	0211147	0211143		0211763	
36 x 76	L/H	0211160							
	R/H	0211161							
36 x 80	L/H	0211753			0211186				
	R/H	0211754							
38 x 76	L/H		0211163						
	R/H		0211164						
38 x 80	L/H		0211156		0211318	0211103*			
	R/H		0211157		0211319	0211102*			
38 x 82	L/H		0211158						
	R/H		0211159						

Series 8000 Vinyl Steel Housetype **Combination Door**



(Pictured) Elegant white door with white standard storm door. Door is drilled for deadbolt.. 4" jambs. Other sizes and designs are available by special order.

Vinyl Laminated Galvanized Steel

- Long Lasting
- 60% Thicker than Series 6000 Doors
- · More Dent and Scratch Resistant

Double Seal

- · Folded Steel Edge with Weather Stripping
- · Protects Against Air, Light and Water

Adjustable Door Stop Three-Finger Vinyl Sweep

Sloped Threshold

Factory Installed Swivel Latch Bolt Polyurethane Foam Core

· Highly Energy Efficient R-Values

Quality Wood Jambs

Finger Jointed Solid Pine

0210970 Fan Lite, 32" x 76" LH 0210971 Fan Lite, 32" x 76" RH

> Optional Hardware Sold on Page C-12

Series STR 7000 Residential Vinyl Steel Combination Door Energy Rating

The Six panel and 4 panel STR Series 7000 Elixir Doors are Energy star rated to conform to the performance ratings in the chart below.





Entrance Door Product Lines ESB-M-1 Steel Entry Door

ENERGY PERFORMANCE RATINGS

Product	U-Factor/Solar Heat Gain Coefficient (SHGC)						
Description ₁	1/4 Lite ≤ 410 in ²	1/2 Lite ≤ 900 in ²	3/4 Lite ≤ 1100 in ²	Full Lite > 1100 in ²			
2/a1-D/na/air/0.764	0.22/0.12	0.29/0.24	0.32/0.29	0.36/0.37			
2/a8-D/na/air/0.764	0.21/0.12	0.28/0.24	0.31/0.29	0.36/0.37			
2/a8-D/na/air/0.514	0.21/0.12	0.28/0.24	0.31/0.29	0.35/0.37			
2/a8-D/na/air/0.514 grids	0.21/0.12	0.28/0.23	0.31/0.27	0.36/0.34			
2/a8-D/na/air/0.264	0.22/0.12	0.30/0.24	0.33/0.29	0.38/0.37			
2/a8-D/na/air/0.264 grids	0.22/0.12	0.30/0.23	0.34/0.27	0.39/0.34			
ESB-M-1 Embossed Door	0.14/0.01						
2/a1-D/na/air/0.764 grids	0.22/0.12	0.29/0.23	0.32/0.27	0.36/0.34			
2/a8-D/na/air/0.764 grids	0.21/0.12	0.28/0.23	0.31/0.27	0.36/0.34			
2/a8-D/na/air/0.514 grids	0.21/0.12	0.28/0.23	0.31/0.27	0.35/0.34			
2/a1-D/0.204(2)/air/0.764 LE	0.20/0.10	0.26/0.20	0.28/0.24	0.31/0.31			
2/a8-D/0.204(2)/air/0.764 LE	0.20/0.10	0.25/0.20	0.27/0.24	0.30/0.31			
2/a8-D/0.204(2)/air/0.264 LE	0.21/0.10	0.27/0.20	0.29/0.24	0.33/0.31			
2/a8-D/0.204(2)/air/0.264 LE Grd	0.21/0.10	0.28/0.19	0.30/0.23	0.34/0.29			
2/a1-D/0.204(2)/air/0.764 LE Grd	0.20/0.10	.026/0.19	0.28/0.23	0.31/0.29			
2/a8-D/0.204(2)/air/0.764 LE Grd	0.20/0.10	0.25/0.19	0.27/0.23	0.30/0.29			
2/a5-D/na/air/0.323 deco	0.20/0.11	0.25/0.22	0.27/0.26	0.30/0.33			

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturers literature of other product performance information. www.nfrc.org

1 glazing layers / spacer type / lowE emissivity (surface) / gap fill / gap width

NOTE:

Energy performance ratings are subject to change. For current ratings visit www.energystar.gov

Heating & Cooling

Series STR 7000 Residential Vinyl Steel Combination Door



4 Panel w/ Fan: sunburst window with beveled glass, floral pattern and brass caning replace top two panels.

Series 7000 Combo Oval Frosted

Elegant white door with frosted oval window comes with brass kickplate and white all-glass storm door. Door is drilled for deadbolt. Entrance lock and deadbolt are available in brass. Keyed alike for convenience. 4.5" jambs. Other sizes and designs are available by special order. 0211210 & 0211211 shown above.

Polyurethane Foam Core

Highly Energy Efficient R-Values

Quality Wood Jambs

· Finger Jointed Solid Pine

Six-Finger Vinyl Sweep

Factory Installed Swivel Latch Bolt

Door Features:

Vinyl Laminated Galvanized Steel

- Our Thickest Gauge of Long Lasting Steel
- · Upgrade from Series 8000 Steel

Shown with full-view white storm door

Lifetime Warranty Weather-Stripping

Protects Against Air, Light and Water

Residential 1-3/4" Door

Our Very Best Door

Series STR 7000 Residential Vinyl Steel Combination Door

	ngsiughtiai vinyi steel combination bool								
		s	ix Panel Doo	r*	4 Panel w/Fan*	Platinum Inlaid Oval	Frosted Glass Oval	9-	Lite
Jamb Width:		4"	4"	6.5"	4"			4"	6.5"
Door Inside:		White	White	White	White	White	White	White	White
Door Outside	e:	White	White	White	White	White	White	White	White
Storm Color:		White	White	White	White	White	White	White	White
Storm Style:		Full View	Standard	Standard	Full View	Full View	All Glass	Standard	White
34 x 76	L/H	0211750	0211722	0211740	0211206	0211197	0211210	0211247	0211248
	R/H	0211751	0211723	0211741	0211205	0211198	0211211	0211246	0211249
34 x 78	L/H								
	R/H								
34 x 80	L/H	0211748	0211746	0211742					
	R/H	0211749		0211743					



Energy Star rated. (See chart on C-4)

Series 6000 Housetype Combination Door

Door Features:

 Painted Galvanized Steel Long Lasting

Double Seal

Folded Steel Edge with Weather Stripping Protects Against Air, Light and Water

- Adjustable Door Stop
- Factory Installed Swivel Latch Bolt
- Sloped Threshold
- Polyurethane Foam Core

Highly Energy Efficient R-Values

Quality Wood Jambs Finger Jointed Solid Pine

Door Color Options:

Exterior: White or Cream Interior: White, Cream or Dark

Blank Style





10" x 10" Diamond (window) Series with Mill Finish Standard Storm Door. Details on page C-7

Blank Style Door (no window) with White Standard Storm Door - Shown on Left. Details below.

Optional Hardware Sold on Page C-12

EH	Series 6000 Blank Style Combination Door									
Features		Knocker, Viewer & Deadbolt	Knocker & Viewer	Knocker & Viewer	Knocker & Viewer	Knocker, Viewer & Deadbolt				
Outside:		White	White	White	White	White				
Inside:		Dark	Dark	White	White	White				
Storm Color:		Mill	White	Mill	White	White				
Storm Style:		Standard Storm Door	Standard Storm Door	Standard Storm Door	Standard Storm Door	Standard Storm Door				
32 X 76	L/H			0211202	0212109					
	R/H			0211201	0212108					
34 X 76	L/H	0211098	0211106	0211219	0211207	0211091				
	R/H	0211099		0211220	0211208	0211093				
34 x 80	L/H			0211214						
	R/H			0211215						

Heating & Cooling

6000 Series			Cottage Window							
Jamb Width:		4"	4"	4"	4"	4"	6.5"	6.5"	4"	6.5"
Outside:		White	White	White	White	White	White	White	White	White
Inside:		Dark	Dark	White	White	White	White	Dark	White	White
Storm Color:		White	Mill	Mill	White	White	White	Mill	White	White
Storm Style:		Standard	Standard	Standard	Standard	Full View	Standard	Standard	Standard	Standard
32 X 72	L/H		0211051	0210870	0210880					
	R/H		0211052	0211056	0210881					
32 X 74	L/H		0210923	0210930	0212100					
	R/H		0210924		0212101					
32 x 76	L/H	0211079	0211065	0210872	0210874 0212112**			0211118		
	R/H	0211078	0211066	0210873	0210875 0212113**			0211119		
32 x 78	L/H		0211075							
	R/H									
32 x 80	L/H				0211308					
	R/H				0211309					
34 x 76	L/H	0211083	0211031	0210876	0210878 0212110**	0210886	0211180 0211091*	0211110	0211136*	0211167
	R/H	0211084	0211082	0210877	0210879 0212111**	0210888	0211181	0211111	0211137*	0211166
34 x 78	L/H	0211088	0210911	0211300	0211304			0211112	0211138*	
	R/H	0211089	0210910	0211301	0211305				0211139*	
34 x 80	L/H	0211086	0211030	0211302	0211306		0211182	0211114		0211165
	R/H		0211090	0211303	0211307		0211183	0211115		
36 x 76	L/H				0210882					
	R/H				0210883					
36 x 80	L/H		0211116	0211312	0211311					
	R/H		0211117	0211313	0211310					
38 x 76	L/H			0211316	0212106					
	R/H			0211317	0212107					
38 x 80	L/H					0210928	0211101*			
	R/H	 				0210929	0211100*		 	

^{*} With knocker/viewer, deadbolt bore

For storm door features, see page C-14



Classic white door with fan-shaped window is white inside and out with matching white jambs. Drilled for deadbolt.

0210914 34" x 76" LH; Full View White Storm **0210915** 34" x 76" RH; Full View White Storm

0210917 34" x 76" LH; Std. White Storm

0210921 34" x 76" RH; Std. White Storm

0211233 34" x 76" LH; Std. White Storm with 4.5" Jambs **0211234** 34" x 76" RH; Std. White Storm with 4.5" Jambs



^{**} With deadbolt bore

ELIXIR INDUSTRIES



Series 400, LH Door *(shown above)* w/ Cottage Window

Series 400 Vinyl Steel Exterior Door

Door Features:

Vinyl Laminated Galvanized Steel

- Long Lasting
- 60% Thicker than Series 200 Doors
- More Dent and Scratch Resistant
- Withstands Winds in Excess of 140 MPH

Double Seal

- Folded Steel Edge with Weather Stripping
- Protects Against Air, Light and Water

Factory Installed Swivel Latch Bolt

Polyurethane Foam Core

• Highly Energy Efficient R-Values

Adjustable Striker Plates



0210960 34" x 76" LH White/White

w/Dead Bolt Bore

0210961 34" x 76" RH White/White

w/Dead Bolt Bore

Door w/Cottage Window

0210976 36" x 80" LH White/White, Mill Frame, (shown at right)



Door w/10" X 10" Diamond Window

0210965 32" x 74" LH White/White

0210966 36" x 80" LH Gray/Gray

0210967 36" x 80" RH Gray/Gray

0210968 36" x 80" RH White/White

0210969 36" x 80" LH White/White



Door w/10" x 10" Square Window

0210819 34" x 72" LH White/White

w/Mill Finish Door Frame

0210959 34" x 72" RH White/White

w/Mill Finish Door Frame

Blank Door Series 400, (No Window)

0210964 36" x 80" LH White/White, White Frame

0210978 36" x 80" LH White/White, Mill Frame (shown at right)

0210973 32" x 74" LH White/White. Mill Frame

Fiberglass Extra Wide Single Door

Often used for portable buildings.

0211171 60" x 72" LH White/White, Mill Frame




Fan Window

Blank, Series 400, LH Door









Series 300 6-Panel

Same quality features as the 400 Series with six raised panels. White door and frame only.

0211126	32" x 72" LH, knocker, viewer
0211127	32" x 76" RH, knocker, viewer
0211128	32" x 76" LH, knocker, viewer

0210758 34" x 76" LH, knocker, viewer, deadbolt bore

0211129 34" x 76" RH, knocker, viewer 0211130 34" x 76" LH, knocker, viewer 0210787 34" x 76" LH, deadbolt bore 0210788 34" x 76" RH, deadbolt bore 0211107 36" x 80" RH



Reinforced Commercial Grade

Commercial Grade with 2 x 4 Construction

BLANK DOORS

0211175 36" x 80" LH Blank White/White 0211176 36" x 80" RH Blank White/White (shown on the right)

HEAVY DUTY LOCK

0295005 Round Knob, Stainless Steel 0295006 Lever Style, Stainless Steel

THRESHOLD FOR HANDICAP ENTRANCE

0265491 Interior For 36" Door 0265492 Exterior For 36" Door

Series 100, Double Doors

Same quality features as Series 200, but with double doors. See following pages for features of 200 series doors.

Blank Double Door

Mill Finish Frame

0211172 61" x 72", RH, White/Dark 0211212 61" x 72", LH, White/White 0211155 61" x 80", LH, White/White **0211170** 72" x 72", RH, White/White 0211168 72" x 72", RH, White/Dark **0211169** 72" x 72", LH, Cream/Cream **0211279** 72" x 72", RH,Buck/Buck

Cottage **Double Door**

White/White Mill Finish Frame

0211213 72" x 76," LH



0211173 72" x 80", LH, White/White

eating & Tov

Series 200 Manufactured Home Exterior Door



Specially designed for manufactured home doors.

Specially designed for manufactured home doors, tested residential grade. Locks are sold without bolts and strike plate, which are included in our stocked doors.

0295040 Entrance Lock, Stainless Steel **0295030** Entrance Lock, Stainless Steel,

Keyed to #0122544

0295041 Entrance Lock & Deadbolt Set, Master Keyed, Stainless Steel.

Door Features:

Painted Galvanized Steel

· Long Lasting

Double Seal

- Folded Steel Edge w/Weather Stripping
- · Protects Against Air, Light and Water

Factory Installed Swivel Latch Bolt

Polyurethane Foam Core

Highly Energy Efficient R-Values

Adjustable Striker Plates

Door Color Ontions:

Exterior: White or Cream
Interior: White, Cream or Dark

Frame Color Options:

White, Cream or Bronze

Quick Reference For Door Hardware

Hardware is sold as an option on these doors for economy, so you can buy only what you need.

0295040 Lock, Stainless Steel*

0295041 Deadbolt Combo SS, Master-Keyed*

0212022 Knocker/Viewer, Brass
0212010 Knocker/Viewer, Chrome
0265506 Threshold f/32" or less
0265507 Threshold f/34" door

0265508 Threshold f/36" door **0265509** Threshold f/48" door

0265510 Threshold f/72" door **0219001** Weather Stripping 30'

0212011 Drip Cap f/32" or smaller door

0212012 Drip Cap f/34" door

0212013 Drip Cap f/36" door **0212014** Drip Cap f/48" door

0212018 Drip Cap f/53" door

0212009 Drip Cap f/72" door **0210601** Safety Chain Kit

0210602 S Hooks

0210002 5 HOOKS

0210455 Replacement Door Shipping Clip

* These items come without a bolt or strike, which are already installed on these doors

(E)	ELIXIR
	INDUSTRIES

Series 200 Exterior Doors

		ni.	10" x 10" amond Wii		ei ei	18" x 20" ider Windo	···	Cott	Fan	
OLI	OUTSIDE:				1 1		White	Window White White		Window White
	NSIDE:	Dark	White	White White	Dark	White	White	White	White	White
	TTOIDE.	MF Frame	WH Frame	MF Frame	MF Frame	WH Frame	MF Frame	WH Frame	MF Frame	WH Frame
30 x 72	LH	0211035	0210866		0210800					
	RH		0210867		0210799					
32 x 72	LH	0210916	0210850		0210801	0211400	0211846	0210885		
	RH	0210920	0210849	0211800	0210802	0211401		0210884		
32 x 74	LH	0211033	0212102		0210810	0211402		0211410		
	RH	0210935	0212103		0210812	0211403		0211411		
32 x 76	LH	0210919	0210854 0211803*	0211802 0211804*	0210806	0211404	0211850	0210887	0211878	0210847
	RH	0210797	0210855	0211805	0210798	0211405	0211851	0210896	0211879	0210848
32 x 78	LH	0210897	0210912	0211806	0210901	0211406		0211412		0210894
	RH	0210936	0210913	0211807	0210902	0211407		0211413		0210895
32 x 80	LH		0210926	0211808	0210908	0211408		0210946	0211882	
	RH		0210927			0211409	0211855	0210947	0211883	
34 x 72	LH									
	RH			0210821**						
34 x 76	LH	0210918	0210858 0211028*	0211812	0211029	0210840	0211858	0210889	0211886	0210856 0211027*
	RH	0210904	0210859	0211813	0210905	0210841	0211859	0210890*	0211887	0210857
34 x 78	LH	0210898	0210862	0211814	0210899	0210842	0211860	0210891	0211888	0210938
	RH		0210863			0210843		0210892	0211889	0210939
34 x 80	LH	0210903	0210864	0211816	0210909	0210844	0211862			
	RH		0210865	0211817		0210845	0211863			
36 x 72	LH							0210893		
	RH									
36 x 76	LH		0210868	0211820					0210861	
	RH		0210869	0211821		0210837			0210853	
36 x 80	LH	0210814	0210816	0210796	0210906	0210838		0210851		
	RH	0210833	0210817	0211822 0210822**	0210907	0210839	0211871	0210852		

^{*}With Deadbolt Drill

Diamond Replacement Window 10" x 10"



0210745 10" x 10" Diamond Window, Brown

0210747 10" x 10" Diamond Window, White

^{**}Square 10" x 10" Window

	ELIXIR
- H	
100	INDUSTRIES
	SINCE 1948

Series 200 Exterior Doors

Blank								
OUTSIDE:	White	White	White	Cream	White	Buck		
INSIDE:	Dark	White	White	Dark/Buck	Buck	Buck		
	MF Frame	WH Frame	MF Frame	MF Frame	MF Frame	MF Frame		
30 x 72	0210804	0211179	0211900					
32 x 72	0210805	0210790	0211187					
32 x 74	0210786	0211178	0211901					
32 x 76	0210811	0210791 0211826*	0211827	0210823				
32 x 78	0210780	0210781	0211828					
32 x 80		0210835	0211829					
34 x 76	0210809	0210807 0211833* 0211832**	0211835	0210824				
34 x 78	0210779	0210792	0211836					
34 x 80		0210793	0211837					
36 x 60			0211190					
36 x 61			0211196					
36 x 63			0211193 0211272 <i>H</i>					
36 x 70			0211192					
36 x 72	0210775		0211189 0211273 <i>H</i>					
36 x 74			0211194					
36 x 76	0210776	0210774	0211840					
36 x 80	0210789	0210794	0211841 0211270 <i>H</i>	0210828				
48 x 63			0210785					
48 x 72	0210778		0210782	0210777 <i>B</i>		0210761		
48 x 76	0210768		0210783					
48 x 80			0210784	0210766	0210767			

^{*} Left Hand, With Deadbolt Drill

Quick Reference For Door Hardware

Hardware is sold as an option on these doors for economy, so you can buy only what you need.

0295040	Lock, Stainless Steel*	0219001	Weather Stripping 30'
0295041	Deadbolt Combo SS, Master-Keyed*	0212011	Drip Cap f/32" or smaller door
0212022	Knocker/Viewer, Brass	0212012	Drip Cap f/34" door
0212010	Knocker/Viewer, Chrome	0212013	Drip Cap f/36" door
0265506	Threshold f/32" or less	0212014	Drip Cap f/48" door
0265507	Threshold f/34" door	0212018	Drip Cap f/53" door
0265508	Threshold f/36" door	0212009	Drip Cap f/72" door
0265509	Threshold f/48" door	0210601	Safety Chain Kit
0265510	Threshold f/72" door	0210602	S Hooks

0210455 Replacement Door Shipping Clip

^{**} Left Hand, Knocker Viewer with Deadbolt Drill

H - Heavy Duty Frame

B - Buck Color

^{*} These items come without a bolt or strike, which are already installed on these doors

Diamond Window 10" x 10"



Long Rectangular Window



Replacement Windows for Doors

4" x 24" Window, Colorless Obscure Glass w/White Frame

0210746

Fan Window



0210750 White Fan Window

Cottage Window



0210744 20" x 36" 0210740 22" x 36"

Exterior Door Hinges

Door Hinges

0210608

0210609

0210747 White



Slider Window



18" x 20" w/Screen 0210803 Mill Finish 0210795 White

Exterior Door Hinges for 7000 Series Doors

Designed with Radius Corners For The 7000 Series Doors.





Six screw flanges.

0210993 Satin Nickel

Six Finger Hinges

Combo Door Hinges

Designed for 6000, 8,000 and 9,000 Series Doors.

0210995 Brass 0210996 Zinc



0210605 Zinc

Storm Doors Single 144								
Rough		Mill	White	Bronze	White	White		
Opening		Standard	Standard	Standard	Full View	All Glass		
32 x 72	LH	0210808	0212104					
	RH	0210815	0212105					
32 x 76	LH	0211006	0211007	0211059				
	RH	0210818	0211008	0211060				
34 x 76	LH	0211020	0211053	0211055	0211133	0211023		
34 X / 0	RH	0211013	0211054	0211061	0211134	0211024		
34 x 78	LH	0211012	0211062		0211135			
34 X 70	RH	0211015	0211058					
34 x 80	LH	0211010	0211064			0211021		
J4 X 00	RH	0211014	0211063			0211022		
36 x 76	LH		0211043					
30 X / 0	RH		0211044					
36 x 80	LH		0211050					
30 X 00	RH		0211041					
38 x 76	LH		0211045					
30 X / 0	RH		0211046					
38 x 80	LH		0211017					
	RH		0211016					
38 x 82	LH		0211048					
	RH		0211049					

Other sizes and styles available by special order. Note: Hardware is Not included.







All storm doors pictured are right-hand doors


Heavy-gauge, hollow, aluminum door frame, reinforced with 14-gauge corner gussets. Fiberglass screen resists impact without permanent deformation.

Sliding window tested in 2,500 uses without failure (equivalent to more than 20 years of normal use).

1/8" tempered safety glass installed in all standard size doors.

Replacement Screen


for Standard Storm Door 27" x 29"



0210945 Screen f/Std. Door - Mill Finish 0210948 Screen f/Std. Door - White

Hardware Kits

Handle & Closure Kit



0212036 Black 0212038 White

Storm Door Parts

0210450 Top Glides for Bottom

Glass

0210452 Clips & Springs for

Bottom Glass

0210470 Clip for Full View

Storm, White

0295085 Hinge - Mill 0295086 Hinge - White 0295087 Hinge - Brass

Pushbutton Latch Door Latch

- Anti-lockout feature
- 1-3/4" mounting hold spacing
- Installs in three 1/4" holes
- Carded

For all outswinging doors 7/8" to 1-1/4". Converts to key locking set with key plug.

0291300 White; 5/Ctn.

0291301 Aluminum; 10/Ctn. 0291302 Black; 10/Ctn.

Storm Door Closer

Smooth, silent regulated closing for storm and screen doors. Permanently sealed tube. Positivelatching mechanism. Shock absorber action.




0210700 White **0210701** Aluminum 0210702 Black

Pushbutton Key Plug

for Storm Door Locks





Fits most rectangular pushbutton storm doors. Furnished with calibrated metal spindle and spring.


0291305 Black; 10/Ctn.

Coatings & Cleaners

Sliding Glass Patio Doors by

Vinyl 72" x 76"

- · Attractive low profile multi-chambered frame increases viewing area and improves thermal and sound insulating value.
- · Standard Frame for use with lap siding. Lap Frame with integral siding pocket that eliminates the need for additional siding trim pieces.
- Heat fusion welded frame and moving panel provides superior structural strength and prevents potential leakage at the corners.
- Staggered internal weep system allows minimum dust infiltration. Snap-in weep covers are standard.



- · Color coordinated attractive mortise type keyed lock mounted on steel reinforced lock jamb for strength and sturdiness that provides added security. Lock keeper is adjustable.
- Easy to reverse the door from XO to OX or OX to XO. Reversing must be done prior to installation.





Meets or exceeds the performance requirement of - AAMA 1701.2 Standard, Grade Wind Zone III AAMA/NWDA 101 / 1.5.2 Standard, Grade SGD-R15

0212029 "OX", 72" x 76" **0212028** "XO", 72" x 76"

0212030 White, Screen for vinyl door 0290403 Replacement Lock

> **XO:** From outside looking in, left panel slides, right panel is stationary. **OX:** From outside looking in, right panel slides, left panel is stationary.

Aluminum 72" x 76"

- · Standard Frame for use with flush mount application.
- 5/8 inch sealed insulating glass (tempered) with optional Low-E provides optimum thermal performance.
- · Heavy duty fin seal weatherstrip to reduce air, water, dust and noise infiltration.
- · Fully adjustable factory lubricated steel tandem rollers mounted with ball bearing insures trouble free operation.
- Full length lip on lock jamb acts as lock strike, not requiring adjustments after the door is properly installed.

· Slide direction easily reversed from XO to OX or OX to XO.

· Lap siding application, by special order only.



For Flush Mount Applications, 72" W x 76" H

(Lap siding application, by special order only.)

0212044 "XO" with 15/15 grids, 72" x 76"

0212045 "OX" with 15/15 grids, 72" x 76"

0212026 "OX", 72" x 76"

0212025 "XO", 72" x 76"

0212034 White. Screen for aluminum door

0212035 Mill, Screen for aluminum door

0290402 Replacement Lock

XO: From outside looking in, left panel slides, right panel is stationary. **OX:** From outside looking in, right panel slides, left panel is stationary.

Heating & Cooling

Outswinging Double French Doors

Add value and beauty to the home with Double French Doors.


These are part of the Series 400 Exterior Doors featured on page C-8. Please refer to that page for construction details and features.





0212040 72" x 76" RH **0212041** 72" x 76" LH

Sliding Patio Door Lock



Universal sliding glass door lock features extended guide to prevent lift and opening. Also guarantees lock alignment. Fits most doors.

0290405 Patio Door Lock (Old Style)

0290406 Patio Door Lock

(New Style) for Vinyl Doors

0290407 Lock Cylinder Only

Sliding Patio Door Lock Kit

Universal, recessed sliding door lock kit, with key, comes with easy to follow instructions. (Found on 1999 and older homes.)

0290408


Tacky Tape®

0360800 24/Ctn.

Tacky Tape® is designed to seal and prevent the entry of dust, air and moisture and assure a weather tight seal. Weatherability: QUV, 340A lamp (1000 Hrs, Excellent, no cracking, chalking, wash-off or flow (sag). 3/4" x 1/8" x 30'.



Replacement Patio Screen Door



For Phillips Style M/1000 Screen Door, 36" x 75-7/16"

0212007 Mill Finish **0212008** White

For Kinro:


0212030 Vinyl Patio Door **0212034** Aluminum Patio Door

Nite Lock Pin

For Sliding Patio Door

Protects against burglary. Easy installation. Out of children's reach.


0469000



Patio Screen Roller #197C



Patio Door Roller



0461703

1-3/8" Interior Doors

Six-Panel Masonite Molded Doors:

The Masonite Molded Panel Series is the industry benchmark for all composite wood doors. This series utilizes a composite wood construction that results in a more durable door that resists warping, shrinking, and cracking better than a solid wood door. In harvest oak or classic white. Uses non-mortise hinges.





Standard Doors:

The Masonite® Veneer Flush interior door offers the visual beauty and refinement of natural wood doors at a value price. These doors are available as hollow core or solid core for the weight and feel of solid wood. Veneer Flush doors are both stainable or paintable.



Masonite

Interior Doors

	Standard		Six Panel Molded		
	Valley Oak	Flushed White	Harvest Oak	White	
24" x 78"	0210710	0210715	0210687	0210705	
24" x 80"	0210729	0210725	0210680	0210735	
26" x 78"	0210711	0210716	0210688	0210706	
26" x 80"	0210730	0210726	0210681	0210736	
28" x 78"	0210712	0210717	0210689	0210707	
28" x 80"	0210731	0210727	0210682	0210737	
30" x 78"	0210713	0210718	0210690	0210708	
30" x 80"	0210732	0210728	0210683	0210738	
32" x 78"	0210721	0210720	0210691		
32" x 80"	0210743	0210742	0210684	0210734	
36" x 78"	0210714				
36" x 80"	0210741	0210739			

All Colors May Not Be Available At All Locations • Other colors available by special order.

Interior Passage & Privacy Lock



Privacy

Conical knob, contemporary design. 2-3/8" round drive-in latch.

0290105 Passage, Polished Brass 0290106 Privacy, Polished Brass 0290103 Passage, Brushed Nickel 0290104 Privacy, Brushed Nickel

Other interior locks are sold on page 20

Interior Door Hinges

Non-mortise, 3 leaf folding door hinges, 1-3/16" x 3-7/16".



Polybagged in pairs with 8 screws.



0210990 Brass 0210991 Brushed Nickel

Non-mortise, extended, 3 leaf folding door hinges. 1-3/16 x 3-7/16 (extended leaf 1-1/2")



Polybagged in pairs with 8 screws.

0210989 Brass 0210992 Brushed Nickel

Non-Mortise Hinge 2/Box

0210998 **Brass**

CWARE

Entrance Lock Only



- Seamless one-piece knob
- Auto-release and panic-proof
 - Patented revolving collar adj. drive-in latch bolt for easy installation





0295046 Master-keyed, Adj. Stainless Steel **0295077** Master-keyed, Adj., Brass

0295068 Mortise Plate0295059 Replacement Key for Master-Keyed Locks

Deadbolt Lock Only





- Solid brass cylinder housing
- Patented revolving collar drive-in latch bolt for easy installation
- Solid brass latchbolt with anti-sawing roller insert
- 2-3/8 Backset

0295054 Single, Stain. Steel0295078 Single Deadbolt, Brass0295079 Double Deadbolt, Brass



Keyed-alike entrance and deadbolt lock set. Great security, specially designed for manufactured home doors, tested residential grade. Adjustable bolts, single deadbolt.

0295125 Brass **0295126** Stainless Steel

Elixir Deadbolt Drive-In Latch Bolt

2-3/8" drive-in w/swivel bolt. 5/8" Throw

0295032 12/Ctn.

0295061 Patented revolving collar adj. drive-in latch bolt

Patented revolving collar adj. drive-in latch bol for easy installation

Elixir Entrance Drive-In Latch Bolt



Adjustable swivel latch bolt only. Slides from 2-3/8" backset to 2-3/4".

0295050 24/Ctn.

ELLIXIES Striker Plates

0295065 For Elixir Entrance Lock (Doors produced prior to Aug. 1992)

0295066 For Elixir Dead Bolt Lock (Doors produced prior to Aug. 1992)

0295070 For Elixir Regular Doors

0295071 For House-type (Combo) Doors



Elixir Key



0295060 Blank **0295059** Master Key

EZSET



ZSET

Exterior Door Lock & Deadbolt



Drive-In Entrance Lock

2-1/8" diameter face hole, 1" diameter latch hole. Comes with adjustable round, drive-in latch bolt. 20/Ctn.

0290827 Stainless Steel

0290828 Master-keved Stainless Steel, #69777

0290812 Bright Brass

0290813 Master-keyed Bright Brass, #69777

Combo Set

Single deadbolt and entry knob keyed alike in a single box. Adjustable drive-in latch.

0290810 Bright Brass 0290825 Stainless Steel

Square Latch Bolt Entrance Lock

2-1/8" diameter face hole, 1" diameter latch hole. Comes with adjustable square latch bolt. 20/Ctn.

EZSET

0290826 Stainless Steel 0290811 Bright Brass

QUALITY

- All metal construction
- All exposed components are brass or stainless steel
- Nickel plated brass key

SECURITY

- 5 Pin tumbler cylinder
- Solid brass cylinder core
- Adjustable 2-3/8" to 2-3/4" backset dead latch on entrance function

CONVENIENCE

- Cylinder removable for rekeying
- Reversible for RH/LH door
- Adjustable for 1-3/8" to 1-3/4" door thickness
- 2-3/8" to 2-3/4" adjustable backset
- Easy installation
- Can be keyed alike with any E-Z Set lockset



E-Z Set Deadbolt Lock

1-1/2" to 2-1/8" diameter door face hole. 1" diameter latch hole. 1" projection. 20/Ctn.

0290816 Double Bright Brass

0290831 Double Stainless Steel

0290815 Single Bright Brass

0290830 Single Stainless Steel

Drive-In Bolt

Drive-in dead latch adjustable back set replacement bolt.

0290819 Stainless Steel

Master Key

Fits EZSET entrance lock with drive-in latch bolt. Master-keyed. #69777.

EZSET

0290818



Strike Plate

Standard latch for 1/2" projection dead bolt. 24/Ctn.

0290817 Bright Brass 0290820 Stainless Steel

Economy Entrance Lock & Deadbolt

Adjustable backset bolt.

0295055 Combo Set, Stainless Steel

0295076 Entrance Lock, Brass

0295019 Entrance Lock, Stainless Steel

0295020 Deadbolt, Stainless Steel

0295021 Deadbolt, Brass



Appliances

Heating & Cooling

Exterior Door Locks, Supplies and Tools



0290805 Knob/Knob

Valterra Entrance Locks

Adjusts to fit 2-3/8" or 2-3/4" backset and standard or drive-in style latches. Eliminates the guesswork in determining which lock is needed for replacement. Stainless steel finish. Panic-proof knob always free to open. Rekeyable.



0295039 Knob/Lever

0290805 Knob/Knob **0295039** Knob/Lever



Theft Stopper

Allows you to easily repair damage from break-ins without replacing entire door, and protects against a reoccurrence.

Just three easy steps: remove screws from doorknob, place Theft Stopper on outside of door, then replace the knob.

0212024





Powerbolt Keyless Lockset

Electronic touchpad singlecylinder deadbolt for residential entries.



0290611 Satin Nickel

Door Viewer

Duty / Extra Large

One-way viewer, zinc die-cast with 180° angle plastic lens. 9/16" diameter viewer adjusts for door thicknesses 1-1/2" to 2-1/2". Installation hole is 9/16". Display boxed.

0212017 Chrome



Knocker Viewer



0212010 Stainless Steel **0212012** Brass



Lock Installation Tool Kit



Hole Saw

Hole Saw

For fast and easy installation of most locksets and deadbolts; fits most popular electric and cordless drills. Blade-mandrel and bit are high quality heat treated and hardened. Contains one 2-1/8" diameter high carbon steel high speed holesaw and mandrel, and one 1" high speed wood power bit. Will saw through metal or wood. Carded.

0390500 12/Ctn.

Interior Door Locks and Supplies

Conical Passage & Privacy Lock



Passage



Conical knob, contemporary design. 2-3/8" round drive-in latch.

0290105 Passage, Polished Brass; 30/Ctn. 0290106 Privacy, Polished Brass; 30/Ctn.

0290107 Replacement Bolt, Polished Brass

0290103 Passage, Brushed Nickel; 30/Ctn.

0290104 Privacy, Brushed Nickel; 30/Ctn.

Lever **Passage & Privacy Lock**



Passage



Privacy

0290110 Passage, Polished Brass 0290111 Privacy, Polished Brass 0290112 Passage, Brushed Nickel 0290113 Privacy, Brushed Nickel

Interior Decorator Plastic Lock

For doors 1" to 1-1/2" thick. Will not rust, tarnish or corrode. 2-3/8" backset, 7/8" diameter. Standard full lip strike.

Smooth-turning. Shrink packaged. 50/Ctn.

0291901 Privacy, Coffee 0291900 Privacy, Almond 0291700 Passage, Almond 0291701 Passage, Coffee



Self-Adhesive Door Stop



0211002 White; 100/Ctn.

Spring-Eze Stop




Flexible brass-plated steel spring with white plastic tip. 3" long.

0211004 200/Ctn.

Knob/Wall Protector

High impact material can be painted or papered. Foam on back absorbs shock. 1/4" total thickness. Washable. White.



0211003 3" Dia. 0211005 5" Dia.

Heating & Cooling


"S" Hook



Approximately 1-1/2" Long. Ideal for chain door connections and many other uses.

0210602

Door Clip




Keeps doors closed and secure during transport or whenever you need to restrict access.

0210455

Adjustable Vinyl Door Bottom

Fills gap between the door and door bottom to prevent air, dust and water entry. Additional seal at top stops any water seepage. Pre-punched slotted holes and self-tapping screws. 36" long. 24/Ctn.

0219010 White **0219011** Brown




Weather Stripping



0219001 30' Weather Stripping


Roof Edge

Extra soft, heavy-gauge with standard edge. Four-teen ft. length punched with 4" centers.



0265501 24/Ctn.

Aluminum Molding Drip Rail



Serrated face 1-1/2" standard 1-1/2" rail 14' length w/punched 4" centers.

0265503 25/Ctn.

Elixir Drip Cap

Install over doors and windows to channel away rain and snow. Steel with white finish.



0212009 For 72" door


0212011 For 32" or less door

0212012 For 34" door **0212013** For 36" door

0212014 For 48" door

0212018 For 53" door

Drip Cap



Install over doors and windows to channel away rain and snow. The confined caulking area insures neat appearance and positive seal.

0210950 31"

0210951 35"

0210953 39"

0210954 43"

0210955 49"

Door Sweep



1-1/2" overall width including vinyl. 37" overall length. Satin finish. Poly-bag.

0219009 24/Ctn.

Elixir Threshold

Constructed of aluminum.

0265506 F/32" or less door

0265507 F/34" door

0265508 F/36" door

0265509 F/48" door

0265510 F/72" door



Weather Stripping



Visco Door Weather Stripping


Construction: Pine wood strip or PVC, available as 13/8" or 3/4" Quarter Round, Narrow. Insert: Q-Lon soft cell foam insert. Foam has thermoplastic cover and will not deteriorate. Finish: White foam (Brown can be special ordered). Wood is primed, PVC is white. Lengths: 1-3' piece and 2-7' pieces.


0219015 PVC, 3/4", White, Narrow

0219016 PVC,13/8", White,

Quarter Round

0219017 Wood - 13/8", Primed, Quarter Round





Visco Heavy Duty (Low Profile) Door Weather Stripping

Construction: Extruded aluminum. Mitered corners ensure a secure fit with slotted mounting holes for easy adjustment.

Insert: 1/4" flexible, bubble type neoprene.

Finish: Aluminum (Brown or white can be special ordered).

Set: 1-3' piece and 2-7' pieces. Custom lengths

also available.

0219019 Mitered Aluminum

Approved for sound abatement program.



Visco Door Weather Stripping

Construction Q-Lon: Extruded aluminum. Mitered corners ensure a secure fit with slotted mounting holes for easy adjustment.

Insert: Soft cell foam insert. Foam has thermoplastic cover and will not deteriorate.


Finish: Aluminum, brown or white finish.

Custom lengths also available.

Set: 1-3' piece and 2-7' pieces. Custom lengths

also available.

0219018 Mitered Aluminum 0219020 Mitered White 0219021 Mitered Brown




Visco Door Triple Sweep

Construction: Extruded Aluminum

Insert: 3/4" Vinyl Insert Finish: Aluminum Lenaths: 36"

(Additional sizes and colors available by special order.)



0219025 Aluminum

Frost King Replacement Door Seal for Kerfed Millwork Doors

Thermoset plastic door seal will replace the seal in doors with standard 1/8" x 11/32" kerfs. Superior resistance to low temperature compression and will fill gaps up to 11/16". An eliminator seal Unconditionally guaranteed never to fail.



Frost King 1" x 7' White Vinyl Clad **Foam Kerf Door Seal**

White foam to match Door Jambs Foam encased in Vinyl for durability best weatherseal for Kerfed Doors Weatherproof and Water Resistant.

0219006 White; Window; Vinyl Covered Foam.



0219005 Brown; Threshold; Vinyl Covered Foam.



Appliances



Exact Window Size	Window	With	Obscure	w/Super		Low E	Low E
WxH	w/Screen	6 x 6 Grids	Glass W/Screen	Saver Argon Gas	Low E	Obscure Glass W/Grids	With 6 x 6 Grids
14" x 21"	0462805		11/00/00/1	7.1.gon	0462804	11101100	O A O Olluo
14" x 27"	0462750		0462797	0462950	0462749		
14" x 35-3/4"	0462847		0402737	0402300	0402743		
14" x 36	0462777						
14" x 39-5/8"	0462833			0462951	0462860	0462933	
14" x 40"	0462751		0462798	0402301	0402000	0402300	
14" x 53"	0462829		0402730		0462826		
14" x 53-7/8"	0462778				0402020		
18" x 27"	0402110				0462818		
18" x 39-5/8"					0462819		
24" x 39-5/8"	0462834	0462820		0462952	0462879		
24" x 40"	0462752	0462737		070233Z	0702013		
30" x 27"	0462753	0462737		0462953	0462862		
30" x 30"	0462780	0402730		0402933	0402002		
30" x 35-3/4"	0462780	0462822		0462954	0462901		
30" x 36"	0462754	0462739		0402934	0402301		
30" x 39-5/8"	0462839	0462824		0462955	0462864		
30" x 40"	0462755	0462740		0402933	0462904		
30" x 52"	0462806	0402740			0402904		
30" x 53"	0462756	0462757		0462956	0462883		
30" x 53-7/8"	0462807	0462741		0402930	0402003		0462916
30" x 58"	0462783	0402741					0402910
30" x 68"	0462808						
36" x 27"	0462785						
36" x 35-3/4"	0462851				0462856		
36" x 36"	0462786				0402030		
36" x 39-5/8"	0462852				0462857		
36" x 40"	0462787				0402037		
36" x 53"	0462842			0462957	0462870		
36" x 53-7/8"	0462758	0462742		0402001	0462887		
40" x 27"	0462788	0402742			0402007		
40" x 39-5/8"	0462854				0462858		
40" x 40"	0462789				U-102000		
40" x 53-7/8"	0462790						
46-1/4" x 27"	0462791				0462792		
46-1/4" x 30"	0702131				0462794		
46-1/4" x 39-5/8"	0462843	0462828		0462958	0462891		
46-1/4" x 40"	0462759	0462743		V-102000	V-102001		
46-1/4" x 53"	0462845	J-021-10		0462959	0462892		
46-1/4" x 53-7/8"	0462760	0462744		U-102000	0462876		0462927
62" x 40"	0462795	V-V21-7-7			U-102010		JTOEUEI
32 X 10	1 3 .02 .00	l			ı	ı	
A Company of the Comp							





Pocahontas Aluminum windows meet or exceed all applicable test criteria set forth in AAMA 1702.2-02 and applicable ASTM standards for weatherization and optional structural performance for Wind Zone III (155 mph) as referenced in CFR 3280.305©. This testing included an Air Infiltration Test, Water Resistance Test, Structural Performance Test (Exterior and Interior Pressure), and an Optional Increased Structural Performance Test.

PAC windows also passed structural loading at +/- 85 PSF (184.5 MPH and 16" H²0).


• Vertical and Horizontal Slider Windows.

- Multiple fixed open positions.
- Bulb vinyl seal on sliding insert and vinyl sealed interlocking meeting rail for excellent weatherization.
- Pile weather-stripping in sliding rail for long-lasting seal.
- · Removable spring loaded screen.
- · Pre-punched mounting holes.
- All standard mobile home sizes available.
- · Mill or painted frame.



Obscure Glass Bathroom Windows

Obscure glass makes these windows perfect for bathrooms or any room where you want light and privacy.



Vertical slider-type window with obscure glass, perfect for bathrooms. Mill finish.

0462572 14" x 27"



Obscure glass, economical choice for bathrooms. 36" x 8" mill finish.

0462594 Window (does not open)

Horizontal Slider Windows				
Call Size* Width X Height	Mill Finish	White Self-Storing Storm Windows		
30" x 30"	0462526			
30-1/4" x 14-7/16"	0462590	0462636		
46-1/4" x 27-1/16"	0462593			
46-1/4" x 39-5/8"	0462505	0462624		

 Call Width + 1/2" for Rough Opening Other sizes available by special order.

NOTE:

For vinyl bath windows, see Kinro's Vinyl Window Chart.

Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Appliances

Tools & Hardware

Carpet & Flooring

Heating & Cooling

Heating & Cooling


Window & Screen Repair



For replacing glass in windows. White PVC in 12' lengths.

0462414 300/Ctn.


Kinro Window Glazing



Vinyl strip for holding glass in place when replacing pane. White 12' lengths.

0462410

Glazing Channel




For replacing glass in sliding windows.

0462411 White, 8' **0462413** Black, 12'

Corner Inserts

Plastic screen frame corner inserts 25/Ctn.



For Vinyl Frames **0262645** White

Screen Springs



Holds window screen in window.


0462428 Each; 250/Ctn.

Storm Window Corner Clip #711



0461599 Each; 25/Ctn.

Aluminum Molding Drip Rail



Serrated face 1-1/2" standard 1-1/2" rail 14' length w/punched 4" centers.

0265503 25/Ctn.

Elixir Drip Cap

Install over doors and windows to channel away rain and snow. Steel with white finish.



0212009 For 72" door

0212011 For 32" or less door


0212012 For 34" door

0212013 For 36" door

0212014 For 48" door

0212018 For 53" door

Drip Cap



Install over doors and windows to channel away rain and snow. The confined caulking area insures neat appearance and positive seal.

0210950 31"

0210951 35"

0210953 39"

0210954 43"

0210955 49"

Screws

0262653 8" x 3/4"; 10,000/Box



Slider Lock

Fits all metal door & window frames, thumb screw locking. Allows for various vent openings.

0462435



Screen Repair

Storm Window Kits

0462100 38" x 64"



Frame Extrusions w/out Spline

Aluminum framing in 16' lengths. Uses 5/32" spline.

0462425 Bronze 0462426 Mill Finish 0462427 White

Screen Spline

140 (9/64") .156 (5/32") 0 0

Replacement spline for metal and fiberglass screening.

Gray Spine

0462404 9/64", 20'; 10/Ctn. 0462406 5/32", 20'; 10/Ctn. 0462403 5/32", 1000'

Black Spine

0462407 9/64", 20'; 10/Ctn. 0462408 5/32", 20'; 10/Ctn. 0462409 5/32", 1000' **0462405** 9/64", 250'

Screen Frame Kits

Makes a frame for window or door screen.

Kit contains:

- · 4 Aluminum Frames
- · 4 Corner Connectors
- · 2 Pull Tabs
- 1 Spine
- · 2 Corner Springs

Additional Items Needed

- Screen
- Screen Installer
- · Tape Measure
- · Hacksaw to cut frames
- · Utility Knife or Scissors



0462330 Up To 36"W x 36"L Frame, White **0462331** Up To 48"W x 48"L Frame, White 0462332 Up To 60"W x 60"L Frame, White


Screen Installer



Use convex roller end of installation tool to roll screen wire into slot of aluminum screen frame. Use concave roller end to roll plastic spine into slot over screen wire to hold it tightly in place.

0462402 5/32"; 10/Ctn. 0462400 1/16"; 10/Ctn.

Fiberglass Screen



Fiberglass screen with 16 x 16 size mesh. Won't dent, corrode, or stretch. 100' roll.

Grav Screen

0269002 30" x 100' 0269001 36" x 100' 0269004 42" x 100' 0269000 48" x 100'


Charcoal Screen

0269005 30" x 100' 0269008 36" x 100' 0269007 42" x 100' 0269006 48" x 100'

Snap Fasteners

For screens, storm windows and many other holding applications. "Self-serve" colorful display bag punched for easy hanging. Each 3-3/4" x 4" bag contains 4 fasteners complete with screws. Seals windows against drafts.

0462430 36/Ctn.



Appliances

Heating & Cooling


Window Vents

Adjustable Window Screens



VENTLINE

Window Vent



- Easy to use fingertip adjustment fits most sash windows and expands from 20" to 37"
- Provides economical ventilation
- Ideal for windows in your home, RV, cabin, boat or mobile home
- Designed for easy storage when not in use
- Durable fiberglass screening keeps insects out while allowing natural ventilation
- Installs easily without tools from inside.

0462327 15" High, Adjustable 20" to 37" Wide; 12/Ctn.

- Easily installed in standard window frames. Just place vent in window track and close window to the top of the vent!
- Multiple louver design provides ventilation without letting in drafts, Insects or weather
- 30" & 46" widths standard (actual: 29-1/2" & 45-1/2")
- Mill finish
- **0462326** 5" High for 30" Windows
- **0462325** 5" High for 46" Windows

Window Blinds



Mini-Blinds

1" PVC, lead-free with wand in classic white sized to fit manufactured housing windows. 10/Ctn.

 0260500
 32" x 30"

 0260501
 32" x 56"


 0260508
 32" x 64"

 0260502
 38" x 56"

 0260503
 48" x 56"

 0260506
 48" x 64"

 0260507
 35.5" x 54"



Vertical Blinds

3.5" PVC, lead-free with wand in classic white, perfect for sliding glass doors.

0260504 78" x 84"

Solar Screening

For Quality, Energy Efficient Screens: A fiberglass screen crafted to block up to 75% of the sun's rays entering a building. Reduces air conditioning costs and prevents fading of furniture and carpets indoors. Will shade exposed patios, decks, sliding doors and windows. Available in Charcoal color.




100' ft. Rolls - Solar Screening (1 Roll/Polybag Packaging)

Stock #	Width
0269025	30"
0269026	36"
0269027	48"
0269035	48" (90%)




Window Replacement Parts

#800K Operator Kit




#801K Operator Kit



#816 Rack


Operator

#747 Awning Type R.H. **Operator**



0461804 Skin Packed;

#1712 R.H. Operator



#808 Side Mount Operator



0460201 Skin Packed; 10/Ctn. 0460203 25/Bag

0460202 Skin Packed: 10/Ctn. 0460204 25/Bag

#761 Slant Sill Operator - RH

0461109 Skin Packed; 10/Ctn. 0461822 25/Bag

#762 Slant Sill Operator - LH


0461818 Skin Packed: 10/Ctn. 0461819 25/Bag



#735 Side Mount Operator

R.H.

0461106 Skin-Packed; 10/Ctn. 0461105 25/Bag



#715 Side Mount Operator

R.H. 0461816 25/Ctn.

#733 Side Mount

0461701 Carded; 10/Ctn.



0461815 R. H. Poly-bagged; 25/Ctn.

#787 Side Mount

0461802 Skin-Packed; 12/Ctn. 0461803 25/Bag


Window Replacement Parts







#758 Side Mount



12/Ctn.

0462639 R. H.; 25/Ctn.

#490 Flat Nylon Wing Clip

Six clips w/screws per pack.

0461602 Skin-packed; 10/Ctn.



#492 Plastic Clip - Flat

Six clips w/screws per pack. Flat offset.

0461603 10/Ctn.



#812 Center Mount 5/16"




#803 Center Mount



#751 Side Mount

0460404 R. H.; 25/Ctn.



#498 Offset Plastic Clip



Six clips w/screws per pack. 3/8" offset. 10/Ctn.

0461604



#495 Plastic Clip

Six clips w/ screws per pack. 3/16" offset. 10/Ctn.

0461832

E-Rings



8 #328C per card

0461845 1/4"



#350 Metal Zee Clip

Six clips w/screws per pack. Carded; 10/Ctn.

0461601



Window Replacement Parts


#760 Torque Bar Bearing

0460310 Metal, Bulk; 25/Ctn.



#719 Torque Bar Bearing

0460300 25/Ctn.



#845 Torque **Bar Bearing**

0461838 Metal, Bulk; 25/Ctn.




#738 Torque Bar Bearing

0460308 Nylon, Bulk; 25/Ctn.




#74 Nylon Torque Bearing

0460302 10/Ctn.



#70 Nylon Torque Bearing


0460301 10/Ctn.



Plastic Knob Handle


D=1/2" Knob, Carded; 10/Ctn.

0461839



#763 Nylon Torque Bar Bearing


0461598 Bulk; 25/Ctn.




Crank Handles w/Screws

Plastic Crank Handles			
Prod. No.	Size	Quantity	
0461833	1"	25/Bag	
0461834	1-3/4"	25/Bag	
0461823	2-1/2"	600/Ctn.	
0461204	2-1/2" Carded	10/Ctn.	
0461205	3-3/16" Carded	10/Ctn.	
0461206	3-3/16"	500/Ctn.	

Metal Crank Handles			
Prod. No.	Size	Quantity	
0461201	1" Carded	10/Ctn.	
0461200	1"	750/Ctn.	
0461202	1-3/4" Carded	10/Ctn.	
0461203	1-3/4"	500/Ctn.	
0461827	3-1/2" Carded	10/Ctn.	
0461826	3-1/2"	350/Ctn.	



Metal Extension for Crank Handle



0461301 1/2" 0461303 7/8" 0461304 2"

Carded: 10/Ctn.

Screws for Crank Hand


0461208 2-1/2"; 100/Ctn.



Window Hinges

Sold in pairs only; 10/Ctn.

Stock# "C" "D" WCM# **0461001** 786C 3/16" 2-3/16" 3-1/8" 7/16" 3-34" W/Stud 4-3/8" 0461101 835P 3/16" 2-3/16" 3-1/8" W/Stud



leating & Cooling

Roof Coating

Mobile Home White Elastomeric

Water-based, specifically formulated with 100% acrylic resin for mobile homes. 5-year guarantee. Remains flexible from -10° to 160° F. No mixing,

soap and water cleanup when wet.

Class A fire rating. No hazardous chemicals or solvents. VOC=less than 60 grams/liter. UL approved

0110342 4.75 Gallons



White Elastomeric

Ultra-high reflectivity for metal, concrete, bonded tar and gravel, foam, brick, wood, flat and barrel cement tile roofs.

100% acrylic elastomeric resin to keep interiors cooler with energy savings of up to 35%. Covers approx. 75-100 sq. ft. per gallon.

0110331 0.9 Gallon; 4/Ctn. **0110332** 4.75 Gallons

Anvil Premium Fibered Elastomeric White Roof Coating

May be applied over new galvanized surfaces. Dries in 30-60 minutes. Second coat can be applied in 1-2 hours. Will not chalk, peel or drip. Coverage: approx. 150 sq. ft. per gallon for two coat coverage.

0110218 Quart; 9/Ctn. **0110216** 2 Gallon

0110215 5 Gallon **0110217** 1 Gallon; 4/Ctn.

Cool King Aluminum Roof Coating

Waterproofing asphaltum and high grade aluminum pigments plus non-asbestos fibers reflect up to 80% of the sun's rays. Dries silver. Prevents drying and cracking which cause leaks. Coverage: metal surfaces approx. 70-100 sq. ft. per gallon; composite surfaces approx. 40-60 sq. ft. per gallon.

0110652 5 Gallon



Aluminum Economy Roof Coating

For metal, asphalt, modified bitumen & rolled roofing

Asphalt based aluminum protects against moisture and damaging UV rays for energy savings of up to 20%. Covers approx. 50 sq. ft. per gallon.

0110108 0.9 Gallon; 4/Ctn. **0110110** 4.75 Gallons *Not Stocked At All Locations*



Cool King Aluminum Roof Coating

A blend of select asphalts, aluminum pigments and fibers designed to reflect the sun's rays. Temperature directly under roof surface stays cooler in the summer and warmer in the winter. Dries silver. Reflects sunlight and saves energy costs. Coverage: metal surfaces approx. 70-100 sq. ft. per gallon; composite surfaces approx. 40-60 sq. ft. per gallon.

0110650 5 Gallon **0110653** 1 Gallon



Blue Label Aluminum Roof Coating

Ultra-high Performance for metal, asphalt, modified bitumen & rolled roofing.

Protects against moisture with a unique asphalt and aluminum formula. Reduces heat build-up to keep interiors cooler with energy savings of up to 30%. Covers approx. 80-100 sq. ft. 5-year warranty.

0110102 0.9 Gallon; 4/Ctn. **0110105** 4.75 Gallons




Anvil Elastomeric White Roof Coating

Superior performance and brilliant white good looks, superior to the usual home center products on the market, for when you need a competitively priced all-round elastomeric alternative.

0110225 5 Gallon

Elixir Economy Aluminum Roof Coating

Brush and trowel grade aluminum pigmented asphalt roof coating. Reinforced with fiber for strength; fills in irregular surfaces and flashing materials. Asphalt and metal roofs. Coverage: approx. 50-100 sq. ft. per gallon.







Kool Seal UV-Resistant Patch & Coat is a fibered roof product specially formulated to withstand harsh sunlight and guaranteed to resist breakdown caused by UV radiation! Save time & money on recoats while avoiding potential roof damage.

0110223 10.5 fl oz **0110224** 0.9 Gallon

Storm Patch Wet/Dry Roof Cement

All-weather, elastomeric, asphalt wet patch/roof cement. It displaces water from a wet surface and forms a tight seal. Can be used in hot or cold weather applications.

0110344 10.5 oz 0110345 0.9 Gallon

Handle

Roofing Brush &



Storm Patch

Clear

Roof Cement

All-weather, clear, elastic sealant with excellent adhesion. Ideal for sealing leaks around vents, gutters, skylights and other roof materials when an invisible patch is desired.

Wet/cold application.

0110346 10 fl oz



Jisco Mixer

Mixes thick paints, pastes, joint cements, asphalt driveway sealers and roof coatings evenly in up to 5 gallons. Baffle Plate forces material down. Fits any 3/8" electric drill; 5/16" shaft 24" long. Scrapes sides of can completely.

0381005 6/Ctn.



Kool-Patch White Patching Cement

Kool Seal White Acrylic Patching Cement patches tough leaks and won't run or sag! After application it retains its flexibility to resist cracking, peeling, and blistering.

0110343 10.5 oz Tube

0110313 Quart

0110341 0.9 Gallon; 4/Ctn.



0110601 7" Brush: 48/Ctn.

0110600 48" x 7/8" Handle; 50/Ctn.

Anvil Caulk-Sealant

Dries flexible and contains superior bonding agent (silicone). Can be used on wood, concrete, baked enamel, glass and more. White.

0110311 Gallon; 4/Ctn.



Anvil Patcher/Sealer

Textured, ideal for sealing seams on roofs and awning rails. Adheres to any surface, such as galvanized roofing, without preparation.

0110220 Gallon



Black Jack Roof Cement



Asphalt sealer-filler patches cracks in roofing, firewalls, chimneys, gutters, flashing, etc. particularly for emergency repairs of wet surfaces. Apply with standard caulking gun. Cleanup with paint thinner or mineral spirits. Flexible. Cannot be painted.

0110425 10 oz.; 12/Ctn.

Leak Stopper

- · Lasts 2 3x longer than standard patches
- Specially designed for problem leaks
- Stops roof leaks instantly
- Permanent Repair
- Use in wet or dry conditions
- Rubberized to prevent cracking

Made with Penetrex™, a unique penetrating oil that forms a complete seal.

Apply with a trowel or putty knife. Covers approx. 12 sq. ft. per gallon when applied 1/8" thick.

0110420 11 Oz. Tube



Anchors & Outdoor Set-Up Material Improvements

Tools & Hardware

Electrical



Peel & Seal

Peel off the release paper, press the material into place. It's that simple.

The perfect solution for low slope and dozens of other roofing problems, Peel & Seal installs using only a utility knife. You can forget big crews, hot kettles, torches, adhesives and fasteners. No coating is necessary. Adheres to most surfaces. It won't crack or dry out. Replaces old style rolled roofing products. It seals around most punctures. Perfect answer to roofing, waterproofing, patching, and repair. Rolls are 33.5 feet long.

0110350 Aluminum 6"; 6/Ctn. **0110351** White 6"; 6 Ctn.

0110352 Aluminum 36"; 1/Ctn.

0110353 White 36"; 1/Ctn.

0110354 Aluminum 18"; 1/Ctn. 0110355 Aluminum 12"; 1/Ctn.

Kool-Flexx Blue Reinforcing Grid

Strong, flexible grid covers cracks 1/4" or more, seams and stress areas on existing roofing materials. Will not rot or corrode. Use with roof coating.

POP displays are available.

0110410 4" x 40'



Dyco C-10 Hypalon Flow Seal Caulk

Self-leveling, paintable, fast drying, weather resistant, will not surface harden or crack. Resists mold and mildew, fungus and bacteria. When cured, resists water, oil, grease, gasoline and many other chemicals. Forms a tough, flexible synthetic rubber seal, dries in 30 to 60 minutes. Second coats can be applied after 30-60 minutes. Semi-gloss sheen. Recommended for horizontal surfaces such as roofs on RVs, mobile homes, metal buildings, roofovers, vents, seams, inside gutters, etc. Easy cleanup with xylene solvent.

0110450 Gray 11 oz. tube. 0110451 White 11 oz. tube.



KOOL#SEAL

Flexx Sealer

Fast, easy, permanent, flexible patch

Permanent, multi-purpose roof repair seals cracked or rusted flashings, vent pipes, rain gutters and downspouts. Use on shingles, metal, asphalt, tar, fiber, glass, concrete, wood, plastics and rubber.

Resists mold and mildew. Effective between -76° and 180° F. Non-toxic.

0110412 2" x 3' 0110414 4" x 4' **0110413** 2" x 10'

Surewall Surface Bonding Cement

SUREWALL® Surface Bonding Cement is a patented, Portland Cement glass fiber product, for use in building dry stack block walls without mortar joints. Fast, easy way to build walls that can stand up to 98 mph wind-driven rain.

- Glass Fiber Reinforced
- Reduces Sound Transmission
- Stucco Finish
- Stronger than Concrete Block Walls Built with Mortar

Exceeds ASTM C887 packaged materials for surface bonding mortar. Gray.

0110270 50 lb. bag



DAP Alex Plus Caulk

with silicone

Superior quality, multipurpose acrylic latex caulk plus silicone. Highly flexible and durable. Excellent adhesion. Cured caulk is mildew resistant. Interior/ exterior use. Paintable. Water clean-up. 35 year durability guarantee. Exceeds ASTM specification C 834. Sealing around wood, vinyl, and aluminum siding & trim, caulking around windows and doors 10.1 fl oz.



DAP Dynaflex 230 Elastomeric Latex Sealant

Superior flexibility, durability, easy tooling, paintability and low odor. Excellent adhesion and watertight, weatherproof seal; mildew resistant when cured. Water clean-up, 50year durability guarantee.



DAP Kwik Seal Tub & Tile Caulk

Bonds like a glue and seals like a caulk. Provides a durable, watertight seal, excellent adhesion and flexibility. Tools easily, paintable, water clean-up.



0119000 Almond 0119002 White 6 oz 0119001 White 10.1 oz

Pro Flex® Tripolymer Caulking Sealant

Single component, high performance elastomeric sealant. Super flexible, excellent adhesion even when damp, UV resistance, mildew resistant, resealable, may be applied over itself, asphalt compatible, paintable, no dirt pickup; easy to apply, non-stringing formula, 10 fl. oz.



0110383 Crystal Clear

Boss 378 Silicone Caulk

0110336 White 10.1 fl oz.

0110337 Clear 10.1 fl oz

100% silicone caulk provides weatherproof and waterproof seal. Remains flexible and lasts for years under extreme temperature changes, moisture, weathering, vibration, expansion and contraction. Bonds to metal, glass, porcelain, ceramics, wood, fiberglass, many plastics and concrete. 10.3 oz.

0112004 Clear 0112005 White 0112006 Black 0112008 Almond

Painters Caulk

Single component, non-sag, guns easily. Flexible with excellent adhesion to common building materials. Minimal shrinkage. Tack free in 30 minutes. UV stable. Soap and water clean-up. 10 fl oz.



0119007 White. 25-years life expectancy

0119008 Clear. 40-years life expectancy

Acryl-R Narrow

Joint Sealant

Skylight Sealant/Caulk

A non-skinning, high-quality, flexible, butyl gunnable sealant for splice joints. exterior perimeters, end dams and glazing seals. It is designed for use on working and nonworking joints, most substrates and nonexposed curtainwall joints. Excellent resistance to UV. Not intended for water immersion.

Meets the requirements of Federal Specification TT-S-001657.

0110390 Black



compound for glazing wood, metal, and aluminum sash. Resists cracking, sagging, and chalking. Gun grade. 10.1 fl oz.


0110365 White



One-component solvent release sealant to seal mechanically fixed joints such as corner joints, flashing joints, screw heads and hidden wall system joints.

Excellent adhesion and weatherability. Apply with standard caulking gun. 11 oz.

0112410 Aluminum



Specifications Subject to Change without Notice

Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Tools & Hardware

Electrical

Plumbing

leating & Cooling Caulking Gun
Use with cartridges. Spring grip maintains steady pressure and

0112401

even bead.

Sta'-Put Spray Adhesive

Works well on bottom board, vinyl tops, metal or vinyl trim, styrofoam, foam rubber, glass, plastics and much more. Gives high solids, water-resistant bonds offering quick tack, non-wrinkling and flexibility.

0110250 16 oz.; 12/Ctn. **0110253** 40# Canister

Sta'-Put II Spray Adhesive

Spray directly onto polystyrene safely with no melt-down. Ready to bond in four minutes. Water resistant. Especially formulated for styrofoams.

0110252 13 oz.; 12/Ctn.

Sta'-Put High Temp Adhesive

For use where high temperatures are an issue. Flame resistant to approx. 225° F. Non-flammable after tacked. Welds onto surface after about one minute. Not as tacky to the touch, but offers a much stronger bond once cured.

0110256 12/Ctn.

Sta'-Put II Remover

Simplifies clean-up of overspray and removes bonded materials. Virtually no residue. Compatible with most surfaces. Not recommended for paper-printed wallpaper without vinyl coating.

0110254 12 oz.; 12/Ctn.

Caulk Finisher





POP displays available.

Scoops away excess caulk for a professionally finished joint. Works with all types of caulks and silicone sealers. Can be trimmed to desired bead for a variety of jobs.

0112402

STA'PUT

ADHESIVE

Liquid Nails

Premium rubber-based adhesive bonds with virtually all materials, including wood, steel, plaster and concrete. Waterproof. Sheer strength exceeding 400 psi — twice the strength of most other adhesives in a similar class. 10.5 oz.

0110255 For Interior Projects

0110257 For Subfloors (Exterior)

0110258 For Tubs and Surrounds

0110259 For Tubs and Surrounds

VOC Compliant



Kilz Upshot

Dependable Kilz stain-killer in a can, perfect for hard-to-reach places. Can even be used upright for ceilings. 10 oz. aerosol.



0185004

Kilz Primer-Sealer-Stain Killer

Oil Based

White pigmented primer for wood, plaster, drywall and burned areas. Seals in water stains, pen, lipstick, crayon, grease and oil stains. Recoat in 30-45 minutes. Easy clean-up with paint thinner. Mild odor. Coverage: approx. 400 sq. ft. per gallon.

0185006 13 oz. Spray; 12/Ctn. **0185007** Gallon; 4/Ctn.



Kilz II Primer-Sealer-Stain Killer

Water Based

White pigmented, very low odor. For interior and exterior surfaces. Seals in most stains. Can be recoated quickly. Easy clean-up with warm soapy water. Coverage: approx. 400 sq. ft. per gallon.



0185020 Gallon; 4/Ctn.

For drywall, plaster and other flat surfaces. Metal patch with self-adhesive mesh backing permanently repairs holes in walls and ceilings. Refinish to create an invisible patch. Ideal for quick repair of interior drywall and plaster surfaces.



0260417 6" Patch

Pivoting Utility Blower with Grounded Outlets

- High Velocity Motor for Maximum Air Stream
- Three Powerful Speeds
- Two 120 Volt Grounded Outlets
- Rugged, Easy-to-Carry Handle
- Ten-Foot Cord with Grounded Plug
- Fully Assembled for Immediate Use

11.5" L x 9.25" W x 11.25" H 10.9 Lbs Shipping Weight



0420600



Easy-Touch Acoustic Texture

Patch "popcorn" or "cottage cheese" type ceiling textures fast. Contains actual polystyrene chips to match commercially applied ceiling textures.

Patch small areas up to 2 sq. ft. 16 oz.

0185028 Coarse



Easy-Touch Spray Texture

Fast-drying, oil-based. Three color-coded straws let you choose the perfect match for "orange peel" splatter textures. Up to 100 sq. ft. coverage.

0185026 20 oz.





Easy-Touch Knockdown Texture

Water-based. Matches knockdown "Mediterranean" and splatter-type wall and ceiling textures. Two different application straws allow you to choose between medium or heavy patterns. Patches small areas up to 8 sq. ft. Single can provides up to 16 sq. ft. coverage.

0185025 20 oz.



Easy-Touch Drywall Spray Texture

Water-based. Fast and easy way to patch orange peel and splatter drywall textures with the advantage of low odor and water cleanup. Different size spray patterns (fine, medium, and coarse) achieved with 1 of the 3 included color-coded straws. Covers up to 70 sq. ft. f or one 20 oz. can.



Acoustic Texture Kit

Kit includes sprayer and acoustic polystyrene chip texture.



0185024 20 oz.

0185030 Kit

Anchors & Outdoor Set-Up Material Improvements

DAP Wallboard | DAP Vinyl **Joint Compound**

Smooth, high quality finishing of gypsum panel joints. 3 lb. tub

0119006



For plaster, drywall and wood surfaces. 5.5 fl. oz. tube, white,

Spackling

Interior

0119005

Wallboard Paint

Off-White - 5 gallon




0185038

Putty Knife

High impact plastic. 3.5" long handles and 3.5" long blades. Hang hole.





Wood-Tone Putty

Latex putty in a convenient tube fills nail holes and defects. Dries hard, cleans up with water. 1.05 fl. oz.

0181520 White 0181521 Walnut 0181522 Cherry 0181523 American Oak **0181524** Golden Oak



Appliance Touch-Up Paint



Fast, easy, economical way to repair chipped, nicked or scratch appliances. Handy brush included.

- **Dries Quickly**
- Waterproof
- Won't Chip or Crack

0185011 White; 12/Ctn.

Spot Remover & Carpet Cleaner

GTO is formulated to remove tough stains from carpeting, rugs & upholstery. Reaches deep into the stained area to dissolve grease, oil and many other stubborn stains. GTO is formulated not to set in stains.

Removes grease, tar and oily soil.



Boss Biggies Dual Sided Abrasive Wipes



Dual sided abrasive wipes clean paint, adhesives, oils and more from hands, tools and surfaces

0181401 80 wipes / tub

Vent Mate Register Air Filters

Fits most registers. Non-toxic. Excellent for allergy sufferers and asthmatics. Easy to install in just seconds. Fragrance lasts approximately three months. Packaged for pegboard display. Saran-coating locks in fragrance.

0180205 Potpourri; 3/Pk. 0180206 Pine: 3/Pk.



Traps and controls:

- Pollen
- Dust and dust mites
- Tobacco odors

0181350 20 fl oz. spray: 12/Ctn.

Mold, mildew and fungi spores



WD-40 Lubricant

General purpose lubricant stops squeaks, loosens rust and protects metals. Spray can with extension nozzle for hard-to-reach places. 8 oz.

0180104 12/Ctn.



Boss 699 Wasp and Hornet Killer

Quickly and effectively kills wasps, hornets and bees. Safe for use around electrical equipment.

Jets up to 12 ft. stream.

0181818 14 oz. can



Fin Tool



All metal tool straightens and cleans condenser and evaporator fins. Works on all units. Heavyduty spring wire bristles automatically adjust to all spacings. Tension adjustment band allows maximum rigidity and ease of operation. Straightens even the most severely damaged fins.

0380028

Coil & Fin Cleaner/Degreaser

RCD Coil and Fin Cleaner cleans and degreases air conditioning and refrigeration equipment (Condenser & Evaporator Coils) to insure efficient operation and to help prevent overheating and motor burnout due to accumulated dust, dirt and grease in air spaces. Contains no solvents, acids or alkalies. Use on automobile radiators, heat pumps, electrostatic filters, refrigerators, air conditioners and cooling units. Eliminates the need for high pressure sprayers or bulky tank sprayers. Heavy Duty Foaming, Water-Based, Powerful Blast Spray.

0181375 18 fl oz. can



Trailer Glitter

By Camco. Removes black streaks, renews sheen to metal, fiberglass, plastic, wood, painted or acrylic surfaces and other hard surfaces. Non-flammable. non-abrasive.

0180801 32 oz.; 14/Ctn. 0180802 Gallon; 6/Ctn.



All-Direction Insulating Foam

All-direction dispenser lets you apply foam from any direction or angle, even upside-down or sideways.



0112010 12 oz



Black Streak Remover

Use as 100% spray to quickly and easily remove even stubborn streaks caused by window and door sealants. Will not harm painted finishes. Also removes tree sap and bugs.



0180804 32 oz.; 4/Ctn.



Bath/Tub Repair Kit

Comes with everything for the most demanding repairs to all types of plastics, fiberglass and even enamel bath fixtures. Shower stall cracks can be repaired in minutes. For both white and almond.

0110235



Anchors & Outdoor Set-Up Material Improvements

Tools & Hardware

Heating & Cooling

Two-Component Polyurethane Foam Kits

Portable, disposable and self-contained with color-coded, pre-connected hoses. These kits are available in sizes from 15-600 board feet and provide a quick consistent flow of foam that dries in under a minute. Foam expands 30X.

Touch 'n Seal Two Component Foam Kits are portable, self-contained dispensing systems. When used according to manufacturer's directions, these systems supply thermal insulating and sound attenuating 2-component polyurethane spray foams. Touch 'n Seal spray foams are permanent and dry within minutes of application.

Touch 'n Seal Spray Foam Kits use disposable, pressurized chemical cylinders to dispense polyurethane spray foams eliminating the need for external air compressors, pumping equipment or dry nitrogen. These systems provide quick and easy foam application for repairs and renovations, new installations and production applications.



2-Component spray foam systems provide fast, even foam flow that cures in about 45 seconds, making it ideal for use on large gaps and on all surfaces.

Foam kits include applicator gun and 10' hose, and illustrated directions. Kits are self contained, portable, and disposable. Contains no CFC's, no urea formaldehyde.

Standard

0112102 2 Part, 200 Board Feet **0112104** 2 Part, 600 Board Feet

Fire Retardant

ASTM E84 rating: flame spread 15, smoke developed 10.

0112107 2 Part, 200 Board Feet **0112108** 2 Part, 600 Board Feet

Replacement Nozzles

0112131 L Fan Nozzle Kit, Yellow 25/Box


0112132 Conical Nozzle Kit, Clear

25/Box



CPDS 1000 System

Constant Pressure Dispensing System



The Touch 'n Seal CPDS 1000 is an inexpensive, low maintenance dispensing mechanism that, when used according to manufacturer's directions, applies Class I fire retardant, thermal insulating and sound attenuating 2-component polyurethane spray foam.

Height	49 in (125 em)
Depth	33 in (84 em)
Width	24.5 in (62 em)
Foam Delivery Rate @ 160 psi	4.0 lbs (1.8 kg) / minute
Foam Delivery Rate @ 200 psi	5.5 lbs (2.5 kg) / minute
Maximum Hose Length	150 ft (46 m)
Power Source	120V, 15 amp
Alternate Power Sources	Pressurized Dry Nitrogen, Compressed Air
Foam Type	CP 750 FR, 2 Component, Fire Retardant, 1.75 PCF
	CP 1200 FR, 2 Component, Fire Retardant, 1.0 PCF


0112150 Dispensing System

0112151 Closed Cell Foam Tank

Handi Tools



0112025 H300 dispensing gun, with plastic handle.





0112024 Plastic Disposable Extension Tips For Dispensing Guns. Used for accessing very small cracks and crevices. 5/Baq

Handi Foam Polyurethane Sealant

Polyurethane foam sealants are moisture-cured, designed to completely fill and seal small gaps, cracks and voids. This one-component polyurethane is used in a bead application.

0112019 Tank only 7128 bead ft., (I-160) **0112018** Tank w/accs. 8688 bead ft.,(I-160)

0112038 Tank only 11406 bead ft.,(I-260)

0112039 Tank w/accs. 13914 bead ft.,(I-260)

0112021 24 oz.,(680-G) **0112029** 25' Hose assembly

Replacement Nozzles

Fan nozzles dispense foam in a fan pattern and are best for spraying larger open area surfaces, such as walls and between floor and ceiling joists.

Cone Nozzles are designed to dispense in a steady stream, this makes them ideal for closed wall cavities and large voids.



0112031 Fan Spray Nozzle 8/Pk.



FOMO //

0112032 Cone Spray Nozzle 8/Pk.

Handi Foam

Polyurethane Sealant with straw applicator.



0112023 12 oz. 0112012 20 oz. **0112011** 29 oz. 0112021 24 oz. .



Handi Cleaner

Handi Cleaner cleaning agent, used to dissolve uncured or fresh polyurethane foam as well as dispensing guns.



0112014, 12 oz.



Handi Foam Quick Cure Spray Foam

Fomo's disposable foam kits are chemically cured, two-component polyurethane froth foam kits, designed to fill large voids and surfaces. Cures in minutes. Kits are packaged with the patented Handi-Gun®.

0112015 Covers 205 Bd Ft 0112016 Covers 105 Bd Ft 0112017 Covers 605 Bd Ft 0112042 Covers 22 Bd Ft





FOMO //

Handi Foam E-84 Class 1

Meets building code requirements for class 1 materials.

0112037 Handi Foam E-84 Class 1 FS25 Contains flame retardants in order to meet the testing requirements of ASTM E-84, a Flame Resistance Rating. This foam is not fire proof. Covers 105 Bd Ft.

FOMO //.

0112045 2 Part w/Retardant E-84, 205 BF (P10726)

Handi Foam Fire Block FOMO //



Closed cell polyurethane sealant, provides an R-value of 4-5/inch. Orange colored for easier ID by codes officials.

0112022 Handi Foam® Fireblock Sealant. Pressurized Can, Requires Dispensing Gun. 24 oz.



Handi Seal® Window & Door Sealant

The Dry-Seal Technology™ is the only patented formula designed to prevent moisture and mold problems by repelling water.

0112013 Requires Dispensing Gun, 24 oz. Pressurized Can

0112020 With Straw Applicator, 24 oz. Pressurized Can



Insulation






Stock #	Item Desc	Manufacture
0270403	Applegate Loose Fill Cellulose 26.5 LBS	Applegate Manufacturing
0270409	Applegate Borate Cellulose 26.5 LBS	Applegate Manufacturing
0270400	Insul-Safe SP Fiberglass Blowing Insulation	Certainteed Corp Insulation Group
0270404	Certainteed Optima Blowing Insulation	Certainteed Corp Insulation Group
0270410	15X93 BATT R-19 8/bag Certainteed	Certainteed Corp Insulation Group
0270411	15X48 BATT R-38 7/bag Certainteed	Certainteed Corp Insulation Group
0270412	23X48 BATT R-38 6/bag Certainteed	Certainteed Corp Insulation Group
0270413	23X93 BATT R-19 8/bag Certainteed	Certainteed Corp Insulation Group
0270414	15.25x94 BATT R-19 8/bag	Certainteed Corp Insulation Group
0270415	23X96 BATT R-19 Unfaced 8/bag	Certainteed Corp Insulation Group
0270416	16X96 R-19 Foil Faced BATT 8/bag	Certainteed Corp Insulation Group
0270417	24X48 R-19 Foil Faced 16/bag	Certainteed Corp Insulation Group
0270406	Green Fiber Loose-Fill Cellulose	Green Fiber
0270402	Attic Guard Plus Fiberglass Insulation	Guardian Building Products
0270405	Applegate Stabilized Cellulose 26.5LBS	Guardian Building Products
0270407	15X93 BATT R-19 10/bag Guardian	Guardian Building Products
0270408	23X94 BATT R-19 10/bag Guardian	Guardian Building Products
0270401	Cellulose Insulation - Pro 50 by Regal	Regal Industries
0270440	16" 500/bag Insulation Hangers	
0270441	23" 500/bag Insulation Hangers	

rFoil HVAC Duct Insulation and Tape

rFOIL™ Duct Insulation is a double layer of polyethylene bubbles sandwiched between two highly reflective radiant barriers. This inspector-friendly tape means no hassles at the job site, and peace of mind for installers. Prevents condensation.



rFoil

0270529 4' x 100' **0270531** 3' x 100'

0270532 4' x 125' **0270534** 4' x 50'

Tape

0270530 2.5" x 180' roll

Pine Wood Plugs

Slightly tapered for easy insertion. The top 1/8 is the full diameter measurement for a tight even fit. Made from kiln dried lumber and produced on specially designed equipment, resulting in quality. uniformly-sized plugs. No splintered face edges. Packaged in 250 count bags



0270427 1" Plua 0270428 2" Plug

Long-Barrell Plastic Plugs

The Long Nose, with its exceptional design, is our best plastic plug. With a 5/8" shank and heavy gripping teeth, this plug will hold in both single and multiple layers of siding. Extra wide cap has a tapered edge for obscured vision on sidings and a textured top for easy painting. 250 per bag. 2000 per box.



0270425 1" Plug 0270426 2" Plug"

Foam Drywall Plugs

Styrofoam plugs used for holes in drywall- recessed to accept spackling compound. They absorb little moisture, thus require fewer layers of spackling for a smooth finish. 1000 per package.



0270429 1" Plug 0270430 2" Plug

Wasp Insulation Blower

The WASP represents the best insulation blowing technology available, refined and enhanced with your ideas and suggestions. What's more, the WASP utilizes proven airlock technology for simplicity

and minimal downtime. The result is the best lightweight machine on the market, tailored to meet your demanding requirements.

0380410



FORCE/2 Insulation Blower

Professional Grade - Virtually Indestructible!

The FORCE/2 is the insulation blower you want when you need a larger, stronger machine. With an 81/2 cu. ft. hopper that can hold 50 lbs of material, a strong 1½ hp motor and a powerful 3.6 PSI blower, the FORCE/2 blows up to 2,012 lbs of light density cellulose and 428 lbs of fiberglass per hour. And for the more demanding

jobs, the FORCE/2 is now available with an incredible 4.5 PSI, 116 CFM blower. Easy setup, operation and cleanup. It takes only four switches to operate the FORCE/2. No complicated gauges, dials, or knobs.

0380453



BLOWERS COME COMPLETE WITH:

- 100 feet of 3 inch blowing hose
- · One 3 inch stainless steel hose connector
- Three 3 inch stainless steel hose clamps
- Two 100 foot power cords

- 100 foot dual remote control
- Variable speed blower pressure control
- · Airlock stainless steel inserts
- · Pinset material slide gate

GE Heat & Cool Unit



GE® ENERGY STAR® 230/208 Volt Built-In Room Air Heat/Cool Unit






AJHS10DCC GE® 230/208 Volt Built-In Heat Pump

Features and Benefits

- 10,000/9,800 BTU
- 9,700/9,500 BTU pump
- 11,600/9,500 BTU strip
- 9.5/9.5 EER
- 230/208 Volts
- · Mechanical controls
- · Variable position thermostat
- Four-way air direction
- · Up-front, washable air filter
- 2 cool/2 heat/2 fan only speeds
- Model AJHS10DCC Soft Gray

0143200 Heat/Cool Unit **0143201** Sleeve









Wall Case Dimensions and Installation Information (in inches)

Note: When installing slide-out chassis units in through-the-wall applications, keep louvers free. Do not restrict air flow areas.



HOTPOINT **15.7 Cubic Foot Frost-Free**

Recessed Handles

- Upfront Temperature Controls
- Recessed Handles
- Two Adjustable Wire Shelves—Maximize usable storage space
- Two Fixed Gallon Door Storage Shelves
- Two Vegetable/Fruit Crispers
- Equipped for optional automatic icemaker
- Deluxe Quiet Design
- NeverClean[™] Condenser—Condenser coils are encased, so they don't require cleaning in normal operating environments

Weight

Approx. 147 lbs.

Approx. Ship 166 lbs.

Dimensions

Height: 61-3/4" Width: 28" Depth: 31"

Depth (w/o handle): 29-1/8" Depth with door open 90°: 54-7/8"

0143069 White

0143076 White* With Ice Maker Installed

*This model comes with standard handles

HOTPOINT

18.0 Cubic Foot Frost-Free

- Upfront Temperature Controls
- Vegetable/Fruit Crispers
- Equipped for optional automatic icemaker
- ◆ Two Adjustable Wire Shelves—Maximize usable storage space
- Gallon Door Storage
- Contoured Doors—Create a high-fashion look with gently rounded doors and edges
- Deluxe Quiet Design—Significantly reduces operating noise
- NeverClean™ Condenser—Condenser coils are encased, so they don't require cleaning in normal operating environments

Dimensions:

Height: 66-5/8" Width: 29-1/2" Depth: 32-1/8"

Depth (w/o handle): 30-1/4" Depth with door open 90°: 58-1/8"

0143054 White

Approx. 198 lbs. Approx. Ship 223 lbs.

Heating & Cooling

HOTPOINT

18.2 Cubic Foot Frost-Free

- Adjustable Glass Shelves—Lets consumers maximize usable storage space
- Upfront Temperature Controls—Are positioned up front, close at hand, for maximum convenience and ease of use
- Factory-Installed Icemaker—Makes ice automatically, ensuring a ready supply
- Two clear vegetable/fruit crispers
- Two full width adjustable glass shelves
- Can storage shelf
- Clear snack pan
- Two fixed gallon door shelves
- Square Doors—Classic design
- NeverClean™ Condenser

Dimensions

Height: 67-3/8" Width: 28" Depth: 32-3/8"

Depth (w/o handle): 30-1/2" Depth with door open 90°: 56-3/8"

Weight:

Approx. 203 lbs. Approx. Ship 228 lbs.

0143065 White w/Ice Maker





19.9 Cu. Ft. Side by Side Refrigerator

- Adjustable Wire Shelves—Lets consumers maximize usable storage space
- Upfront Electronic Dial Temperature Controls—A simple turn of knob regulates interior temperatures
- Sealed Vegetable / Fruit Crisper
- Sealed Deli Pan—Provides convenient storage for cheeses and luncheon meats
- Gallon Door Storage—Makes room for milk and any other gallon size containers
- Adjustable Wire Shelves—Provide strong support and slide out with ease
- FrostGuard[™] Technology—Protects frozen items from freezer burn by monitoring freezer door openings and defrosting only when needed
- 1 Year Warranty parts & labor

Dimensions

Height: 67-1/2" Width 31-1/2" Depth: 33-5/8"

Depth (w/o handle): 31-1/4" Depth with door open 90°: 47-3/8"

Weight:

Approx.: 285 lbs. Approx. Ship: 306 lbs.

0143080 White

Heating & Cooling



15.5 Cu. Ft.

Top-Freezer Refrigerator Model#: HTH16BBXRWW



Approximate Dimensions (HxDxW): 61 3/4 in x 31 in x 28 in

- Upfront Temperature Controls—Features easy-to-reach, easy-to-read temperature controls
- Adjustable Wire Shelves—Maximize usable storage space
- Gallon Door Storage—Makes room for milk and any other gallon size containers
- Vegetable/Fruit Crispers—For easy storage of your fruits and vegetables
- NeverClean™ Condenser—Condenser coils are encased, so they don't require cleaning in normal operating environments
- Deluxe Quiet Design—Significantly reduces operating noise

Warranty Information:

- Parts Warranty: Limited 1-year entire appliance
- Labor Warranty: Limited 1-year entire appliance
- Warranty Notes: See written warranty for full details
- Warranty Notes: See written warranty for full details

0143140 White





Top-Freezer Refrigerator Model#: GTH18DCXRWW



Approximate Dimensions (HxDxW): 66 5/8 in x 32 1/8 in x 29 1/2 in

- Upfront Temperature Controls—Features easy-to-reach, easy-to read temperature controls
- Factory-Installed Icemaker—Makes ice; automatically ensuring a ready supply
- Sealed Vegetable/Fruit Crispers—Help preserve fruits and vegetables
- Spillproof Freezer Floor—Seamless design offers easy cleanup
- Gallon Door Storage—Makes room for milk and any other gallon size containers
- NeverClean™ Condenser—Condenser coils are encased, so they don't require cleaning in normal operating environments
- Deluxe Quiet Design—Significantly

Warranty Information:

- Parts Warranty: Limited 1-year entire appliance
- Labor Warranty: Limited 1-year entire appliance
- Warranty Notes: See written warranty for full details

0143141 White - w/lce-Maker **0143143** White - w/out Ice-Maker



Refrigerators

22.0 Cu. Ft.

Side-By-Side Refrigerator with Dispenser Model#: GSH22JFXWW



Approximate Dimensions (HxDxW): 67 1/2 in x 33 5/8 in x 33 1/2 in

- External Temperature Controls with Child Lock -Combines the ease of 0-9 temperature settings, with the sophistication of electronic controls
- Adjustable Humidity Vegetable/Fruit Crispers—Provide ideal storage environment for fruits and vegetables
- Adjustable Temperature Deli Drawer—Keep meats and cheeses fresher, longer
- Snack Pan—Conveniently stores re-wrapped meats, cheeses and other snacks
- Adjustable Gallon Door Bins—Provides additional storage space for milk and other gallon-size containers
- Adjustable Spillproof Glass Shelves—Raised edges help contain spills to make clean up quick and easy
- GE Water Filtration System—Delivers clean great-tasting water and ice through the LightTouch! Dispenser

Warranty Information:

- Parts Warranty: Limited 1-year entire appliance
- Labor Warranty: Limited 1-year entire appliance
- Warranty Notes: See written warranty for full details

0143142 White



HOTPOINT

15.6 Cu. Ft.

Top-Freezer Refrigerator Model#: HTR16ABSRWW

Approximate Dimensions (HxDxW): 61 3/4 in x 29 1/8 in x 28 in

- Upfront Temperature Controls—Are positioned up front, close at hand, for maximum convenience and ease of use
- Gallon Door Storage—Makes room for milk and any other gallon size containers
- Adjustable Wire Shelves—Provide strong support and slide out with ease
- Vegetable/Fruit Crisper—For easy storage of fruits and vegetables
- NeverClean™ Condenser—Condenser coils are encased, so they don't require cleaning in normal operating environments
- Deluxe Quiet Design—Significantly reduces operating noise
- Recessed Handles—Color-matched recessed door handles reflects the latest in European style and appearance

Warranty Information:

- Parts Warranty: Limited 1-year entire appliance
- Labor Warranty: Limited 1-year entire appliance
- Warranty Notes: For models produced on or after

January 1, 2006; See written warranty for full details



0143069 White





20.0 Cu. Ft. Side by Side Refrigerator w/Water & Ice

- External Temperature Controls with Child Lock—Combines the ease of 0-9 temperature settings, with the sophistication of electronic controls
- Sealed Vegetable / Fruit Crisper—Provides easy storage for your fruits and vegetables
- Sealed Deli Drawer-Provides convenient storage for cheeses and luncheon meats
- Adjustable Gallon Door Bins—Provides additional storage space for milk and other gallon-size containers
- FrostGuard™ Technology—Protects frozen items from freezer burn by monitoring freezer door openings and defrosting only when needed
- ◆ Factory installed icemaker (cubes & crushed ice) & Light Touch Dispenser
- AutoEnergy Saver—Senses freezer and fresh door openings and adjusts refrigeration operation cycles accordingly

Dimensions

Height: 67-1/2" Width: 31-1/2" Depth: 33-5/8"

Depth (w/o handle): 31-1/4" Depth with door open 90°: 47-3/8"

Approx. 285 lbs. Approx. Ship 306 lbs.

0143058 White



0143095 Universal Icemaker Kit

Universal Icemaker Kit

Full one-year warranty.

0143096 IM5SS Fits all post '01 side-by-sides that did not already have icemaker installed.

0143095 IM4A Fits all post '01 top freezers, model

year bottom freezers and post '01 bottom freezers.

0143091 IM6 Service Icemaker Kit; Kit contains parts for any GE/Hotpoint model. Backward compatible on everything except 21-22 cu. ft. model year bottom freezers.

Flair-It Icemaker **Valve & Tee**

Use with polybutylene pipe. Due to copper valve, teflon tape is recommended.

0164374 Valve Only **0164330** Tee Only





Compression straight valve. 1/2" PEX x 1/4" OD. 0168219

Icemaker Kit

5/8" OD tee and 1/4" OD valve assembly.

0166220



Icemaker Hookup Kits



16' copper pipe & 1 saddle valve

0143085



No-Burst Icemaker Connector

Highest burst strength available. Each foot contains 250 feet of stainless steel wire. Exceptional flexibility for easy installation. Won't kink or crease, even in the tightest applications. Exceeds all requirements for flexible water connectors as defined by ASME A112.18.6 and CSA B125.

0375009 60"



Fluidmaster.

25' poly tubing & 1 saddle valve 0143083

Specifications Subject to Change without Notice

Gas Ranges

HOTPOINT

30" Free-Standing Standard Extra Large Oven with Porcelain Enamel Door



- All Purpose Burners—Deliver a wide range of heat output ideal for most cooking requirements
- Standard Grates—Provide a sturdy and convenient cookware surface for everyday cooking
- Porcelain Upswept Cooktop—Features raised edges to help contain spills and make clean-up easy
- Lift-Up Cooktop—Cooktop lifts up for easy access to porcelainenameled subtop
- Easy Clean Subtop—Porcelain enameled subtop collects spills and messes for easy cleaning

Dimensions

Height: 44" Width: 30" Depth: 26-1/2" Approx. 145 lbs.

Weight:

Approx. Ship Wt. 165 lbs.

0143072 White

30" Free-Standing Standard Extra Large Oven with Window & Clock

- Extra-Large Oven Capacity—Provides a large oven interior ideal for cooking more items at once
- All Purpose Burners—Deliver a wide range of heat output ideal for most cooking requirements
- Electronic Clock And Timer—Features a convenient digital clock and easy-to-use timer with an audible signal to help coordinate cooking times in the kitchen
- Standard Grates—Provide a sturdy and convenient cookware surface for everyday cooking
- Porcelain Upswept Cooktop—Features raised edges to help contain spills and make clean-up easy
- Lift-Up Cooktop—Cooktop lifts up for easy access to porcelain-enameled subtop

Dimensions Weight:

Height: 46-1/2" Width: 30" Depth: 26-1/2"

Approx. 155 lbs. Approx. Ship Wt. 175 lbs.

0141005 White on White

HOTPOINT



30" Electric Range Standard Super-Large Oven Capacity

- Super-Large Oven Capacity—Provides an impressively large oven interior for cooking more dishes and large meals at one time
- Coil Heating Elements—Provides consistent and even heat on the cooktop with a plug-in element that is removable for easy cleaning
- Porcelain Upswept Cooktop—Features raised edges to help contain spills and make clean-up easy
- Chrome Drip Bowls—Contain minor spills and are removable for easy cleaning
- Two Oven Racks—Feature a durable construction to help accommodate any size or type of cookware
- Removable Full Width Storage Drawer—This convenient drawer can be used for storing cookware or kitchen accessories



0143074 White (Shown above)0141006 White w/Window & Clock (Shown in inset on left)

Important: No Pigtail Supplied with Electric Range

Dimensions

Height: 46-1/2" Width: 29-7/8" Depth: 26-3/8"

(including door handle)

Weight

Approx. 135 lbs. Approx. Ship 155 lbs.





HOTPOINT

30" Electric Range, Super-Large Self-Cleaning Oven

- Self-Clean Oven—Conveniently cleans the oven cavity without the need for scrubbing
- Super-Large Oven Capacity—Provides an impressively large oven interior for cooking more dishes and large meals at one time
- Coil Heating Elements—Provides consistent and even heat on the cooktop with a plug-in element that is removable for easy cleaning
- Electronic Oven Controls—One-touch electronic pads are easy-to-use and allow for simple oven operation
- Standard Window—Provides a convenient viewing area to check the progress of food
- Frameless Glass Oven Door—Offers an easy-to-clean and stylish design that blends seamlessly into existing cabinetry

Dimensions

Height: 46-1/2" Width: 29-7/8" Depth: 26-3/8" (including door handle)

0143063 White

Weight

Approx. 150 lbs.
Approx. Ship 170 lbs.

Coatings & Cleaners

GE Electric Range Standard w/ Super-Large Oven



- Standard Clean Oven—Offers a traditional oven design that requires hand cleaning
- Super-Large Oven Capacity—Provides an impressively large oven interior for cooking more dishes and large meals at one time
- Coil Heating Elements—Provides consistent and even heat on the cooktop with a plug-in element that is removable for easy cleaning
- ClearView[™] Window—Features a convenient viewing area to check the progress of food
- Dual Element Bake—Alternates the upper broiling element and the lower baking element for even heating and optimal baking results
- Electronic Clock And Timer—Features a convenient digital clock and easy-to-use timer with an audible signal to help coordinate cooking times in the kitchen

Dimensions

Height: 46-7/8" Width: 29-7/8" Depth: 26-1/4"

(including door handle)

Weight

Approx. 138 lbs. Approx. Ship 158 lbs.

0141010 White on White



30" Electric Range w/ Self-Cleaning Smooth Top

- Self-Clean Oven—Conveniently cleans the oven cavity without the need for scrubbing
- Super-Large Oven Capacity—Provides an impressively large oven interior for cooking more dishes and large meals at one time
- QuickSet III Oven Controls—Feature an easy to use design that lets you set precise cooking temperatures
- Ribbon Heating Elements—Provide powerful heat beneath a smooth glass surface to ensure even heat and fast warm-up times
- Ceramic Glass Cooktop—A smooth cooktop surface makes cleaning quick and easy
- ClearView[™] Window—Features a convenient viewing area to check the progress of food
- Dual Element Bake—Alternates the upper broiling element and the lower baking element for even heating and optimal baking results

Dimensions

Height: 46-7/8" Width: 29-7/8" Depth: 27-3/8"

Weight:

Approx. 146 lbs. Approx. Ship 166 lbs.

0143049 White

E-9



Both Hoods Below Feature:

- Powerful UL listed 115V motor, single speed
- 100 CFM
- Durable powder coat paint resists chipping, scratching
- Convenient front mounted fan and light controls (rocker switches)
- 8" x 8" grease filter of washable aluminum mesh
- Enclosed light illuminates cooking surface


Range Hood w/Vertical Exhaust




PR SERIES

0422604 30" White 0422605 42" White


0422607 42" Almond







Combo Lighted Range Hoods Side or Roof Exhaust



PC SERIES

Combination air exhaust through sidewall or roof-outlet measures 3" x 8"

0422611 30" Almond 0422612 30" White 0422615 42" Almond 0422616 42" White

0422620 Transition Piece—Converts Rectangular Outlet for Round Duct C0579-00

REPL	REPLACEMENT PARTS				
Part	Part				
Key	Number	Description			
2	0420525	New Lamp Switch, Rocker-type, Black BL1196-00			
2	0420526	New Lamp Switch, Rocker-type, White BL1197-00			
3	0420527	New 1-Sp. Fan Switch, Rocker-type, White BL1195			
3	0420528	New 1-Sp. Fan Switch, Rocker-type, Black BL1194			
9	0422630	Light Lens, 3-1/16" x 9-1/2" Flat BCC0179-00			
13	0420103	Replacement Motor BCD0275-00			
14	0421399	Fan Blade BCD0409-00 for PC Series			
14	0421400	Fan Blade BCD0311-10 for PR Series			
15	0422623	Grease Filter, 8" x 8" - Aluminum BCC0246-00			

NEW STYLE

0420517 2-Wire Rotary Switch - BCB0164-00 0420520 Switch, Rocker-type, Black BLO108-00* 0420522 Switch, Rocker-type, White BLO816-00*

*Without light or fan symbol on switch

Island Range Hood



115V, single speed motor fan and light with 5" dia. vertical exhaust. 12" depth x 30" width. Rocker switches, 100 CFM

0422635 White



Hood Exhaust Vent for Lap Siding

Professionally finished look with lap siding. Simple to install, saves time and lowers cost. Reduces leaks. White.

0420500 V2213-00



Louvered Range Hood Vent



Louvered design, 1-3/4" inlet, white color. 3-1/3" x 10-1/2" RO.

0420510 V2018-01



Louvered Range Hood Vent



Weatherproof w/ lockable damper. Heavy plastic construction. 1-3/4" inlet.

Colonial White. 3-1/3" x 10-1/2" RO. 12/Ctn.

0420509 V2111-11



Sidewall Exhaust Fans





0420710 115V Sidewall Fan, Mill Finish Exterior, White Interior, Fits 2-3/4"-4" wall thickness. V2215-11

Replacement Parts

0420711 Sterling Grille - V0564-37 0420709 White Grille - V0564-46 0420703 Screws for Grille (3.5" Model) - V0148-02 0421401 Fan Blade - BVA0312-00 0221802 Pressure Switch - BV0140-03 0262000 Sidewall Chain - BV0144-00

0420103 Motor, 120V, No Plug - BVD0275-00

Pans and Rings for G.E. & **Hotpoint Ranges**



A: Burner Elements

0143037 6" High-Rise 0143038 8" High-Rise

B: Burner Pans

0143030 6" Pan 0143031 8" Pan

C: Burner Rings

0143032 6" Ring 0143033 8" Ring

Range **Receptacle**



Surface mount power receptacle 3 pole, 4-wire, 50-amp, 125/250-volt range receptacle with "Quick-Lok" terminals. 50/Ctn.

0224201 Hubbell Range



Burner Elements



Authentic replacements for over 30 million supplied as OEM equipment since 1962. 3-turn coil, coil support & medallion. 250V, 1250-W. 250/Ctn.

0143040 6" Burner Element 0143042 8" Burner Element


Combo Pan & Ring



This one-piece combination pan and ring is used with single coil plug-in electric range surface elements.

0143044 Small; 250/Ctn. 0143046 Large; 250/Ctn. 0143043 8" for Hotpoint

G.E. & Hotpoint Surface Elements



Chromolox double coil hard wire 5-turn and 6-turn elements. Fits Hotpoint and GE models. Comes without ring.

> Surface Elements 0143037 6" High-Rise 0143038 8" High-Rise

Range Cord

Replacement cord for all ranges having a 1-1/8" power supply entrance.

Two #8 and two #6 conductors with molded cap and terminal plugs. 50 amp, 4' long. 12/Ctn.



0141508 Black

Oven Dial for Gas T-Stat



BJWA, BJ, U Series. Dials for "D" stem application. Mounts four ways. Low 250° to 550°F plus broil. Clockwise to off.

Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Tools & Hardware

Electrical

Plumbing

Heating & Cooling

Dishwashers



GE Pots-And-Pans Built-In Dishwasher



- Meets 2007 ENERGY STAR® Criteria—Can reduce utility bill by using less water to get dishes clean
- 4-level PowerScrub™ wash system—Four wash levels quietly and efficiently scrub dishes clean
- HotStart[™] Option—Preheats water before the main wash cycle for dependable performance every time
- Piranha™ Hard Food Disposer—Grinds leftover food into small particles that are easily washed away
- Pots and Pans Cycle—Scours off baked-on food with a wall of water
- Heated Dry Option—Circulates warm air to quickly and gently dry dishes

Weight:



Dimensions

Height: 34" Depth: 25-3/4"

Width: 24"

Approx. weight: 90 lbs. Approx. shipping weight: 100 lbs.

0143112 Black 0143113 White (shown on left)

HOTPOINT Dishwashers

G.E. dishwashers save

water by 45% - 65% over hand washing.

- 100% Water Filtration with ExtraFine™ Filter—Clean water helps deliver clean dishes
- Hot PreWash Option—Preheats water before the main wash cycle for excellent performance time after time
- QuietPower™ Motor—Runs quietly and efficiently to keep the kitchen peaceful and quiet
- 4-level PowerScrub™ wash system
- · Durable tub and door liner—Resists chipping and staining, holding up to heavy use.
- Piranha[™] Hard Food Disposer—Grinds leftover food into small particles that are easily washed away

0143087 Black 0143090 White

- 5-level PowerScrub™ wash system
- with PowerShower-5 wash levels and
- redesigned wash arms direct water precisely
- for a quiet and efficient clean.
- Push-button controls—Operate with ease
- · Pots and Pans Cycle—Scours off bakedon food with a wall of water
- 0143089 Black
- 0143092 White (shown on right)



Dimensions

Height: 34" Depth: 25-3/4"

Width: 24"

Weight:

Approx. weight: 90 lbs.


Approx. shipping weight: 100 lbs.



Hotpoint dishwashers save water by 45% -65% over hand washing. Contains one each of the following:

- Straight Stop Valve: 1/2" P x 1/2" P
- B Tee 1/2" P x 1/2" P x 1/2" P
- Male Elbow 1/2" P x 3/8" MPT w/tapered threads

0164390



Dishwasher **Drain Air Gap**

For automatic dishwashers. The dishwasher air-gap eliminates pressure build-up and possible contamination of the home's potable water supply. Constructed of durable plastic, the "Y" shaped air-gap unit has an intake and discharge tube, between which is a trouble-free air release valve that automatically provides antisiphon protection. 5/8" OD Inlet x 7/8" OD Outlet.

0375006



Universal Dishwasher Hookup

Universal Fittings mechanically join to any water supply tubing using a special locking ring and an elastomeric seal to make a quick, easy and watertight connection. Simply insert tubing and hand-tighten.

Includes one each of the following:

- Tee 1/2" OD x 5/8" (166209)
- CPVC Connect Tube 5/8" OD x 3"
- Straight Supply Valve 1/2" ID - 5/8" OD x 1/4" ID - 3/8" OD (166224)
- Olefin Riser 3/8" OD x 1/4" ID x 60"

0166227

No-Burst Dishwasher Connections

48" of the highest burst strength available—250 ft. of stainless steel wire per foot; stainless ferrules are extra long with added crimps for security. Tough, non-toxic polymer core resists chlorine and chloramines. Ample inside diameter for high flow capacity. Captive cone washers seal tightly, can't fall out. Exceptional flexibility for easy install. Won't kink or crease, even in the tightest spaces. Heavy-duty brass hex nuts are easy to grip with fingers or tools and nickel plated for durability. Code approved, exceeding all plumbing code requirements. Exceeds all requirements for flexible water connectors as defined by ASME A112.18.6 and CSA B125. 5-year warranty.



0375007

Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Tools & Hardware

Carpet & Flooring

Electrical

- 3.2 cu. ft. super plus ExtrAction[™] wash basket—Offers increased surface area to "squeeze" more water from clothes during the spin cycle, resulting in reduced dry times
- ◆ HydroWave[™] wash system—Has variable speeds to match the wash action to the clothing type; Longer, slower travel through the water improves cleaning performance and is gentler on your clothes
- Four wash/spin speed combinations—
 Speeds vary according to fabric type for better clothes care
- 17 wash cycles—A cycle for every laundry load and need
- Four wash/rinse temperatures—Washer cleans at the exact temperature needed to remove dirt and reduce wear
- Four water levels—Offers water and energy savings



Height: 42" Width: 27" Depth: 25 1/2"

Weight

Approx. 145 lbs. Approx. Ship 155 lbs.

0141030 White Washer



GE Washer & Dryer Set

Electric Washer & Dryer Set

Set Includes: 8' UL Vent Kit and a 4' cord.

0140052 White Set

GE Electric Dryer

6.0 Cu Ft Extra Large Capacity Dryer

Dimensions

Height: 42" Width: 27" Depth: 25 1/2"

Weight

Approx. 100 lbs. Approx. Ship 110 lbs.

0141034 White/White Dryer

GE Gas Dryer

6.0 Cu Ft Extra Large Capacity Dryer

Dimensions

Height: 42" Width: 27" Depth: 25 1/2"

0141028 White/White Dryer

Weight

Approx. 105 lbs. Approx. Ship 115 lbs.

- 6.0 cu. ft. extra-large capacity—Handles large-size items and family-size loads
- ▶ DuraDrum[™]—Provides long-lasting dependability and durability
- Four heat selections—Provide the right temperature for the right drying results
- Six dry cycles—Flexible options for drying, dewrinkling and fluffing
- Auto Dry—Uses thermostats to monitor air temperature and reduce fabric wear
- Fixed End-Of-Cycle Signal—Alerts you when the cycle is done, saving time between loads

HOTPOINT Washer

3.2 Cu. Ft. Extra-Large Capacity Washer

- 3.2 cu.ft. super PermaTuf® II wash basket— Designed to maintain a long-lasting stain-free appearance with bright white interior
- One Wash/Spin Speed—Provides reliable cleaning performance for regular clothes
- Nine wash cycles—Convenient settings for everyday
- Three wash/rinse temperatures—Offer better wash results and longer fabric life
- Three Water Levels—Minimize water waste
- FlexCare™ Agitator—Provides gentle, yet effective washing action

Dimensions

Height: 42" Width: 27" Depth: 25 1/2"

Weight

Approx. 142 lbs. Approx. Ship 152 lbs.

0140901 White Washer



HOTPOINT Washer & Dryer Set

White Electric Washer & Dryer Set

0140899 With vinyl louvered kit & 4' cord. 0140050 With 8' UL vent kit & 4' cord.

HOTPOINT Electric Dryer 6.0 Cu Ft Extra Large Capacity Dryer

Dimensions Weight

Height: 42" Width: 27" Depth: 25 1/2" Approx. 100 lbs. Approx. Ship 110 lbs.

0141001 White

HOTPOINT Gas Dryer 6.0 Cu Ft Extra Large Capacity Dryer

Dimensions Weight

Height: 42" Width: 27" Depth: 25 1/2"

0141026 White

- ◆ 6.0 Cubic Foot, Extra-large capacity—Handles your large-size items and family-size loads
- DuraDrum[™]—Provides long-lasting dependability and durability
- Three heat selections—Offer a choice of drying temperatures for better fabric care
- Three dry cycles—Simple options for the reliable drying performance
- Quiet-By-Design[™]—Engineered for quiet operation
- Reverse-A-Door—Offers added installation flexibility

0141208

LP Change Over Kit

Approx. 105 lbs.

Approx. Ship 115 lbs.

HOTPOIN

Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Tools & Hardware

Electrical

Plumbing

Venting Kit w/ **Duct**

4" louvered vent in white finish, aluminum tailpiece, 5-foot vinyl duct, 2 clamps. Boxed. 6/Ctn.

lambro

0141201



Wide Mouth Vent

Wide mouth vent hood with white finish. 4". 25/Ctn.

ambro

0141203



Vent w/Tailpiece

Energy efficient louver vent hood automatically opens and closes with dryer operation. Complete with hood (white), aluminum tailpiece, flange and plastic clamp.

<u>lambro</u>

0141206



Flexible Vent Hose



All hoses are 4" diameter.

White Vinvl 0141202 5', Bag; 12/Ctn. 0141205 50', Boxed

Aluminum Foil 0141200 5' Flex.. Bulk 0141199 25' Flex., Bulk 0141195 8' - U.L. Appr. 0141196 5' - U.L. Appr.



Outlet Box



Universal for right- or left-hand drain. Rust-proof beige. Holes 3" apart.

11-3/4" W x 10" H x 2-1/2" D.

9-1/8" W x 7-1/4" H x 2-1/2" D.

0440206



Washing Machine Valve


One-piece, brass body. Tailpiece: 1". Combination .5 solder or threaded connection with locknut. 1/2"; 6/Ctn.

0379915


Washing Machine Valve Flair It

Washing Machine Valve 1\2" x 3/4" Male Garden Hose. This will work on PEX and Polybutylene Pipe. This is a directional valve. The water must flow with the arrow.

0164404 1/2" ID



Transitional



0141204

Half Turn Valves



Washing Machine Hose

High pressure hose with female ends. Designed to

replace the hot or cold hose on washing machines.

Fits all standard threaded faucets. 5' heavy duty reinforce rubber hose. High pressure tested. 12/Ctn.

Long shank MIP valve with easy on/off control and color-coded handles. Forged brass construction eliminates porosity problems of traditional cast valves. UPC & CSA listed.

0376905 Blue 0376906 Red

Drain Hose (for G.E. & Hotpoint)

58" L. Fits G.E. & Hotpoint extra-large capacity washers 0141030 and 0141031.

4-Wire Dryer Cable

Round rubber jacketed wire, molded-on plug. Black,

4-wire for mobile homes. 4', 30 AMP. 12/Ctn.



0440055



3 pole, 4-wire, 30-AMP, 125/250-volt dryer receptacle with "Quick-Lok" terminals. 50/Ctn.

0224301

0440050



Dryer Receptacle



4" plastic adjustable clamps. 2 per polybag.

0141198 24/Ctn.

E-17

0220307

#1 Square Bit Driver



3/16". Overall length 8-1/2". Handle 4". Uncarded

0380201 6/Ctn.



#2 Square Bit Driver



1/4". Overall length 8-3/4". Handle 4-1/8". Uncarded 0380202 6/Ctn.

0380103 Economy 25/Ctn.



Nut Driver



1/4". Overall length 6-3/4". Handle 3-3/4". Uncarded 0380301 6/Ctn.

Clutch Driver



Overall length 7-1/2" Handle 4" Uncarded

0380502 6/Ctn.



6-in-1 Screwdriver

Specially tempered chrome-plated steel, hardened so that one end can be used as a 5/16" hollow shaft nut driver and the other end can be used as a 1/4" hollow shaft nut driver. Comes standard with a double end Phillips bit (1/4" end) and a double end slotted bit on the 5/16" end.



0380109 6-in-1 Screwdriver 0380115 6-in-1 Imprinted Screwdriver Min. Order 24

5-in-1 **Magnetic Driver**

Contains 1 slotted. 1 Phillips, 2 square and 1 clutch. All bits are 1/4" hex shank, non-reversible, insert bits. Carded

0380101 24/Ctn.



Lock Installation Tool Kit Hole Saw





evco |

8 Slot

2 Phillips

3 Clutch

2 Square

Aluminium St

Magnet In sha

the 5 bits and the bits hold he screws starting

RVM 5 in 1 A

For fast and easy installation of most locksets and deadbolts; fits most popular electric and cordless drills. Blade-mandrel and bit are high quality heat treated and hardened. Contains one 2-1/8" diameter high carbon steel high speed holesaw and mandrel, and one 1" high speed wood power bit. Will saw through metal or wood. Carded.

0390500 12/Ctn.

Imprint Special:

The 6-in-1 screwdriver can be imprinted with your company name in a minimum order of 24 pcs. Makes a great advertising tool and give-away.



Anchors & Outdoor Set-Up Material Improvements

Coatings & Cleaners

Appliances

Screws, Bolts & Nuts

Self-Tap Screws



Zinc plated hex head.

 0263043
 8-18" x 3/4"
 100/Box

 0263035
 8-18" x 1"
 100/Box

 0263036
 8-18" x 1½"
 100/Box

Brass Thumb Screws



New metric screws specifically for light shades, smaller than #0281501 & #0281502, with a Phillips head. 100/Pk.

0281505


Stove Bolts & Nuts



Packaged machine screws with nuts. 1/4" #20.

0263020 1/2" 100/Box **0263022** 3/4" 100/Box **0263024** 1" 100/Box

Pan Head Screws



Zinc plated. #8 gauge. 10/Ctn.

0263123 1 x 8 500/Pk. **0263119** 1½ x 8 500/Pk.

Carpet Molding Nail Spiral Thread



Drive nail with spiral thread. Hammer drive application. Counter-sunk oval head. Polybagged.


 0263200
 Brass Finish
 500/Box

 0263201
 Zinc Finish
 500/Box

 0263206
 Brass Finish
 250/Box

 0263207
 Zinc Finish
 250/Box


Threaded Flat Head



2/3" threaded #8 gauge. Bronze finish.

0262631 2" 250/Box **0262617** 3" 100/Box


Tub Molding Screws



Flat head, zinc-plated screws.

0265518 50/Box

Hinge Screw Oval Square



Oval square recess. Zinc plated. # 6 gauge, 11/4" long.

0263108 50/Box

Floor Screws



Flat head square recess #8. 10/Ctn.

0263111 1-1/2"; 250/Box 0263113 2"; 250/Box 0263099 2½"; 100/Box 0263118 3"; 100/Box 0263098 3"; 2000/Box 0263117 4"; 100/Box

Lag Screw

With washers. 50/Box.





0263029 1/2" x 5" 0263030 3/8" x 4" 0263031 3/8" x 5" 0263032 3/8" x 6" 0263033 3/8" x 8" 0263037 3/8" x 5" (300/Bx) 0263034 Washers Only


evco Drill B

135° Split Point fractional bit. 5/32" diameter. 3 1/8" length. Black nitride finish.



0380108 12/pk

Sheet Metal Screws



Hex washer head. #8 gauge.

1/2" Sheet Metal Screws

0263050 Box of 500

3/4" Sheet Metal Screws

0262616 Box of 50 0263101 Box of 500

0264037 White: Box of 500 **0263000** Keg (12M Approx.)

0263001 1/2 Keg (35M Approx.)

1" Sheet Metal Screws

0262615 Box of 50

0262618 White (50/Box)

0263102 Box of 500

0264038 White (500/Box)

0263005 Keg (25M Approx.)

0263006 1/2 Keg (7.5M Approx.)

1-1/4" Sheet Metal Screws

0262614 50/Box

0263103 500/Box

0263010 Keg (20M Approx.)

0263011 1/2 Keg (6M Approx.)

0263075 150/Box

w/Rubber-Backed Washer

1-1/4" Painted Sheet Metal Screws

0262611 250/Box. Black

0262612 500/Box, Black

0263151 500/Box, Brown

0263014 500/Box, White

0262632 500/Box, Cream

0263013 1/4 Keg, White (6M Approx.)

1-1/2" Sheet Metal Screws

0262613 50/Box

0263104 500/Box

0263012 Keg (20M Approx.)

1-1/2" Painted Sheet Metal Screws

0264035 50/Box, White

0264036 500/Box, White

2" Sheet Metal Screws

0263089 250/Box

EZ Chuck Nut Setter


Magnetic. For driving hex head screws.

0390626 1/4" Mag Nut Driver, 1-3/4" Long **0390627** 1/4" Mag Nut Driver, 2-9/16" Long 0390643 1/4" Mag Nut Driver, 4" Long

0390628 5/16" Mag Nut Driver, 2-9/16" Long

0390608 1/4" Mag Nut Driver, 6" Long

evco Bit Holder



For 1/4" Hex insert bits. 2" long, non-magnetic.


0390609

Clutch Head Bit



0390613 5/32" - 1" Long

Double Ended Bit



0390601

#2 Phillips & 8-10 slot; 2"

Phillips Bit



0390618 #2 - 1"


Square Recess



0390615 #1 - 1" 0390612 #2 - 1"

0390634 Magnetic, 2" long. 1/4"

Square Recess



0390636 #1 Square, 2" Long 0390637 #2 Square, 2" Long 0390642 #2 Square, 6" Long

evco

Clutch Head



0390611 5/32" - 2" Long

Slotted




0390617 1-7/8" Long

Phillips



0390638 #1 - 1-15/16" Long 0390639 #2 - 1-15/16" Long 0390641 #2 - 6" Long

Tapered Nut Setter



Appliances

Heating & Cooling

Panel Nails

1" colored nails. Approximately 500 per plastic box.



0263110 1" Oak **0263112** 1" Brown

0263115 1" Dark Oak

0263116 1" White

0263140 1-5/8" White

0263141 1-5/8" Dark Oak

0263142 1-5/8" Brown

0263143 1-5/8" Oak

Bin Box

Rugged 200 pound test corrugated fiber-board offers exceptional strength, durability and economy. Crisp white finish. Large identification panel helps locate parts fast...eliminates chance for error. 48/Ctn.



0263120 3"W x 12"D x 4"H **0263121** 6"W x 12"D x 4"H **0263122** 10"W x 12"D x 4"H

All Leather Work Gloves

All Leather Work Gloves Leather Palm Work Gloves


- * Front, back & leather cuff
- * Double leather palm
- * Double Stitched
- Sold as pairs with hang-up display cards



0345016

Mirror Clips

Deluxe design. Clear plastic. For 1/8" glass.



0262608 W/Screw; 10/Bag

Heavy Duty Cable Ties

6.6 nylon, the heavy duty duct straps feature smooth insertion, and a locking mechanism that gives ductwork a firm hold. Accommodates 7 to 15 inch duct. Tensioning tool for 32"+ allows operator to adjust strap to any desired tension.



48" Long – Fits up to 14" Duct – 175 lb. Tensile **0262508** 48"; 50/Pack (mfr# 7-P48)

White Nylon Wire Ties

White Wire Ties 15" Nylon **0262509** 15"; 12/Pack


(mfr# WT15)



Leather Palm Work Gloves



0345015



Mechanic's Hacksaw

Adjustable blade holder for 8" or 12" blades; adjustable wing nut locking device, solid steel frame with chromate finish for fast, smooth cutting of all materials. Lightweight yet extremely rigid.

0382060 36" x 36" x 3"

Utility Knife



Zinc die-cast, sure-grip handle; blade storage compartment; 3-position retractable, reversible blade.

0382038 Knife; 10/Ctn.

0382042 Replacement. Blades (5)

Pivoting Utility Blower with Grounded Outlets

- High Velocity Motor for Maximum Air Stream
- Three Powerful Speeds
- Two 120 Volt Grounded Outlets
- Rugged, Easy-to-Carry Handle
- Ten-Foot Cord with Grounded Plug
- Fully Assembled for Immediate Use



Electric Stapler

Provides high production tacking where no air compressor is available. Operates on 110V, AC current. Only uses 9/16" staples.

0390650 6/Ctn.




5000 per box. 9/16" staples; 20/Ctn.




0390670 Plain 0390674 Tan.

Staples

0390671 White 0390676 Brown



Save up to 3 hours on every job!



SideSwiper®

Unique offset design makes work more accessible so you can work faster and safer. Wider body and comfortable vinyl-grip handle conforms to your hand, protects knuckles and gives you greater leverage and control when replacing siding panels. Durable one-piece, spring steel construction is virtually indestructible. 6/Ctn.

0381002

Using the SideSwiper



Wedge tip under the bottom end of overlapping panel and hook on the back lip of buttlock in one easy motion.

Pull downward on SideSwiper's® handle and slide row of siding panel to disengage lock and expose nail row of sliding panel to be replaced.

Use in the same manner to install replacement panel.

Metal Shears

Drop-forged, heavy duty, 12-3/4" long

0381004

Pro Snap-Lock Punch Tool

For vinyl only; 1/2" throat depth. Produces wider. more secure locking tab projections.

0380105



Snap-Lock Punch Tool

For vinyl and aluminum; 3/8" throat depth.


0380104



Aluminum Handled Snips

New design! Handle gives strength of steel with only half the weight. Straight cuts through the hardest sheet metal (even seams) and vinyl. Long-life pressure fit inset steel blades are easy to replace and extended tips reach all the way into corners. Larger handle loops accommodate gloves. 3" cut, weighs only 1 lb., 12" long.

0381012 M12N Snips 0381014 Rpl. Blade for M12N Snips



Extended blade tip reaches all the way into corners

Pressure-fit inset blades make field replacement easy



Cabinet and Door Hardware

Friction Catch

For cabinets. Self-lubricating brass spring clip.

0260201 100/Ctn.



Magnetic Catches w/Flat Strike

0260220 2 Pair



Drawer Knobs


1-1/2" diameter. Antique copper finish over decorative filigree design. 12/Ctn.



0260301

Drawer Guide


Silent drawer action. 3-point suspension plastic bracket.



0265541 Bracket: 100/Ctn.

Side Mount Drawer Hardware





Deluxe Drawer Guide

Hi-flex plastic, use w/wood or metal rail. Attaches to rear of drawer.

0260306 6/Bag 0265535 100/Ctn.



Flush Cabinet Door Hinge

Antique English finish, flush hinge. Non-Self Closing.

0260212 2/Bag



Six Finger Hinges

Six screw flanges.

0210993 Satin Nickel

Interior Door Hinges

Non-mortise, 3 leaf folding door hinges, 1-3/16" x 3-7/16".

Polybagged in pairs with 8 screws.





0210990 Brass 0210991 Brushed Nickel

Exterior Hinges



Designed with Radius Corners For The 7000 Series Doors.

0210604 Brass 0210605 Zinc

Non-mortise, extended, 3 leaf folding door hinges. 1-3/16 x 3-7/16 (extended leaf 1-1/2")

Polybagged in pairs with 8 screws.

0210989 Brass 0210992 Brushed Nickel



Appliances



For over doors and windows. Large collector valley carries away rain and snow. Confined caulking area insures neat appearance and positive seal.

0210950 31" **0210951** 35" **0210954** 43" 0210953 39" 0210955 49"

Elixir Threshold

Aluminum.

0265506 32" or less 0265507 34" 0265508 36"

0265509 48" or less

0265510 72"




Standard Door Sweep



1-1/2" overall width including vinyl. 37" overall length. Satin finish. Poly bag.

0219009 24/Ctn.

Adjustable Vinyl Door Bottom



Fills gap between door and door bottom to prevent air, dust and water entry. Additional seal at the top, to stop water seepage. Pre-punched slotted holes. Includes self tapping screws. 36" long.

0219010 White; 24/Ctn. 0219011 Brown; 24/Ctn.

Aluminum Molding Drip Rail

Serrated face 1-1/2" standard 1-1/2" rail 14' length. Punched, 4" centers.


0265503 25/Ctn.

1-1/2 1/2"

Roof Edge

Extra soft, heavygauge standard edge. 14' length. Punched with 4" centers.

0265501 25/Ctn.



I Drip Cap



Install over doors and windows to channel away rain and snow. Steel with white finish.

0212011 For 32" or less door

0212012 For 34" door

0212013 For 36" door

0212014 For 48" door

0212018 For 53" door 0210949 For 60" door

0212009 For 72" door

Carpet Molding



All drilled and counter-sunk on 6" centers. 1-1/2" W x 12' L. Hammered.

0265504 Mill: 25/Ctn. 0265505 Gold; 25/Ctn.

Spiral Nails sold separately

0263201 Mill finish. 500/Box 0263207 Mill finish, 250/Box 0263200 Gold finish, 500/Box 0263206 Gold finish, 250/Box



Seam Binder



Aluminum w/serrated face, stagger drilled and countersunk. Mill finish. 12' lengths.

0262607 2-1/2" x 12' L; 30/Ctn. 0262610 3/4" x 12' L; 30/Ctn. 0262605 4" x 12' L; 30/Ctn.

Door Guides

1/2" offset. Single wheel. Zinc finish. Pair.




0210205

50/Box.

Includes four each of top hangers and bottom guides.

Hanger &

Guide Set





0211038

Rails

For a 4' x 6' x 8" door. **0211040** Pair of Rails

Door Stiles



Pair of Stiles 0211042

Door Viewer



One-way viewer is zinc die-cast with 180° angle plastic lens. 9/16" diameter, adjusts for door thicknesses 1-1/2" to 2-1/2". Installation hole is 9/16". Display boxed.

0212016 Brass 0212017 Chrome

Spring-Eze Stop




Flexible brass-plated steel spring with white plastic tip. 3" long.

0211004 25/Ctn.

Allows you to easily repair damage from break-ins without replacing entire door, and protects against a reoccurrence.


Just three easy steps: remove screws from doorknob, place Theft Stopper on outside of door, then replace the knob.


0212024



0210602

Theft Stopper





Weather Stripping



0219001 30'

Self-Adhesive Door Stop

Colonial White: 100/ctn.






Doorknob Hole Patch Repair & Doorstop

Solves two problems at the same time: patches over holes and serves as doorstop to prevent reoccurrence of damage. Creamcolored, paintable, self-adhesive and elastic.

0211003 - 3" 0211005 - 5"



Anchors & Outdoor Set-Up Material Improvements

Coatings & Cleaners

Easy-Touch Acoustic Texture

Patch "popcorn" or "cottage cheese" type ceiling textures fast. Contains actual polystyrene chips to match commercially applied ceiling textures.

Patch small areas up to 2 sq. ft. 16 oz.


0185027 Medium 0185028 Coarse



Easy-Touch Spray Texture

Fast-drying, oil-based.

Three color-coded straws let you choose the perfect match for "orange peel" splatter textures. Up to 100 sq. ft. of coverage.





0185026 20 oz.

Acoustic Texture Kit

Kit includes sprayer



0185030 Kit

and acoustic polystyrene chip texture.

DAP Vinyl Interior Spackling

For plaster, drywall and wood surfaces. 5.5 fl. oz. tube, white.

0119005

Putty Knife

High impact plastic. 3.5" long handles and 3.5" long blades. Hang hole.

0381105 2" **0381106** 3"

0381107 4"



DAP Wallboard Joint Compound

Smooth, high quality finishing of gypsum panel joints. 3 lb. tub

0119006



Easy-Touch Knockdown Texture

Water-based, Matches knockdown "Mediterranean" and splatter-type wall and ceiling textures. Two different application straws allow you to choose between medium or heavy patterns. Patches small areas up to 8 sq. ft. Single can provides up to 16 sq. ft. coverage.

0185025 20 oz.



Easy-Touch Orange Peel/Knockdown Texture

Repair and redecorate your ceiling with our new multipurpose ceiling texture that applies either orange peel or knockdown texture. Formulated for patching existing interior ceilings. Maximum coverage Orange peel - 80 sq ft., Knockdown - 60 sq ft. Vertical spray nozzle reduces effort. Water base formula is easy to clean up.

- Easy to apply
- Sprays both Orange Peel & Knockdown
- · Vertical spray nozzle
- · For patching or entire ceilings

0185024 20 oz.

Homax Wall & Ceiling Repair Patch

For drywall, plaster and other flat surfaces. Metal patch with self-adhesive mesh backing permanently repairs holes in walls and ceilings. Refinish to create an invisible patch. Ideal for quick repair of interior drywall and plaster surfaces.

0260417 6" Patch



SeaSpray Brand Hi-Strength MVR Ceiling Panels

Attractive textured ceiling panels and a code-approved moisture/vapor retarder, all in one easy to use product. Manufactured with a high strength gypsum core with increased uniformity and integrity to increase sag resistance. Field tests prove these new 5/16" panels provide superior sag resistance to regular gypsum core, even when installed over framing 24" o.c. using foam adhesive attachment methods.

- Five year limited warranty against visible sag
- Meets HUD standards of 1 perm or less for vapor retarder.
- Square edged linear panels are coated with durable latex finish that resists surface marking
- · Bolder, heavier texture helps hide joints
- Fire resistant, UL labeled; meets HUD safety standards
- · Easy to install (and eliminates need for applying other vapor retarders
- · Improved sag resistance
- 24" o.c. foam adhesive attachment
- · Built-in vapor barrier
- · Hard painted surface
- Easy touch-up

0200005 4' x 13' 9 ½" x 5/16" Ceiling Panels **0200006** 4' x 13' 8" x 5/16" Ceiling Panels

0200030 1" x 9' Batten



Not Stocked At All Locations

Wallboard

0200010 Wallboard Panel 4'x8' Off White 0200013 Wallboard Panel 4'x9' Off White 0200011 Batten 4'x8' Off White




Pictured with optional decorative battens

A variety of patterns available by custom order.

Wallboard Paint

Off-White - 5 gallon



Rosette Washers & Screws

For fastening ceiling board. 1" diameter white rosette. Center hole for 6# screw.

0260401 Rosette Only; 200/Bag 0263106 Screw Only; 200/Bag 0260410 Rosette & Screw; 250/Pk. Coatings & Cleaners

Wood & Plastic Molding & Trim Quality, pre-finished wood and plastic trim molding.

Screen Trim

11.5' Dark Wood; 84/Pkg 0269103



Ceiling Beam

13.5' White Painted Wood; 0269106 100/Pkg.



Chair Rail

0269114 10' Dark Wood; 50/Pkg.

0269163 10' White Paper-Wrapped MDF; 50/Pkg.



Outside Corner

3/4" 8' Plastic

0269109 Medium Brown Plastic; 125/Pkg. 0269166 White Painted Plastic; 125/Pkg. 0269178 Indian Oak Painted Plastic; 125/Pkg.

1" 8' Plastic

0269132 Medium Brown Plastic; 125/Pkg.

0269130 Light Plastic; 125/Pkg. **0269167** White Plastic; 125/Pkg.

Inside Corner

0269107 8' Medium Brown Wood; 150/Pkg.

0269165 8' White Wood: 150/Pkg.



Shoe Stop

1/4"

0269111 7' Medium Brown, Wood; 175/Pkg.

0269112 7' Light Wood; 175/Pkg.

0269168 7' White, Painted MDF; 175/Pkg. 0269176 7' Indian Oak Painted MDF; 175/Pkg.

3/4"

0269115 7' Light Wood; 100/Pkg.

0269116 7' Medium Brown Wood; 100/Pkg. 0269169 7' White, Painted MDF; 100/Pkg. 0269180 7' Fairway Oak Paper-Wrapped Luan;

100/Pkg.

Lip Molding 8'

0269134 Brown Plastic; 125/Pkg. 0269173 White, Painted, Plastic; 125/Pkg.



Batten

3/4" x 8'

0269104 Medium Brown Wood; 325/Pkg.

0269105 Light Wood; 325/Pkg. 0269170 White, Wood; 325/Pkg.

11/2" x 8'

0269179 Fairway Oak Paper-Wrapped Luan; 150/Pkg.

0269174 White Paper-Wrapped Luan; 150/Pkg. 0269183 Cafe Cider; Paper-Wrapped; 150/Pkg.

1" x 8'

0269117 Medium Brown Wood; 225/Pkg.

0269118 Light Wood; 225/Pkg.

0269171 White Paper-Wrapped MDF; 225/Pkg. 0269177 Fairway Oak Paper-Wrapped Luan; 250/Pkg.



0269100 86" Dark Wood; 60/Pkg. 0269119 86" Almond Wood; 60/Pkg.

0269172 86" White Paper-Wrapped MDF; 60/Pkg. 0269175 86" Indian Oak Paper-wrapped MDF; 44/Pkg.



0269113 10' Dark Wood; 45/Pkg.

Cove Casing



0269101 10' Medium Brown Painted Wood; 150/Pkg. 0269160 10' White Paper-Wrapped; 150/Pkg.

Door Jamb Paper-Wrapped


0269143

0269140 2" x 7' Oak; 300/Pkg. 0269141 3.25" x 7' Oak; 180/Pkg.

0269142 4.5 x 7' Oak; 132/Pkg. 0269150 3.25" x 7' White; 180/Pkg.

0269151 4.5 x 7' White; 132/Pkg.

6 x 7' Oak; 102/Pkg.



Vapor Barrier & Close-Off Film


Clear F	Plastic V	apor Barrier
0265017	8' x 100'	6 ml Vapor Barrier
0265016	10' x 100'	6 ml Vapor Barrier
0264996	16' x 100'	6 ml Vapor Barrier
0265018	10' x 100'	10 ml Vapor Barrier
0265019	12' x 100'	10 ml Vapor Barrier
0264998	14' x 100'	10 ml Vapor Barrier

Black Plastic Vapor Barrier				
0264997	10' x 100'	6 ml Vapor Barrier		
0265005	14' x 100'	6 ml Vapor Barrier		
0265004	16' x 100'	6 ml Vapor Barrier		
0265002	20' x 100'	6 ml Vapor Barrier		
0265001	24' x 100'	6 ml Vapor Barrier		
0265000	16' x 150'	6 ml Vapor Barrier		
0265007	20' x 150'	6 ml Vapor Barrier		



White Close-Off Film					
for secondary moves					
0265003	12' x 120'	6 ml Close-Off Film			
0265009	16' x 100'	6 ml Close-Off Film			
0265006	14' x 300'	5 ml Close-Off Film			
0265008	16' x 150'	6 ml Close-Off Film			

Center-Seal



- Provides a continuous seal
- Withstands exposure to the elements
- Does not blow off during transport
- Lasts even through repeated resets
- Eliminates customer concern over visible daylight
- Superior insulation for better energy efficiency and protection against rodents and insects
- Compact, lightweight and easy to handle; no skin irritation
- Needs no special tools
- Installs faster than fiberglass, spray foam, etc.
- Unlike other materials, does not absorb moisture but blocks it, protecting home against structural and cosmetic damage

0265055 2" x 375'

Sill Plate Sealer



Sill Seal is specifically designed to fill the air gaps between the sill plate and wall.

- Made of quality polyethylenePrevents rotting of sill plateWater and insect repellent
- Will not deteriorate

- Fills gaps between sections of home
 Easy to install -- needs no special tools
 Resists moisture penetration to interior of structure

Multi-purpose ridged sill plate gasket provides resilient sealing, a perfect seal for setting up double-wide homes.

0265050 5.5" x 50' Roll

Heating & Cooling

Masking Tape

Standard-grade masking tape. Good pressure sensitive qualities, resists water, solvents and oils. 60 yds.



0360702 1-1/2"W; 24/Ctn.

White Close-Off Tape



0360725 2" x 36 yds. **0360726** 4" x 36 yds.

3M Electrical Tape



Temflex, general use vinyl electrical tape. Flame retardant, cold and sunlight resistant. Suitable for use at not more than 600 V and not more than 80°C. Flame retardant, lead free.

0360401 3/4" x 60', 200/Ctn.

FLEX-PATCH Mending Tape



Easy-to-use tape form of mending material. Perfect for those small jobs of patching bottom board. Easily removed paper release.

0360016 4" x 100' Roll, Boxed.

Black Fabric Bottom Board Tape



Specifically made for patching and splicing bottom board paper used in mobile homes. Tears straight, no curl. Certified to meet the HUD specification of the Office of Mobile Home Standards. 2" x 60 yds.

0360703 24/Ctn.

ECONO-MEND Economy Mending Tape



Same as above, only with no release paper, 4" x 165' roll.

0360011 4" x 165'

Seal-Tite #620 Heavy Duty Bottom Board Tape



Premium black fabric tape with high tack -- a heavier adhesive layer, twice the thickness of economy cloth tapes, for jobs that require exceptionally high peel and sheer strength. 2" x 36 yards/roll.

0360704 24/Ctn.

Duct Tape



Economy Duct Tape Roll: 2" x 60 yds.

0360600 24/Ctn.

Top Quality Duct Tape

Extra strong. Tears evenly, does not bubble up. Gray color. 2" x 60 yds.

0360501 24/Ctn.



Superior self-adhesive foam insulating tape works on hot and cold pipes, valves and fittings. 1/8" x 2" x 30'

0360112


Foam Tape



Medium density, single-face noninterconnecting cell vinyl w/easy release liner. Synthetic permanent adhesive for easy application even on irregular curved surfaces. 3/16" x 30'. Mylar backed. 32/Ctn.

0360110 3/4" W 0360108 1/2" W

Webbing Strap for Flex-Duct



Black polypropylene strap for hanging flex-duct, etc.

1-3/4" tensile strength: 440 lb. avg. 3" tensile strength: 640 lb. avg.

0262550 3" x 300' **0262551** 1-3/4" x 300'

Putty Tape



Heavy, mastic flexible, non-hardening material remains pliable as applied or as packaged. Special silicone-treated release paper. Can be pressed into any shape to form a water-tight and air-tight seal. Adheres to metal, glass and plastic.

0360090 1/8" x 3/4" x 30'; 24/Ctn. 0360105 1/8" x 1" x 30': 20/Ctn. 0360106 1/8" x 1-1/2" x 30'; 12/Ctn.

Black Butyl Tape



Top-quality, ready-to-use. Permanent resilience and elongation. For problem areas such as between roof and side panels. Quick-release paper for easy application. 16/Ctn.

0360115 2" x 30', 8/ctn. 0360117 3/4" x 30', 20/ctn.

Tacky Tape®

A highly elastic butyl rubber tape with excellent surface tack specifically designed for sealing metal joints. Its superior surface tack allows it to adhere to metal without pre-wiping the surface .It has excellent adhesion and compressibility to cold substrates. It is formulated without asbestos fillers.

FEATURES:

- polyvinyl fluoride and siliconized polyester painted
- * Service Temperature Range -40°F to 180°F
- * Application Temperature Range -5°F to 120°F
- * Adhesive Tensile Strength (ASTM C907)20 psi minimum
- * Will resist fungal attack and not support mildew growth
- * USDA acceptable
- * Meets Federal Specification TT-C-1796A, Type II
- * Meets AAMA 804-92 and 807-92 (this specification supercedes

0360800 3/4" x 1/8 x 30', 24/Ctn.

- * Excellent adhesion to aluminum, aluminized steel, metal,concrete,FRP,and glass
- * No cracking or loss of adhesion at -40°F

- obsolete NAAMM Standard SS-1b-68)

HVAC Duct Tape



Meets UL 181B-FX for duct installation with HVAC equipment. 2" x 60 yards.

0360450

Foil HVAC Tape



For duct board system sealing. Prevents heat loss. Blocks odors and moisture.

0360502 2" x 50 yds. 0360503 3" x 50 yds. Anchors & Outdoor Set-Up Material Improvements


Doors & Windows


Coatings & Cleaners

Coatings & Cleaners

Floor Solutions

Squeak-Ender™






Amazing new product ends annoying floor squeaks forever. Requires no special tools, won't damage floors, installs with just a turn of the wrench—and it's guaranteed! 36 pieces, polybag.

0261025

Seam-Ender



Accommodates 2 x 6 through 2 x 10 joists

Uniformly draws tongue and groove decking to the joist to eliminate unsightly seam pops. Easy installation requires no special tools and does not damage floor coverings. Made in the U.S.A. 18 pieces, polybag.

0261027



SQUEEEEEK-NO-MORE Kit

Get rid of annoying floor squeaks with this kit and a power screwdriver. Works equally well on hardwood floors as well as vinyl and carpeted floors (even Berber!) No need to tear up the carpeting either. Simply locate the squeak, follow the simple 1-2-3 instructions and you're done.



0261029 Squeeeeek No More Kit Scored Screws; 250/Ctn.

Kit includes:

- 1 Alignment and Depth Control Fixture
- ★ 50 Specially Scored Screws
- * 1 Special Driver Bit
- * 1 Special Screw Used to Locate the Joist
- Complete Instruction Booklet All you need to provide is an electric drill.

How does it work?

- Locate the floor joist as shown in instructions. Then, push the alignment and depth control fixture firmly into the carpet.
- Place your weight around the fixture, and drive the scored screw down as far as the fixture will allow it to go.
- Place the screw gripper (located on alignment fixture) over the screw head, then rock the fixture left to right snapping the head off. The screw breaks at the weak spot that is consistently just below surface of the floor.

Floor Registers

Metal Registers



Drop-in style with mounting holes. 1/2" spaced, rolled fins. Opposed blade dampers. Wheel-operated adjustment.

 Brown, 6" x 6" Brown, 4" x 8" Brown, 4" x 10" Brown, 4" x 12" White, 4" x 8" White, 4" x 10" White, 4" x 12"

Register Face



Register Collar

0421324 4" W x 10" L x 6" D

0421325 4" W x 8" L x 6" D


Face plate only.

0421320 4" x 8" White 0421321 4" x 10" Brown 0421322 4" x 8" Brown 0421323 4" x 10" White



0421308 White, 18"

Air Deflector



High quality, durable floor air deflector of clear plastic directs the air flow more evenly for better temperature control in any season. Easy to install; heavy-duty magnets hold deflector in place on the register. Adjusts from 10" to 14".

0421310 48/Ctn.

Polyvent Registers

Get rid of dangerous jagged edges forever!



Molded plastic-no more bent fins, scratches, dents or jammed mechanisms, no more jagged edges that might cause injury. So durable, it's virtually indestructible and even dishwasher safe for easy cleaning. Molded in decorator colors, not painted, thereby eliminating fumes and waste harmful to the environment.

4" x 10" **0421315** White 0421316 Brown 0421294 Bone 0421295 Wedgewood Blue 0421296 Hunter Green **0421297** Pearl Gray

4" x 8" 0421317 White 0421318 Brown **0421290** Bone 0421291 Wedgewood Blue **0421292** Hunter Green **0421293** Pearl Gray

Register Filters



Not only do they provide a fresh, clean scent, they also trap and control pollen, dust and dust mites, tobacco odors and mold, mildew and fungus spores. Fits most registers. Non-toxic. Excellent for allergy and asthma sufferers. Installs in seconds. Fragrance lasts approximately three months. Packaged for pegboard display, coated in saran to lock in scent.

0180205 Potpourri 3/Pk 0180206 Pine 3/Pk

Floor Grill



Made of heavy gauge steel and a onepiece face for maximum strength and a smooth flat walking surface. White finish is tough and durable. Individual see-thru shrink pack.

0103148 12" x 20" Brown Floor Grill 0103162 14" x 20" Brown Floor Grill

3 | Safety | Fluilibilig | Ele

2" Metal Plumbing Stack

Galvanized steel for 1-1/4" or 2-1/2" pipe. Removable cap.

0425003 50/Ctn.



Plumbing Vent





Serves as a water tight flashing and weather shield for air vent pipes up to 2 1/2" diameter, projecting up to 2 1/2" above the roof.

5 1/4" Diameter Base.

0425004 Plastic (mfg# 40132)

Aluminum Ventilator for Exhaust Duct

0425001 6" diameter, with screen (Mfg# 360)

Replace-All Plumbing Cap



Saves time and money—no need to install a complete plumbing cap. Plastic. 12/Ctn.

0420100 (mfg# 40134)

Metal Plumbing Stack

Vent cap for plumbing vent pipe. Rolled edge to prevent water run-over.



0425208 4", (Mfg# V2086-00)

Roof Cap for Vertical Fans

Cap & flat flange 7" diameter attic vent, 9-1/4" above roof line.

Note: will not work on sloped roof.



0421202 8/Ctn.

BROAN Roof Ducting Kit

- Black steel roof cap with built-in back draft damper and bird screen
- 4" diameter metal duct connector
- Two nylon zip ties
- 3" to 4" duct adapter
- 8' of 4" diameter flexible foil ducting conforms to UL 181 Class 1 Air Connector requirements
- Do not use for dryer venting
- Complete kit designed to vent kitchen or bath exhaust fan through a slanted roof
- Works with 3" and 4" ducts
- 8' in length

For complete roof ducting installation of exhaust fans with 3" or 4" duct connector.

0420505 Model RVK1A



Sidewall Exhaust Fans



0420710 115V Sidewall Fan. Mill Finish Exterior. White Interior, Fits 2-3/4"-4" wall thickness. V2215-11



Replacement Parts

0420711 Sterling Grille - V0564-37 0420709 White Grille - V0564-46 0420703

Screws for Grille (3.5" Model) - V0148-02

0421401 Fan Blade - BVA0312-00

0221802 Pressure Switch - BV0140-03 0262000 Sidewall Chain - BV0144-00

0420103 Motor, 120V, No Plug - BVD0275-00

Range Hood Vents

0420510 Louvered 1.75" inlet, white. 3-1/3" x 10.5" RO.




0420509

Weatherproof with lockable damper. 1.75" inlet, white. 3-1/3" x 10.5" RO. Colonial White.



0420500

Professionally finished look for lap siding. Simple to install, saves time & lowers cost. Reduces leaks. White.



Bath Vents



- Ultra-quiet, U.L. Listed, 115V motor.
- Vertical exhaust
- Foam damper for a secure seal when not in operation
- Simple installation with plug-in motor & lamp, snap-in junction box cover
- 50 or 100 CFM, 120 VAC., 60 Hz
- Thermally Protected 8/Ctn.

Vented Fan w/Light

10-3/4" Rough Opening. Takes 100 Watt Bulb. 1.5 AMP, Type IC



0421205 100CFM, #V2244-100 **0421206** 50CFM, #V2244-50

Replacement Parts

0421207 Plastic Light Lens (#1)

0421208 Foam Damper Assembly (#13)

0421401 Blade Only (#7) **0421204** Motor for CFM50

0421203 Motor for CFM100

Vented Fan w/o Light

Vent w/out Light. 7" Rough Opening, 0.8 AMP



0421200 100CFM, #V2262-100

0421201 50CFM, #V2262-50

Replacement Parts

0421402 Grill & Spring Assembly (#1 & #2)

0421401 Blade Only (#9) **0421204** Motor for CFM50

0421203 Motor for CFM100

Replacement Motor for Old Style 0421206 & 0421201

0420103 Motor BDC019/BVD0275-00 120 VAC W/O Plug

Carbon Monoxide Detector

w/Lithium Battery Tamper Resistant

- · Lithium Battery Powered
- Electrochemical Sensor
- · Sensor Life Monitor
- Tamper-Resistant
- ANSI/UL 2034-09 Listed
- · CSA and IAS Certified
- NFPA 720 Compliant
- Five Year Warranty

0250120 Battery Powered 0250121 Plus Digital Display



Carbon Monoxide Detector

Plug-In with 9v Battery Back-Up. Digital Display

Plug-in carbon monoxide alarm with digital display and 9V battery backup meets most state and local codes for carbon monoxide alarms.

Electrochemical Carbon Monoxide Sensor - the most accurate sensor available as compared to other sensing technologies.

- Single Button Test/Silence
- · Battery Backup
- Two silence features can silence the low-battery chirp for up to eight hours or temporarily silence an unwanted nuisance alarm
- · Digital Display shows visual confirmation of CO levels in PPM
- Peak Level Recall Button recalls the highest level of Carbon Monoxide detected
- · 5-Years Limited Warrant

0250108 Plug-In, 9v Back-Up

Smoke Alarm Battery Powered

Hinged cover for easy battery replacement. Lighted Power & Alarm indicator. Silence feature. Tamper resistant locking pin. 10 year limited warranty

0141303 Carbon Zinc Battery FG250B 0141301 Lithium Battery - FG250LB



Carbon Monoxide Detector

Samples air once every second Calibrated at four levels for accuracy Silencer button, re-alarms if levels persist Unique self testing system alerts if malfunctions



0250104 Plug-In w/Battery Back-Up (2 - AA batteries)

0250105 Plug-In

0250106 Battery Powered

(2 - AA batteries)

Combo Alarm **Smoke Detector & Carhon Monoxide Detector**



Battery Powered. The BRK First Alert **Combination Carbon** Monoxide and Smoke Alarm protects you from the very real dangers of both fire and smoke as well as carbon monoxide.



0250103 Battery Powered Use 2-AA Batteries

Smoke Alarm AC Powered

120VAC, ionization sensor, meets U.L. Standard 217. Interconnectable. Quick connect wiring harness and Fast Install mounting bracket. Outside diameter is 5-3/8" for better coverage of cutouts.

0141302 Electric (mfg# 9120)

0141305 Electric with 9V Battery Back-up in side drawer. (mfg# 9120B)







UL rated 5-BC made especially for the kitchen. White with white mounting cap and pop-up pressure indicator. Effective on oil, flammable liquids and electrical fires. Specialty quick release mounting cap. Noncorrosive. Easy to clean up.

0340510 1 lb 5.3 oz; 6/Ctn.

BC Extinguisher

Recreational. Fights flammable liquids and electrical fires. UL rated 5-B:C. Large, easy to read gauge. Sodium bicarbonate. Rechargeable. Mounting bracket with strap included.

0340501 2 lbs.; 6/Ctn.

Garage and Home. UL rated 10-B:C. Fights grease, oil and electrical fires. Large, easy to read gauge. Includes Ergonomic handle and trigger. Sodium bicarbonate. Mounting bracket with strap included.

0340507 2 lbs, 7 oz.; 6/Ctn.



0340507

ABC Extinguishers

Multi-purpose. Non-toxic tri-class dry chemical agent (monoammonium phosphate) fights flammable liquids & electrical fires as well as wood, paper and cloth fires. Recommended for commercial use.

Multi Purpose Home UL rated:1-A:10-BC: Effective on wood, paper, plastic, flammable liquid and electrical fires. Mounting bracket with strap included. **0340508** 2 lbs 9.3 oz.; 6/Ctn.

Heavy Duty, Multi Purpose, for Home, Office or Business Rechargeable (fits easily inside standard fire box-fire box not included). Exceeds NFPA 10 Minimum Code Requirements. UL rated 3-A:10-B:C for trash, wood, paper, liquids, electrical fires. **0340509** 4 lbs 12oz.; 6/Ctn



Mini-Blinds


1" PVC, lead-free with wand in classic white sized to fit manufactured housing windows. 10/Ctn.



0260500 32" x 33" 0260502 38" x 56" **0260501** 32" x 56" 0260503 48" x 56" 0260508 32" x 64" 0260506 48" x 64"

Vertical Blinds

3.5" PVC, lead-free with wand in classic white, perfect for sliding glass doors.



0260504 78" x 78"

Curtain Rods

Single, white, extendable curtain rod projects 2-1/2".

0265712 28"- 48"; 50/Ctn. 0265714 48"- 84"; 50/Ctn.



Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Electrical

0260507 35.5" x 54"

Signs & Banners

Sales Banners

OUALITY MANUFACTURED HOMES AT THE BEST PRICE

Item 0265725 shown above (27" x 10')

100% heavy nylon with water repellent finish. Strong brass grommets in each corner for long-lasting outdoor use. 30" x 10' banner with 16" red letters on white banner. 12/Ctn.

0265720 Grand Opening

0265721 Sale

0265722 Kiss Your Landlord Goodbye

0342015 Special of the Week

0265725 Quality Manufactured Homes at the Best Price

0265726 Clearance Sale

0265727 Open House

"Mobile Home **Supplies**"

3' x 5' nylon banner lets customers know you stock "Mobile Home Supplies."

0265724





Mobile Home Parts

2' x 2' Mobile Home Parts Sold Here sign is 2 sided, made of yellow weather proof gator board, with large black letters as seen on the left.

Real estate type vard frame is included.



0265732 frame included

Metal Double Sided Sign



Light-weight metal alloy, baked on enamel finish, scratch resistant. Will not fade, crack, peel or rust. Folds for easy storage. Black on interstate yellow. 12" letter height and 2" letter stroke.

0342009 15" x 6' **0342010** 18" x 7' (PA Approved)

: Ohio "Overstzed Load" Sign

12" x 60" vinyl open weave mesh sign says "Oversized Load" in 8" letters. For escort vehicles. Meets Ohio DOT regulations.

0342003

Vinyl Double Sided Sign



0342016 20" x 84"; 25/Ctn

Features a strong 1/4" poly rope sewn the entire length; all stress goes to the rope, not the sign, so there are no grommets to tear. 12" high letters are screen printed black on interstate yellow. "Over Size Load" on one side, "Wide Load" on the other.

Poly-Coated Fabric Signs

Durable, weatherproof, reinforced metal grommets, double stitching, Tyvek corners for extra strength. Attach with shock cords. Black letters on interstate yellow.

0342001 Over Size XX Load 18" x 7' (Sleeves for 10, 12, 14 &16 to meet Arkansas sign requirements)

0342002 Over Size Load 18" x 8' (Michigan Approved)

0342005 Danger Wide Load Ahead 18" x 4'; 25/Ctn.

0342007 Danger Wide Load Follows 18" x 4'; 25/Ctn.

Hula Pennants



Multi-Colored:

4 mil polyethylene plastic in 30' strings of alternating red, green, yellow, white and blue fringes.

0265702 Multi-Colored; 25/Ctn.



Red/White/Blue:

Each 30' pennant string has alternating red, white and blue hula pennants, creating a striking visual image. There are 32 full color 18' sections per string. Durable in any weather. 25/Ctn.

0265703 Red/White/Blue

Flag Pennant



12" x 18" V-shaped pennant flags; weather-resistant economy polyethylene, double sewn on plastic covered, high strength, sag-resistant header. 120'. 25/Ctn.

0265701



Intense Carpet

0261520 13' 7" 0261521 15' 4"

- 5th-generation polypropylene
- Exclusive softening process to enhance wear and feel
- High resistance to staining
- Can be cleaned with harsh cleaners
- Low maintenance

Padding

Quality padding for all your carpeting needs.

6 Lb. Rebond

- 1/2" rebond, 6 lb. density
- 30 sq. yards/roll
- 6' x 45' rolls

0261510

4 Lb. Rebond

3/8" rebond, 4 lb. density

40 sq. yards/roll

6' x 60' roll

0261511

Spot Remover & Carpet Cleaner

GTO is formulated to remove tough stains from carpeting, rugs & upholstery. Reaches deep into the stained area to dissolve grease, oil and many other stubborn stains. GTO is formulated not to set in stains. Removes grease, tar and oily soil.

0181350 20 fl oz. spray: 12/Ctn.







Vinyl Floor Covering

We now offer vinyl floor covering direct from the manufacturer by special order.



- ▲ Speedy shipping direct from Dalton, GA
- ▲ First-quality, no wax, satin-gloss standard Wearlayer
- Standard limited warranty
- 14-foot width for virtually seamless installations
- Easy to install and maintain

Style Choices

Plank
Gray Diamond
Medallion Marble
Taupe Ceramic
Beige Ceramic

0261515 14' Wide

All design illustrations are reproduced as faithfully as fine color printing inks will permit. Due to the difference between printing inks and the pigments used in the manufacture of these floor coverings, we cannot guarantee exact color reproduction.

Ask your salesman to show you actual sample boards.







Gray Stone



Gray Slate



Beige

- Speedy shipping direct from Dalton, GA
- First-quality, no wax, satin-gloss standard Wearlayer
- Standard limited warranty
- 14-foot width for virtually seamless installations
- Easy to install and maintain

Style Choices

Plank Gray Stone Gray Slate Beige Same as above, but in 15' 6" width for even wider installations.

0261514 15'6" Wide

Laminate Floor Covering 6mm

HDF Floating Laminate



0261528 Floating Laminate, 6mm

 T-Molding (7'10" long) End Cap (7'10" long) Reducer (7'10" long) Underlayment (7'10" long) **Style Choices** Red Oak Gunstock Light Oak







Durable 3 mil, non-skid polyethylene film prevents damage during high traffic display periods, bad weather or while repairs are being made. Pressure-sensitive adhesive on one side, reverse rolled for easy application. Roll it across the floor, or use the handy Excaliber applicator for fast, wrinkle-free application. To remove, simply peel off and discard. Non-transferable adhesive will not harm carpets.

0265010 23.5" x 1000' Roll 0265011 23.5" x 200' Roll 0265015 Excaliber Applicator

NOTE:

Should not be left in place for more than 45 days. It should be removed or replaced sooner if subjected to heavy foot traffic, high humidity, high temperatures or direct sunlight. Not recommended for natural fiber (wool) carpets. Do not use on marble, tile, vinyl, counter tops, etc. where it is difficult to remove. Temperatures greater than 100° F may prevent Carpet Armour from releasing properly.

Coatings & Cleaners

Electric Stapler

Provides high production tacking where no air compressor is available. Operates on 110V. AC current. Only uses 9/16" staples.



Electric Stapler Staples



5000 per box. 9/16" staples; 20/Ctn.

0390670 Plain 0390671 White 0390674 Tan. 0390676 Brown

0390650 6/Ctn.

Carpet Stretcher Hook



Lightweight tool stretches from floor not the wall, eliminating the need for tubs, tall block assembly and carrying case. Fits any Junior Stretcher, though an adapter tube is needed for Taylor stretchers. Prong design ensures a good grip in wood and long life. Aluminum body weights 1.25 lbs.

CAUTION:

use only on wood substrates. One-year warranty.

0261014

Seam Squeezer



0261012

Deluxe Power Carpet Stretcher

Extra powerful unit in lightweight custom contoured case with space for six tubing sections. Adjusts from 33" to 22' with four tubing sections. Heat-treated aluminum handle is the longest and strongest. Guaranteed for life against breakage. 14" wide head has 60 rust resistant adjustable nickel plated pins for heavy-duty work. Non-marring cushion for non-slip work. Complete with adjustable 14" transfer tube, head assembly, tail block, case and four each tubing sections with exclusive one-piece spring clips. Weighs 56 lbs.





Single Row Roller



Carpet Kicker

Porcupine teeth can be dialed to 16 settings in 1/32" increments for different pile heights and penetration. Five positive lock settings from 17-1/2" to 21-1/2". Seamless foamfilled bumper pad can be switched to 4 positions for even wear. 3/Ctn.

0261000

Rubber Knee Pads

Quick and easy on/off with 2" wide single elastic velcro straps.

0345010

Utility Knife

Zinc die-cast, sure-grip handle; blade storage compartment; 3-position retractable, reversible blade.



0382038 Knife: 10/Ctn. 0382042 Repl. Blades (5)

Bigelow Style Carpet Cutter

For tight weave gauges of rubber back carpet. Beveled guide makes it easy to stay in the rows. Blade on both sides for cutting either side of the row, and the 30° blade angle prevents tearing. Five blades included.



0261006

Cookie Cutter Tool

Use remnants or carpet from hidden area to

repair burns, stains, rips and other small damage. Polished cast aluminum with spring loaded depth pivot pin and four replaceable blades to cut a 3-1/8" diameter circle.



0261007 Cookie Cutter Tool **0261005** Replacement Blades

Carpet Base Cutter



The only tool that lets you make your own wall base. Made from lightweight aluminum castings, adjustable for any width from 1-5/8" to 6". Cuts any type of carpet using a slotted razor blade. Easy to use, and supplied with instructions and a heavy duty blade.

0261002 3/Ctn.

Carpet Knife

Single clamping screw for quick blade changing. Aluminum, polished profile to resist snagging. Case-hardened to resist slot wear. Extra blades can be stored in the handle.

0261004 36/Ctn.



Carpet Blades

Heavy-duty, slotted, blue-tempered, high-grade cutting steel. Personna Blades .017" gauge, a stronger blade means less breakage & greater economy. Round corner. Individually wrapped for safety. 100 blades per dispenser box.

0261008 10/Ctn.



Carpet Seaming Irons with Teflon

Teflon base for virtual self-cleaning operation. Grooved bottom prevents adhesive from being squeezed out. Thermostat with 4 settings up to 425° F and indicator light. 120V through a 10' 18/3 wire cord. Back end is notched to prevent hot melt adhesive from being scraped back onto carpet's surface. Figure 8 heating element for even heat. Built-in sheild protects carpet backing from excessive heat. Insulated handle with 3-way cord guide keeps cord out of the way. Complete with instructions and holder. UL listed.





Kool Glide Seaming Iron

- Simple, fast adhesion at the push of a button
- Bonds on demand in seconds
- No messy clean up because the tool never touches the adhesive
- Instantly ready to use
- Safer operation no fumes or danger of burns
- Smoke free

Carpet


No damage or discoloration of carpet

Lightweight, handheld electronic tool that melts carpet adhesive using a pre-programmed heating cycle, controlled by a state-of-the-art microprocessor. Precise amounts of adhesive and tightly controlled heating provide for a consistent, low-profile seam. Can even be used to rework seams from on top of the carpet.

0261020 Seaming Iron **0261022** Tape 100'



Aluminum Floor Seam Binder



Serrated face, stagger drilled and countersunk. Mill finish. 12' lengths.

0262607 2-1/2" x 12' L; 30/Ctn.

0262610 3/4" x 12' L; 30/Ctn.

Carpet Molding



All drilled and counter-sunk on 6" centers. 1-1/4" W x 12' L. Hammered.

0265505 Brass Finish; 25/Ctn.

0263200 Spiral Nails; 500/Box

0263206 Spiral Nails; 250/Box

0265504 Mill Finish; 25/Ctn.

0263201 Spiral Nails; 500/Box

0263207 Spiral Nails; 250/Box

Metal Outside Light

Projection: 6"

UL listed. Black finish. Use with 0280902.

0280903 Fixture Only; 24/Ctn. 0280902 Glass Globe Only; 48/Ctn.



Brushed Nickel Porch Light

Brushed nickel with glass.



Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Appliances

Tools & Hardware

0280105 12/Ctn.

Plastic Outside Light

Projection: 5-3/4"

Bulbs: One 60W (not included)

UL listed.



0280904 Black Fixture Only **0280902** Glass Globe Only; 48/Ctn. 0280906 White Fixture Only **0280907** Replacement Hardware



Porch Light

Height: 17-1/2" Projection: 8-1/2"

Bulbs: One 60W (not included)

Mounting Base: 4-3/4"



0284034 Black 0284035 White

Ceiling Fan with Light Kit

52" ceiling fan with three tulips lights. Silicon steel motor. Limited lifetime warranty. Motor size: 153 x 12. Triple capacitor, 3-speed reversible, dual mount, five blades, 12 degree pitch.





0280106 Rustic Petina 0280107 Brushed Nickel (shown)

0284065 Brushed Nickel with Oak Blades

0284070 White

0281202 Alabaster replacement globes



Plumbing

leating & Cooling

Domed Ceiling Fixture

Interior ceiling fixture with white alabaster domed globe. 11"



0280331 White (shown) **0280330** Brushed nickel

8" Two-Bulb Light Fixture

Interior, 2-Bulb, polished brass light fixture. *Globe sold separately.*





0280503 Base Only, 8" **0280502** Alabaster globe for 8" fixture

Single Bulb Ceiling Fixture

Interior ceiling fixture. 4-7/8" *Globes sold separately.*







0280099 Base Only, White0283701 Smooth white globe0284030 Clear ribbed glass globe

6" Single Bulb Fixture

Globe sold separately.



0280403 White fixture 24/ctn0280098 Polished brass fixture w/pull chain 24/ctn0280402 Alabaster glass globe for 6" fixture

Two-Bulb Fixture

Projects 6", white fixture, uses two 60W (not included).




0280103 24/Ctn.

Replacement Shades

15" alabaster swirl glass. **0280301** 12/ctn



14" plastic diffuser. **0280102** 48/ctn



12" square glass diffuser. **0280201** 12/ctn



Three-Lamp Wall Mount Fixture

24" brushed nickel with white alabaster globes. Fixture comes with 3 shades.



0284047 2/cs 0284050 Replacement globes, 12/ctn

Two-Arm Wall Mount Fixture

Brushed nickel. Shades sold separately.



0284045 Fixture 12/cs 0284050 White Alabaster Shade 12/ctn.

Energy-Saving Fluorescent 10,000 Hour Closet Light



0280120 Closet Light w/ Fluorescent Bulb

Two-Arm Wall Mount Fixture.

14" brushed nickel fixture. Shades sold separately.



0284049 6/Ctn. 0284050 White Alabaster Shade 12/ctn.

Brass Arm Wall Fixture

Projection: 6" Height: 8"

Finish: Polished brass

Bulb: One 60W Neck: 2-1/4"

(Shade and bulb not included)



0280409 Brass Arm with Wall Switch

0281202 replacement globes

Light Shade Screws

Brass screws for light fixtures.



0281501 Standard Size w/Smooth Head, Bulk Small Metric w/Phillips Head; 100/Pk.

Shade Nuts

0285026



Acorn Nuts

White plastic; 50/Ctn.

0281605



Replacement Shades

7.25" white alabaster glass globe with 1.5" screw-in throat. 0284050



Smooth Glass Globe - 3-1/4" throat opening 0283701



White alabaster glass 0280402 6" opening, 24/ctn 0280502 8" opening, 12/ctn



Clear cut crystal glass 6" dia x 6" high with a 3-1/4" throat opening. 0283704



Alabaster Glass - 2-1/4" throat

0281202 24/ctn



Clear ribbed class - w/3-1/4" throat opening.


0284030



Spiral CFL Blubs



Frosted bulbs by Supreme Lighting. Dependable; long-lasting. 60 watt. 120 bulbs per case.



0281705

0281714 13W (Equiv. 60W) **0281715** 20W (Equiv. 75W) **0281716** 23W (Equiv. 100W)

Flame Bulbs

Clear 130-volt. 40W; 25/Ctn.



0281702 Candelabra Base **0281725** Medium Base

Vanity Bulbs



0281710 3.75", 60W 0281709 3", 40W

Torpedo Bulbs

Clear 130-volt. 25W; 25/Ctn.





Heating & Cooling



0222301 Ivory; 250/Ctn. **0222303** White; 250/Ctn. **0222302** Brown: 250/Ctn.

Midi Switch Plate

For larger boxes: 3-1/8" W x 4-7/8" H.

0222304 Ivory; 100/Ctn. **0222295** White; 100/Ctn. **0222305** Brown; 100/Ctn.



Double Switch Plate

4-15/16" W x 4-7/8" H. 100/Ctn.



0222300 Ivory **0222299** White

Toggle Switch

10-A-125V; 5-A-250V. 1" wide mounting strap. 100/Ctn.



0221701 Ivory **0221702** Brown **0221703** White

Duplex Receptacle Plate



0222601 Ivory; 250/Ctn. **0222603** White; 250/Ctn. **0222602** Brown; 250/Ctn.

Midi Receptacle Plate




For larger outlet boxes: 3-1/8" W x 4-7/8" H for single gang. 100/ Ctn.

0221203 Ivory **0221205** White **0221204** Brown

Duplex Receptacle

Parallel grounding 15 amp 125V. UL listed. 100/Ctn.





Single Blank

0225005 White; 100/Ctn. **0225006** Brown; 100/Ctn. **0225007** Ivory; 100/Ctn.

Double Blank

0225008 Brown; 50/Ctn. **0225009** White; 50/Ctn. **0225010** Ivory; 50/Ctn.



Wall Plates, Switches and Receptacles

Duplex Receptacle & Plates

Universal duplex. U-bend contact design for maximum conductivity and plug retention; exceeds UL standard for abrupt plug pull-out. UL498 listed.

0222345 WDRU15IV; Ivory

0222347 WDRU15WT; White



Side snaps assure proper alignment; quick to install. No screws to lose. Virtually unbreakable thermoplastic. Smooth surface for easy cleaning. Single gang.

0222346 WPRUIV, Ivory 0222348 WPRUWT, White

Decorator Plates & Switches



Accommodates both decorator switches & receptacles. Furnished w/long screws. 100/Ctn.

0222308 White **0222309** Ivory 0222310 Brown

Touch-A-Matic single pole w/grounding terminal on E-Z wire device. Sealed against dust. High endurance.

0222311 Ivory; 100/Ctn. 0222294 White; 100/Ctn.



Self-Contained Receptacle

Use 14-2/G or 12-2/G NM cables for in-line or end-of-line use. UL listed. 100/Ctn.



0222355 White **0222356** Ivory 0222357 Brown



0222325 Plastic Pawl (Wing)

Snap-On Plate

Self-Contained Switch

Use 14-2/G or 12-2/G NM cables for in-line or end-of-line use. UL listed. 100/Ctn.



0222327 White

0222326 White **0222322** Ivory

Self Contained Receptacle, Switch, and Plates

Self-Contained Receptacle



Self-Contained Rocker Switch

Decorator guiet-touch. Single pole in-line. For sheet rock 5/16" to 1/2" thick or wall paneling 5/32" to 1/2" thick. Use only nonmetallic sheathed cable; types NM & MNC having copper conductors sizes #14 and #12 AWG. 15 amp/120 VAC; 100/Ctn.

SINGLE, 100/Ctn

Plates

0222318 Ivory 0222317 Brown 0222331 White

DOUBLE, 100/Ctn

0222324 Ivory **0222323** Brown 0222332 White

0222313 Ivory, Plate & Switch

0222314 Brown 0222330 White

0222315 Ivory 0222316 Brown

0222329 White

(E)

D

Ground Fault Interrupter Receptacle w/Plate

Fits easily into standard surface flush boxes. Feedthrough ready. UL listed. 15 amp 125V at receptacle 20 amp 125V feed-through. 10/Ctn.

0222889 White 0222891 Ivory

Phone Jack

Surface mount, snap cover for neat appearance with pre-wired combination head screw terminals. For surface mount onto baseboards, walls and other flat surfaces. Self-tapping mounting screws and

adhesive pad provided, 4 conductor in almond.



0222820 Phone Jack

Weatherproof Male Motor Base

Three-wire outdoor wire receptacle with snap cover. Parallel grounding motor base, #999l.

0222815 50/Ctn.



Weatherproof Protective Plate

Weatherproofs any conventional or "U" ground duplex receptacle, duplex switch or combination switch/ receptacle. Snaps shut with self-sealing rubber gaskets. Indestructible Lexan® polycarbonate. 50/Ctn.

0221400 Gray 0221405 White






0270221 Outlet. Box of 144 0270222 Switch. Box of 144 Coatings & Cleaners

Heating & To Cooling

Wiring Devices

Two-Gang

Plastic. OD: 1-3/4" D, 3-1/4" H, 4-1/16" W. Ears securely molded to box. Wire clamps included; bulk packaged.



Single-Gang

Plastic. OD: 1-3/4" D, 3-3/4" H, 2-3/8" W. Ears securely molded to box.

0221103 W/Ears

0221105 W/Ears & Swing Bracket **0222325** Plastic Wings (Pawls)

0222328 Screws for Wings



0221104

Round Box

3.5" round outlet box, 2-1/8" diameter w/high clamps, ears and snap-in bracket which secures box to wall or ceiling.



Thermostat Wire

20 gauge. UL listed.


0220308 2 Wire, 500' **0220310** 5 Wire, 250' **0220313** 8 Wire, 250'



0221106


Range Cord

4', 50 amp cord w/three #6 and one #8 conductors with molded cap and terminal plugs. 12/Ctn.



Range Receptacle

4-wire, 50 amp, 125/250-volt range receptacle with "Quick-Lok" terminals. 50/Ctn.



0220306

MH 4-Wire Dryer Cord




Round rubber jacketed wire, molded-on plug. Black 4-wire 4' for mobile homes, 30 amp. 12/Ctn.

0220307

Dryer Receptacle

4-wire, 30 amp, 125/250-volt dryer receptacle with "Quick-Lok" terminals. 50/Ctn.



0224301

0224201

3-Wire Female Plug

15 amp 125V furnished with cord clamp for heavy duty use. Standard plug with parallel prong. UL listed.





3-Wire Male Plug

Solid brass plug blades are firmly embedded in body. Terminal screw clamps are designed to contain wire and prevent binding. Terminal screws backed out – ready for wiring. Terminals in individual chambers to positively insulate conductors. Combination

slot/Phillips head mounting and terminal screws ease installation.

15 amp, 125V, thermoplastic rubber cord. Dia. .25 - .60". UL listed.



0223201

Non-Metallic **Liquidtite Fittings**





Straight Connector


For use with non-metallic liquid tight conduit, Type B. Provides smooth connection, no sharp edges to strip wire. Wiring easily pulls through Plastic material.

0220431 1/2" Elbow 0220434 3/4" Elbow

0220430 1/2" Straight Connector

0220433 3/4" Straight Connector

PVC Conduit



0220441 3/4" x 10"

PVC Condensate P-Trap



0100545 3/4"


Ultra Whips – Convenience Kit

Quick wiring in three distinct colors for easy A/C hookup. 90-degree connector is removable for straight connections (Straight connector not included). 1/2" x 4' THHN wire. Non-metallic connectors.

0220405 10 G, 1/2" x 4'; 6/Ctn. 0220410 8 G, 1/2" x 4'; 6/Ctn. 0220412 10 G, 1/2" x 6'; 6/Ctn.



Non-Metallic Sheathed Cable



- Uncoated copper conductors ASTM B-3
- Insulation Cresin-90 PVC compound, color-coded
- Two conductors are laid parallel with ground wire and paper separator
- Three conductors are twisted with cable fillers with wrapped ground wire to form round core
- Smooth 30 mil PVC jacket overall

Materials, test and construction in accordance with ANSI/UL719 and Federal Specification J-C-30A.

0220425 8-2 NM w/Ground, 125' **0220427** 12-2 NM w/Ground, 250' 0220424 10-2 NM w/Ground, 250'


Liquidtite Flexible Non-Metallic Conduit

For electrical applications outside, inside and industrial uses including transformer connections, air conditioning and heating. Joins with metallic or non-metallic connectors, easy to cut conduit is impact resistant, chemical resistant and will not kink or fracture.

0220408 1/2" x 100' Roll 0220432 3/4" x 100' Roll



Underground Feeder Cable




- Solid copper 2 or 3 conductors
- 90° PVC insulation, color coded, insulated conductors and bare ground laid parallel
- 600 Volts
- Sunlight resistant PVC jacket compound

Materials, test and construction in accordance with ANSI/UL 493 and Federal Specification J-C-30A.

0220426 10-2 UF w/Ground, 250'

Thermostat Wire



20 Gauge. UL Listed.

0220308 2 Wire: 500' 0220310 5 Wire: 250' 0220313 8 Wire, 250'


Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Tools & Hardware


Circuit Breakers & Disconnects

Homeline Circuit Breakers



SQUARE D

10,000 Amperes RMS — UL listed Interrupting Rating 120/240 Vac. 15-30 Ampere breakers are suitable for use with 60°C or 75°C conductors. 40-125 Ampere breakers are suitable for use with 75°C conductors.



0220977 15 Amp, 1 Pole ◆▲

0220982 20 Amp, 1 Pole ◆▲

0220979 20 Amp, 2 Pole, Common Trip ◆

0220980 30 Amp, 2 Pole, Common Trip ◆


0220981 40 Amp, 2 Pole, Common Trip ◆

0220983 50 Amp, 2 Pole, Common Trip ◆

0220984 60 Amp, 2 Pole, Common Trip ◆

- UL listed as SWD (switching duty) rated. Suitable for 120VAC fluorescent lighting loads.
- UL listed as HACR type for use with air conditioning, heating and refrigeration equipment having motor group combinations and marked for use with HACR type circuit breakers.

Homeline Tandem Circuit Breakers



10,000 AIR — One Pole Tandem 120/240Vac (one space required). 15-20 Ampere one pole tandem breakers are suitable for use with 60°C or 75°C conductors. 15-30 Ampere two pole tandem breakers are suitable for use with 75°C conductors.

0220989 15 and 20 Amp **0220978** 20 and 20 Amp **0220993** 30 and 15 Amp



Homeline Quad Tandem Circuit Breakers

10,000 AIR — Two Pole Tandem 120/240Vac (two spaces required). Represents two 1-pole outer poles and one 2-pole inner breaker with common trip. 15-20 Ampere one pole tandem breakers are suitable for use with 60°C or 75°C conductors. 15-30 Ampere two pole tandem breakers are suitable for use with 75°C conductors.

0220986 Two 20 Amp 1 Pole, 30A 2 Pole **0220987** Two 20 Amp 1 Pole, 40A 2 Pole **0220988** Two 20 Amp 1 Pole, 50A 2 Pole

Disconnect Switches

- * Fuses install into pull-out handle.
- * Line, load, and ground terminals aligned for easy hook up with heavy wires.
- * Reversible side-opening door.
- * Indicator lights for blown fuses
- * Full dead front.
- * Folding pivot locking tab.
- * Knockouts accommodate three sizes (1/2", 3/4", and 1").
- * Rear entry knockouts.
- * Heavy gauge steel case.
- * Standard 1/4" head screw on dead front.

- * Large internal wiring space.
- * Installs without removing internals.
- * UL/CUL listed.
- * Multi-lingual packaging.
- * No sharp edges on the metal case.
- * Center slotted hanging hole for easy level wall mounting.
- * Tough epoxy powder coat finish UV stabilized.
- * Long-lasting plated copper electrodes.
- * Operate and store positions for disconnect pull-out.

METALLI	С				
Part #	Description	HP Max	Line	Load	Equip. Grounding Terminals Al/Cu
0220406	60 Amp, Not-Fusible	10	#14-#3	#14-#3	(2) #14-#4

NON-METALLIC					
Part #	Description	HP Max	Line	Load	Equip. Grounding Terminals AI/Cu
0220409	60 Amp, Not-Fusible*	3	#14-#3	#14-#3	(6) #14-#4



^{*} Does not contain overcurrent protection. Suitable for use on systems with up to 10K RMS symmetrical amperes available fault current at 240 Vac when protected by a fuse or circuit breaker rated 60 Amperes or less.

EASYHEAT® AHB Electric Pipe Heating Cable

Pre-Assembled Sets

Freeze protection on metal and plastic pipe. Complete, ready-to-install system in one compact box. CSA certified and UL listed. 120 VAC, 7 watts/ft., PVC inner insulation. Continuous ground braid, 3-wire grounded cord and plug

(24") with weather-resistant PVC outer jacket, moistureproof snap-action thermostat. "On" at approximately 38° F and "Off" at approximately 45° F.

Selection Table for AHB Models





UL & CSA Heated Amps listed Section Automatic Cable Watts Stock # 120V Length w/Thermostat Only in feet 120VAC S.O. 3 21 .2 AHB-013 0270515 6 42 .4 AHB-016 0270516 9 .5 63 AHB-019 0270517 12 84 .7 AHB-112 0270518 9 15 105 AHB-115 0270519 18 126 1.1 AHB-118 0270520 24 168 1.4 AHB-124 0270521 30 210 1.8 AHB-130 S.O. AHB-140 40 280 2.3 S.O. 60 3.5 AHB-160 420 S.O. 80 4.7 AHB-180 560

Self-Regulating, Cut-to-Length Cable

Freeze Free® Cable - Self-regulating pipe heating cable that automatically varies its heat output with changes in surrounding temperature. Freeze Free cable helps keep plastic and metal water pipes from freezing to -60°F/-51°C. A braided metal jacket provides an electrical ground as well as protection against

0272305 100' Reel 0272306 300' Reel 0272304 500' Reel

damage in dry locations. Freeze Free cable is available on reels of 100 feet, 300 feet and 500 feet and can be cut to desired lengths per application.

Pre-packaged lengths of 5 feet and 15 feet are also available.

3 watts per foot, 120 VAC at 50°F; 75-foot maximum circuit length, 3-foot minimum circuit length.





Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Appliances

Tools & Hardware

Carpet & Flooring

Heating & Cooling

EASYHEAT* Warming Your World

Pre-Packaged Kits

Custom pipe freeze protection at off-the-reel prices! Choose pre-packaged systems or for longer cable needs, just cut off the required length from the reel dispenser and attach plug, packaged separately. Freeze-Free uses a self-regulating conductive core

that reacts to changes in temperature, needing no thermostat.

Patented fused plug—the same quality connector used by the industry since 1992—installs in minutes with basic household tools. Approved for use on both plastic and metal to -20° F. UL listed.

Kits contain indicated length of Freeze-Free Cable, one fused plug kit, (1) instruction sheet and (1) set of warning labels.

0272314 5' Kit; 5/Ctn. **0272316** 15' Kit; 5/Ctn.



Floor Display



Freeze Free Display

Display contains 100' feet of cable with a pegboard holder, ten plugs and an attractive header with a supply of application guides. Other Freeze Free items can be added to complete an effective sales center.

0272308 Sales Center

Fused Plug Kits

- Grounded 30" cord-set requires less heating cable
- Power indicator light shows that power gets to the plug and indicates an intact fuse
- UL System Listed
- Pipe mounting brackets for easy attachment to typical water pipes
- Built-in, fast-reaction fuse
- Easy to install: just insert the cable into the plug and tighten the screws
- Same reliability
- Now supports up to 75 feet of Freeze Free cable

0272307 Kit, Clam Shell **0272317** Kit; Bulk

0272310 End Caps, 5/Bag; 10/Ctn.



Thermostat



- 35°F Automatic "On" 45°F Automatic "Off" (approximately)
- Controls any 120 volt heater, heating cables, engine heaters, electric heaters, heat lamps

No special wiring, easy to install—just plug it in. Reduces energy consumption. One outlet with an indicator light to let you know unit is functioning. 1800 watts maximum, 15 amps, 120 volts.

0272318

NOTE: USE ON SPECIFIC VOLTAGE ONLY; MAKE SURE ELECTRICAL OUTLET IS NOT OVERLOADED.

Fiberglass Pipe Insulation Kit

Frost King Fiberglass Pipe Insulation Kit, comes with 25' plastic vapor barrier.

- 1.6 R-Value. Package covers
 - 17' of 1/2" Pipe
 - 12' of 3/4" pipe
 - 10' of 1" pipe.

For either hot or cold water pipes. Made In USA.

0270801 3" x 1/2" x 25' roll.



Pre-Slit Tubular

Single step foam pipe insulation with half-slit to easily slip over pipe. Self-closing so you need no tape. Flexible for easy bending. 6' long, bulk.

3/8" THICK WALL


0270525 For 1/2" Copper or 1/4" Iron pipes 0270526 For 3/4" Copper or 1/2" Iron pipes 0270527 For 1-1/4" Copper or 1" Iron pipes

1/2" THICK WALL

0270523 For 1/2" Copper or 1/4" Iron pipes 0270524 For 3/4" Copper or 1/2" Iron pipes

1" THICK WALL - R 6.4

0270495 For 1" Copper pipes



Notes:	 	 	
	 	 	
	 	 	
	 	 	

Electrical

Water Heaters

- Exclusive Rheemglas tank lining resists corrosion and prolongs tank life
- Anode rod equalizes aggressive water action
- Patented R-Foam insulation process for superior heat retention
- Isolated tank design reduces heat loss
- Certain models meet HUD Manufactured Home Construction and Safety Standards, ASHRAE 90A-80 and National Appliance Energy Conservation Act (NAECA) requirements
- Certain gas models have field convertible controls for natural or LP operation
- Relief Valve include with all models



Stock #	U.S. GAL.	# of Ele- ments	Volts	Weight	Conn.	Height Inches	Dia.	Watts/ BTU
One Year Warranty								
ELECTRIC								
0431705*	30	2	240	70	Side	45-1/2"	17-3/4"	3500
0431739*	30	2	240	91	Side	30"	21-3/4"	4500
0431738*	30	1	120	91	Side	30"	21-3/4"	1700
0431712*	40	2	240	94	Тор	46-1/2"	19-3/4"	4500
0431714*	40	2	240	94	Side	46-1/4"	19-3/4"	4500
0431711*	40	2	240	94	Side	46-1/4"	19-3/4"	3500
0431718*	50	2	240	105	Тор	57"	19"	4500
*HIID approved (5 year warranty)								

HUD approved (5 year warranty).

Five Year Warranty								
NATURAL GAS SEALED COMBUSTION DIRECT VENT								
0431724*	30	n/a	n/a	110	Side/Top	57"	17-3/4"	30,000
0431726*	40	n/a	n/a	125	Side/Top	57-1/2"	19-3/4"	30,000

*HUD approved (5 year warranty).

Six Year Warranty*								
ELECTRIC								
0431703	20	1	120	69	Side	25-1/4"	19-3/4"	1500
0431706*	30	2	240	70	Side	45-1/2"	17-3/4"	4500
0431708	30	2	240	83	Тор	30"	22-1/4"	4500
0431740	30	2	240	91	Side	30"	21-3/4"	4500
0431710	30	1	120	83	Тор	30"	22-1/4"	1500
0431741	30	1	120	83	Side	30"	21-3/4"	1500
0431742*	30	1	240	70	Side	45-1/2"	17-3/4"	3500
0431743*	40	1	240	94	Side	46-1/4"	19-3/4"	3500
0431717	38	2	240	108	Тор	31-1/2"	23"	4500
0431715*	40	2	240	94	Side	46-1/4"	19-3/4"	4500
0431735	40	2	240	95	Тор	46-1/2"	19-3/4"	4500
0431719	50	2	240	117	Тор	46"	21-3/4"	4500

*HUD approved (5 year warranty).

Five Year Warranty*							
NATURAL							
0431721*	30	3" VENT	100	Side/Top	59-3/4	16-1/8"	30,000
0431723*	40	3" VENT	120	Top/Top	61-3/4	18-1/8"	32,000

*HUD approved (5 year warranty).



Vent Packages

Combustion Water Heaters

0431748 12"

0431749 17" - 32" **0431750** 32" - 60"

0237958 Ceiling Ring



Screw-In Immersion

1" NPT no-taper screw plug. Fits many models of Rheem, State, Ruud, Norge and others. Includes one gasket.

0431600 1750W-120V: 25/Ctn. **0431601** 1500W-120V: 25/Ctn. 0431602 4500W-240V; 50/Ctn. 0431603 3500W-240V; 50/Ctn. **0431604** 2000W-120V; 25/Ctn. 0431607 3000W-240V; 12/Ctn.



Square Flange

2-1/2" square, flat surface, 2-1/2" bolt circle, 1-49/64" bolt centers. Includes one gasket. 50/Ctn.

0430702 1500W-120V; 50/Ctn. 0430703 4500W-240V; 25/Ctn.



Universal Flange

2-1/2" square flange with raised corners. 2-1/2" bolt circle, 1-49/64" bolt centers. Includes one regular "O" ring. 25/Ctn.

0431201 1500W-120V **0431204** 3500W-240V 0431203 4500W-240V



Open Coil Elements

Seven porcelain discs. Stainless steel rod withstands 1300° constant temperature, and the machine-twisted terminal loops insure against burnouts. 50/Ctn.

0430503 1500W-120V 0430504 2000W-240V **0430502** 1750W-120V



Gas Valve

Convertible gas valve for mobile home heaters. 1-1/2" shank.

0430415 Sealed Combustion 0430416 Atmospheric



Telescoping Gas Stack and Flue Pipe

Overall length: 22-7/8" with flue pipe NOT extended.


For use with propane gas water heaters. Pulls air from inside of home and vents exhaust out of top of home. Flange has 12° angle for sloped roofs. Extends 8-3/4" above roof line.

0425195 4/Ctn.

Universal Adapter Kit

Converts screw-in element to replace round head, flat flange and universal flange, 12/Ctn.

0430604



53-1/2" with

extended.

flue pipe fully

T & P Valve

Temperature and pressure relief valve with test lever, stainless steel spring and all bronze body. Thermostat is positive, accurate and proven. Self-closing. 50/Ctn.

0430120 3/4" x 4" L 0432048 3/4" x 5" L 0432046 1/2" x 4" L



Water Heater Door

Without Vents 0212000 22" x 60" 0211997 23" x 60"

With Vents (Not Shown) 0432050 22" x 60" **0211999** 23" x 60"



Flexible Water Connectors

Flexible copper connector for water only.

0440015 24"; 25/Ctn. 0440010 18"; 25/Ctn. 0440018 Washer



Flexible Gas Connectors

1/2" OD coated brass tubing 1/2" FPT x 1/2" MPT (tapped 3/8" FPT). Approved for indoor and outdoor use. AGA listed.

0250815 18" 0250816 24" 0250817 36"



capacity. Available in a choice of thicknesses to offer you greater R-values.

0270500 2" thick x 48" x75" R6.7 0270501 3" thick x 48" x 75" R10

Water Heater

Fully universal. Fits push-in,

screw-in or clamp-on type pilot

burners, 24/Ctn.

0232501 18" 0232502 24"

0232503 30"

Thermocouple


Water Heater

Insulation

Vinyl-backed Fiberglass

Insulation is designed for

heaters up to 60-gallon



24 Thermocous

PEX Water Heater Swivel Connectors

3/4" insert x 3/4" FPT for PEX tubing & pipe.

0440017

Shark Bite Push-On Water Heater Connector

0440012 3/4" FIP x 3/4" shark bite x 24" long

Continuity Tester

Tests elements and thermostats while they are in the water heater. LED light indicates continuity. Unbreakable body with protective covers over light and probe.



0382006 12/Ctn.

Waterway Connector

For water heater inlet and outlet hookup plus other uses, where dissimilar metals occur in piping and plumbing systems. 3/4" MPT x 3/4" MPT x 3" length MIP. Thermoplastic lining prevents corrosion. Bulk.

0431625

Drip Pan

Plastic polymer, semi-flexible. Pre-drilled to accept furnished 1" PVC plastic fitting. Meets requirement of Southern Building Code.

0260155 22"; 12/Ctn. 0260156 24"; 12/Ctn.





T-stat

Replacement for any electric, domestic water heater.

0431901 Double-throw 240V 0431904 Thermo Disc 1-Pole 0431906 Lower Thermostat.



Bathroom Faucets

Garden Tub Filler



Adjustable centers 8" ABS spout w/water directional, drip deflector and sonic weld seal. ABS trim. Large, clear acrylic handles, brass end valves, nylon braided, spring loaded, double crimped, flex hoses. Mixing tee w/washer. Compression. IAPCO approved.

0374412 Chrome; 12/Ctn.


0374429 Chrome; w/hi-arc spout; 12/Ctn.

0374406 Replacement Hose **0374407** Stem & Bonnet; Pair

0374423 Spout Only **0374411** Mixing Tee

Deck Mount Garden Tub Filler





More clearance: Mounting spout on faucet housing gives greater clearance on garden tubs with rolled edges or lips.

Easier to install: Handles and spout are factory-installed.

Brass body and brass stem compression, triple chrome plated. 8" 2-H exposed garden tub filler. Boxed.

0374419

8" Garden Tub Diverter




8" centers, deck or wall mount, ABS spout w/water directional, drip deflector and sonic weld seal. ABS trim. Large, clear acrylic handles, Self-supporting arm & flange, 1-pc. brass underbody. Compression. CSA & IAPCO approved.



0374422 12/Ctn.

Two Valve Diverter

Compression w/8" centers for thin wall installation. 7/8" max. thickness. 1/2" IPS brass shanks, metal spout, self-supporting ABS arm & flange. Shower arm long straight thread w/2.5" adj. 1", 20 threaded escutcheons, Renu seats, CSA & IAPCO approved. Front end diverter spout.



0378599 Seat; Pair

0378594 Stem & Bonnet; Pair

Garden Tub Faucet

w/Vacuum Breaker Attachment



Compression with 8" centers, factory mounted handles and spout. Comes with attachment (vacuum breaker) for using personal shower (not included).

0378809

Tub-Shower Diverter

Chrome-plated plastic body, quarter turn cartridge. Acrylic handles.



0378008 Tub-Shower **0378007** Shower Only 0378010 Repl. Cartridge 0378011 Repl. Acrylic "Crystal" Handle

Bathroom Faucets

2 Valve Diverter

Compression w/8" centers, factory mounted handles & spout (6.5"L). Front end diverter. Self-supporting ABS arm and flange, shower arm long straight thread. ABS housing with 3" max. width, CSA & IAPCO approved.



0378815 Chrome, Brass Underbody

0378816 Chrome, Plastic Underbody w/Brass Stems

0377126 Brushed Nickel, Brass Underbody

0377107 Chrome, Plastic, w/out Shower Head.

Brass Stems, Bagged

0378819 Center Diverter Nipple; 10/Ctn.

0374409 Stem & Bonnet; Pair

0374410 Seat: Pair

Offset Backsets:



0375907 Chrome-Plated, Brass Underbody

0377136 Chrome, Plastic, Bagged

0377135 Chrome, Plastic, w/out Shower Head, Bagged

3-Valve Diverter

Compression w/8" centers for thin wall installation. 7/8" max. thickness. 1/2" IPS brass shanks, metal spout, self-supporting ABS arm & flange. Shower arm long straight thread with 2.5" adj. 1", 20 threaded escutcheons, Renu seats, CSA & IAPCO approved.



0378603 Chrome: 12/Ctn. **0378596** Center Stem

0378599 Seat: Pair

0378594 Stem & Bonnet; Pair 0378601 1" Threaded Escutcheon

8" Tub/Shower **Diverter**



utopia

Non metallic, Offset Backset.



0379016 With Shower Head; 20/Ctn.

0379017 Without Shower Head

0376810 Diverter Knob

8" Shower Valve

Plastic underbody. Compression w/8" centers, factory mounted handles. Self-supporting ABS arm and flange, shower arm long straight thread with 2.5" adj., Renu seats on brass bodies, ABS housing with 3" max. width, CSA & IAPCO approved. Straight backsets.



0375912 12/Ctn.

0377108 w/o shower head, Bagged

0374410 Seat: Pair

0374409 Stem & Bonnet; Pair

4" Tub/Shower Diverter

Brass underbody with brass stems. Comes with shower head.



0378814 Chrome diverter;

12/Ctn.

0374409 Stem & Bonnet; Pair

0374410 Seat; Pair

4" Tub/Shower Diverter

Brass underbody with brass stems. CSA & IAPCO approved.

0378817 Faucet, White,

handles; 12/Ctn.

0378818 Faucet. Chrome: 12/Ctn. 0374409 Stem & Bonnet; Pair

0374410 Seat; Pair

0375915 Unica Adapter





4" centers, surface wall mount, unica adapter for personal shower hookup, angled 10° for easy shower attachment. Shanks available in 1.5" or 2" length. ABS housing w/2" max. width. CSA & IAPCO approved.

0378606 Diverter; 12/Ctn. 0375915 Unica Adapter 0374409 Stem & Bonnet; Pair

0374410 Seat; Pair

4" Shower Valve



Compression w/4" centers, factory mounted handles. Self-supporting ABS arm and flange, shower arm long straight thread with 2.5" adi.. Renu seats on brass bodies. ABS housing with 3" max. width, CSA & IAPCO approved. Straight back-sets.*

0374401 With Shower Head; 12/Ctn. 0377109 W/o Shower Head, Bagged

0374409 Stem & Bonnet; Pair

0374410 Seat; Pair

4" Tub/Shower



0379008

Utopia

0379006 24/Ctn.

0379008 Shower Only 24/Ctn.

Diverter w/Exposed Riser 3-3/8"




plated shield. Metal handles. 1/2" OD male thread x 1/4" ID female thread.

0378602 12/Ctn.

Tub & Shower Diverter





Renewable stem and bonnet. Less head, arm and flange. 1/2" OD male thread x 1/4" ID female thread.

0378604 12/Ctn.

Ultra 4" Lavatory Faucet





Sleek new design in four finishes to compliment any interior. Nonmetallic faucets.

0377156 Brushed Nickel

0377157 White 0377155 Chrome

0377158 Antique Brass

Anchors & Outdoor Set-Up Material Improvements

Coatings & Cleaners

Tools & Hardware

Bathroom Faucets/Replacement Parts

4" Lavatory Faucet

Compression w/4" centers, Renu seats on low-lead brass bodies. Clear acrylic handles. Deck mount ABS shield. Angled spout for better water projection. Water strainer. Drilled & plugged, CSA & IAPCO approved.

0377101 Brass underbody & stems

0377105 Faucet, Bagged

0378001 Non-Metallic, with clear handles

0374410 Seat; Pair

0374409 Stem & Bonnet/2 handle; Pair

4" Single Handle Lavatory Faucet



0375904 Repl. handle w/arrow

0375910 Screw

4" Lavatory Faucet



4" centerset chrome faucet. Less pop-up assembly. Box; 24/Ctn.

0379012 Clear handles 0379013 Smoked handles

4" Lav-A-Shower



utopia

Anti-syphon hook-up for personal shower. Chrome w/Clear Handles

0379010 Boxed, 24/Ctn.

Personal \leqslant **Shower Kit**

Full-cone, adjustable spray handset with finger-tip volume control, 3-position wall mount and 60" hose. Display packaging. White vinyl hose.

0378803

Arm/ **Flange** Set

0374395



Mirrored Cover-Ups

Acrylic cover-up installs on all standard bath/ shower fittings with silicone caulk.



0375891 3 Handle

Shower Head

Shower head, less arm and flange. Water saving economical head. Adjustable plastic, nonclogging, 2" face plate.



0378801 3/8" 0378802 1/2"

Low Flow Shower Head

9-Jet Turbo Massage. Consistent flow rate regardless of water pressure.

0378850 1.5 Gallons 0378851 2 Gallons

Shower Head



Chrome-plated ABS shower head, arm, flange and locknut.

0374408

Kitchen Faucets/Replacement Parts

Ultra Hi-Rise Kitchen Faucet

Sleek new design with hi-rise metal spout in four finishes to compliment any interior.



0377150 Chrome

0377151 Brushed Nickel

0377152 White

0377162 Repl. stem & bonnet

8" Kitchen Faucet

Chrome-plated faucet.

0374402 Brass Faucet Only, No Spray

0374400 Brass Faucet With Spray

0378003 Plastic; With Spray

0378012 Replacement Spout

0378010 Repl. Cartridge

0378011 Repl. "Crystal" Handle



8" Kitchen Faucet



0379014 Box; 12/Ctn.



Kitchen Faucet

8" ledge faucet, Renu seats. Clear acrylic handles. Deck mount ABS shield. Water saver aerator. CSA & IAPCO approved. 10.5" chrome decorative D-spout.



0374380 Chrome all brass construction; Boxed 12/Ctn.

0374381 Chrome all brass construction w/spray

0378004 Chrome-plated plastic faucet only, No spray

0377106 Faucet, Plastic, Bagged 24/Ctn.

0374399 Chrome plated plastic underbody w/brass stems & spray

0374409 Stem & Bonnet; Pair

0374410 Seat; Pair

0378616 Spout


Hi-Rise Spout



0378617 Chrome



0378616 Spout for 8" Faucet 0374398 Spout Nut



Single Lever Faucet

UPC approved.

0378813 Faucet; 12/Ctn. **0378821** With Spray

Kitchen Spray



0374394 Hose and Spray 0374393 Hand Spray Only

Replacement Parts

Dolphin Type Handles



Unica Adapter

Used to hook up personal shower to exposed diverter.

0375915



Pair Lucite Handles



Pair of handles with hot and cold buttons and screws. Carded.

0375903 Pair of Hot & Cold Handles - Regular 0375911 Pair of Hot & Cold Handles - Large 0377161 Pair of Hot & Cold Handles - Ultra 0375910 Screw

Buttons

0375908 "Cold" 0375909 "Hot"



Utopia Replacement Parts

Stem & Bonnet Kit

For all Utopia faucets with flat washer. 2/Card;12/Ctn.



Faucet Buttons

f/Utopia Faucets. Small, clear handle buttons.

0375917 "H" Hot 0375916 "C" Cold



Faucet Handles





Clear Handles with buttons and screws. 2/Card

0375905 Clear

0375906 Smoked

Utopia Faucet Repair Kit

Kit includes parts most commonly needed for field repairs of Utopia faucets:

0375918



Cone Slip Joint Washers



1/2" nut x 3/8" OD tube **0379504** 100/bag



1/2" nut x 1/2" OD tube **0379505** 100/bag



3/8" ballcock **0379506** 100/bag

Solid wood cabinet with adjustable shelf. Wood framed beveled glass mirror in door. Boxed and bar-coded. 16"W x 20"H x 3.2"D.

Includes:

- 4 screws
- 4 wall anchors
- 4 bump guards
- 4 shelf clips
- 1 shelf

0378123 Light Oak



Medicine Cabinet

Fits 2-1/2" recess; installs with 4 screws. Three shelves. Magnetic closure.

Rough opening:

13-1/8"W

17-1/8"H

2-3/8"D

Overall dimensions 16-1/8"W x 20-1/4"H.

0378121 4/Ctn.



5-Pc. Chrome Bath Set

- 1 large towel rack
- 1 small towel rack
- 1 tissue holder
- 1 soap dish
- 1 toothbrush/glass holder




Tissue Holder Zinc Chrome metal, springloaded,

concealed screw mounting. Screws

included. 12/Ctn.

0370320



0370325

Shower Curtain Rings


12 Zinc Plated Rings. Steel construction. No tools needed for installation.



0377227 12/Card.

Shower Curtains Rod & Flanges

72"W x 36"H white shower curtain. Vinyl.



0378300 12/Ctr.



5' Rod, Polished Aluminum.

0377225

2 Flanges w/4 screws 1" dia.

0377226

Access Panel



Quick, easy access to plumbing, electrical, telephone, sprinklers, etc. and lowers the cost of future repairs. Easy to install: just measure, cut, then pop in the panel.

Patented, spring-loaded mechanism permits frameless mounting from the outside. High-impact, non-yellowing polystyrene panel is backed by one-year warranty.

No screws, latches, fasteners or framework needed. Lightly textured surface accepts wallpaper or paint.

0370332 8" x 8" Panel **0370333** 14" x 14" Panel



I-10

Anchors & Outdoor Set-Up Material Improvements

Coatings & Cleaners

Tools & Hardware

Electrical

Safety

Grab-N-Go Toilet Package

Complete toilet package with superior box-rim flushing. Includes toilet bowl, tank and tank parts, toilet seat and parts, wax ring, floor bolts, bolt caps, clips and complete installation instructions.

0370217 White 0370218 Bone

Two-Piece China Toilets

Universal Heights 14-9/16" Rim Height. Siphon Jet Gravity Flushing System. Large Water Surface. Wide, 2" Computer Designed Trapway. Fully Glazed Trapway Gives Years of Sanitary, Trouble Free Use. Two-piece Toilet With 12" Rough-in, Low Consumption. (6 Lpf/1.6 Gpf) Siphon Jet Flushing Action. Tank And Cover With Up-grade Flush Value.

0370198 White **0370199** Bone

0370190 Repl. Bowl / Bone **0370191** Repl. Tank / Bone

0370192 Repl. Bowl / White **0370193** Repl. Tank / White

Handicap Toilet

ADA 18-5/16" Rim Height. Siphon Jet Gravity Flushing System. Large Water Surface. Wide, 2" Computer Designed Trapway. Fully Glazed Trapway Gives Years of Sanitary,

Trouble Free Use. Two-piece
Toilet With 12" Rough-in, Low
Consumption. (6 Lpf/1.6 Gpf)
Siphon Jet Flushing Action.
Tank And Cover With Upgrade Flush Value.



0370211 Bowl, White **0370212** Tank, White

Tank to Bowl Bolt Set

2 each solid brass 5/16-18 x 3" bolts, 4 plated steel washers, 2 hex nuts, 2 wing nuts & 4 rubber washers. 72/Ctn.

0372901

Toilet Tank Lever



0373201 200/Ctn.

Toilet Seat Lock

Install or remove in minutes; no special tools needed. Not connected to commode, so it will not mar or scratch. Reusable. 24/Ctn.

0371004 For Water-Saver 1.6 Gal. **0371005** For Elongated Bowl



0371201 Round White; 6/Ctn. **0371204** Round Almond; 6/Ctn. **0371205** Elongated White; 6/Ctn.

0371200 Nylon Top Mount Hardware (Two Bolts w/Nuts)



Plastic Closet Rings



0320901 Male 3"; 50/Ctn. **0320902** Female 3"; 50/Ctn. **0320903** 3" x 4" w/Test Cap

Rear Closet Bolt Set

Two each 1/4 -20 x 1-3/4" brass plated steel bolts, open head nuts, retaining clips and oval washers. 10/Ctn.

0372902

Tank to Bowl Gasket

Sponge rubber gasket. Fits regular tank and bowl. 12/Box.

0379501 0379502 Gerber & Crane

Sewer Ring

Sponge rubber sewer ring

0321402 50/Ctn.



Water Supply Line | Qest Supply | FlowTite™

TOILET

3/8" x 12" Ballcock 0374415

1/2" x 12" Ballcock 0374416

FAUCET SUPPLY LINE


3/4" Comp x 1/2" F.I.P. x 12" 0374417

1/2" F.I.P. x 12" 0374418





100/Ctn.



Ballcock 5/8" Nut 0374421

The only stop valve that is code approved to be installed on Copper, CPVC, or PEX pipe and backed by a written 10 year labor and material Warranty One FlowTite Valve Fits all. 12"



0374426 12" x 7/8" ballcock nut

Wax Bowl Ring

- 1. 100% Pure Petroleum Wax provides a permanent leak proof seal that is impervious to vermin, odors, gases and acids.
- 2. Fits 3" x 4" waste lines
- 3. For all floor type closet bowls
- 4. Polyethylene sleeve extends the discharge opening for a more positive seal
- 5. Meets Military Spec. TT-P-1536A


0321301 48/Ctn.

0321302 W/Sleeve; 24/Ctn.



Flapper 500

500- Toilet flapper. Easy to install, universal fit, works on most toilets. Rigid frame seals the drain every time. Fits plastic or metal flush valves with or without mounting ears. 1 year warranty.



Wax-Free Toilet Seal 3" Toilet Flange Installed on 3" Drain Pipe

Oateu



- Conforms to ASTM A 1045
- Seals on floors raised above the flange by up to 3/4"
- · No need for flange risers or stacked wax rings
- · Impervious to mold and mildew
- · Centers itself and the toilet to the drain
- Will not melt or freeze in the temperature extremes of your truck
- · Toilet can be removed and reinstalled with the same Fernco Wax Free Toilet Seal still attached
- · Made of flexible PVC and will move with a wobbly toilet

0321305 20/Ctn.

Flanner 504

504- Durable toilet flapper. Universal fit. Chlorine-resistant materials. Works on most toilets. Easy to install. Kink-free chain. Also replaces American Standard actuator units. Fits plastic or metal flush valves with or without mounting ears. 5 Year warranty.

0370106 Flapper 20/ctn

400-A Toilet Tank Repair Valve

400A- #1 Selling fill valve in the world. Anti-siphon. Height adjustable 9" to 14". Code approved. 1 year warranty.

0370100 25/ctn



Fluidmaster

Toilet troubles can typically be traced back to either the fill or flush component. The reasons for toilet troubles: worn parts/corrosion, faulty installation, incorrect parts, or older model toilets. If one leaky toilet can fill a swimming pool in one year, imagine the cost savings when it's fixed.

Toilet Flush Valve 507A

507A- Flush valve with 501 durable, chlorine-resistant toilet flapper. Ends leaks at the drain. Packaged in a carton. 5 year warranty.



0370901 10/ctn

Value Pack Kit

Contains the most popular flapper (#504) and flush valve (#400A) in one convenient package.



0370105 Valve Kit 25/ctn

Flusher Fixer® 555C Repair Kit

555C-Flusher Fixer Kit® with 501 durable toilet flapper. Convenient because it creates a new drain seat. Easy to install. Durable material resists chlorine. Flapper aligns on center of drain every time. Adjustable timing cup. Fits most



standard flush valves, with or without mounting ears, plastic, metal and porcelain. Replacement flappers for 555C are: 500 and 501 Sealant Ring is included in the 555C. 5 year warranty.

0370807 Flapper 20/ctn

Bath Vents

- Ultra-quiet, U.L. Listed, 115V motor.
- Vertical exhaust
- Foam damper for a secure seal when not in operation
- Simple installation with plug-in motor & lamp, snap-in junction box cover
- 50 or 100 CFM, 120 VAC., 60 Hz
- · Thermally Protected 8/Ctn.

Vented Fan w/Light

10-3/4" Rough Opening. Takes 100 Watt Bulb. 1.5 AMP, Type IC

0421205 100CFM, #V2244-100 **0421206** 50CFM, #V2244-50

Replacement Parts

0421207 Plastic Light Lens

0421208 Foam Damper Assembly

0421401 Blade Only

0421204 Motor for CFM50

0421203 Motor for CFM100



Vented Fan w/o Light

Vent w/out Light. 7" Rough Opening, 0.8 AMP

0421200 100CFM, #V2262-100 **0421201** 50CFM, #V2262-50

Replacement Parts

0421402 Grill & Spring Assembly

0421401 Blade Only

0421204 Motor for CFM50

0421203 Motor for CFM100





Replacement Motor for Old Style 0421206 & 0421201

0420103 Motor BDC019/BVD0275-00 120 VAC W/O Plug

Fiberglass Tubs



Clarion gel-coated fiberglass units are manufactured using state-of-the-art spray-up method. Each unit receives 16-18 mills of gel-coat, two layers of fiberglass laminate, and extra reinforcing in stress areas. The products meet or exceed the requirements of the American National Standards Institute, National Association of Home Builders, Z 124.1 and Z 124.2 or W/WP541/3A or WWR-541 and FHA/HUD-UM73

Fiberglass Standard Tub .



0379071 Shown Above

A sloped bathing well makes efficient use of small space with a clean, simple design. Slip-resistant, textured floor. Complies with NAHB, HUD UM-73A, and ANSI-Z124.1. 3 year warranty Left or right hand drain. Dimensions: 54"W x 28.25"D x 17.5"H.

0379070 Bone - LH Tub* 0379071 White - LH Tub* 0379072 Bone - RH Tub* 0379073 White - RH Tub*

(*Note: these models do not have predrilled overflow hole.) Not Stocked At All Locations

Fiberglass Garden Tub



A relaxing bathing experience awaits in this bath. Fixtures can be placed on the left or right surrounding ledges. Slip-resistant, textured floor. A natural for whirlpool, this unit can be jetted. Center drain. 3 year warranty. Complies with NAHB, HUD UM-73A, and ANSI-Z124.1

With Step

0379935 White - 54"W x 42"D x 24.75"H* 0379936 Bone - 54"W x 42"D x 24.75"H* 0379939 White - 60"W x 48.5"D x 23.5"H*

Without Step

0379937 White - 60"W x 42"D x 27.5"H* **0379938** Bone - 60"W x 42"D x 27.5"H*

(*Note: these models do not have predrilled overflow hole.)

Not Stocked At All Locations

2-Pc. Surround, Plus Tub or **Shower Pan**

Fiberglass reinforced gelcoat construction 2-Piece Surround & Tub/Shower Pan Center drain location

Molded soap ledges Slip-resistant, textured floor 3 year warranty

Complies with NAHB, HUD UM-73A, and ANSI-Z124.1 (Shower Pans Comply with ANSI-Z124.2)

 Bone - Sur. & Tub/Shower 54"W x 28"D x 75"H* White - Sur. & Tub/Shower 54"W x 28"D x 75"H* 0379084 White - Sur. & Shower Pan 54"W x 28"D x 75.5"H* Bone - Sur. & Shower Pan 54"W x 28"D x 75.5"H*

0379945 White - Sur. & Shower Pan 54"W x 28"D x 75.5"H, with predrilled 2 1/2" overflow hole

(*Note: these models do not have predrilled overflow hole, with the exception of 0379945)



0379081 Shown Above

Not Stocked At All Locations

Garden and Bath Tubs



Certifications: ANSI Z124.2

Baymont uses only sanitary high-grade gloss polyester gelcoat, reinforced with composite matrix. The finish, Baymont Sanitary White, is a proprietary color containing UV and mold inhibitors. 3" legs are built into the design for stability; a ridge trim protects the Apron and eliminates shoe molding. Baymont does not use cardboard or other undesirable structural materials. Units are constructed of polyester resins and strand glass only. Bottoms are constructed of A-Grade 7/16 OSB for better adhesion and stronger foundation.

Cody Bath Tub

27" Bath Tub

- 26.5" x 53.75"
- Total Capacity: 37 Gallons
- Slip Resistant Floor

0377853 27" x 54" Tub, RH Drain / Bone **0377851** 27" x 54" Tub, LH Drain / Bone **0377852** 27" x 54" Tub. RH Drain / White 0377850 27" x 54" Tub, LH Drain / White



Cade Bath Tub

27" Bath Tub

- 26.5" x 53.75"
- Total Capacity: 37 Gallons
- Slip Resistant Floor

0377859 27" x 54" Tub, CTR Back Drain / Bone 0377858 27" x 54" Tub, CTR Back Drain / White



Two Piece Wall

Surround

High Gloss Gelcoat

53 3/4" x 27 1/2" x 57" Slip resistant floor

0377869 27" x 54" White 0377870 27" x 54" Bone

Finish, w/Flange

Right Hand Drain

Casey Shower Pan

Shower Pan

26.5" x 53.75"



0377867 27" x 54" Shower Pan, CTR Back Drain /Bone 0377866 27" x 54" Shower Pan, CTR Back Drain / White

When installing shower door:

Use 0377869 & 0377870 wall surround

0379035 Almond, 1 Piece Surround 0379036 1 Piece Surround

> Almond, 3 Piece Surround 3 Piece Surround

Made of durable ABS, with a built-in soap dish

0377858, 0377859,

0377850, 0377851,

0377852, 0377583)

Made of durable ABS, with interlocking panels

0379105

0379106 White,

Fits 27 x 54" Tub/Shower (0377866, 0377867,

I-15

Coatings & Cleaners

Electrical

Providence Garden Tub





60" Garden Tub With Step:

- 59-3/4" x 49" x 23-1/2" H with Flange
- Total Capacity: 58 Gallons
- Slip Resistant Floor
- Available in Whirlpool by Special Order

0377862 60" x 49" Garden Tub with Step / Bone **0377863** 60" x 49" Garden Tub with Step / White

Ridgewood Garden Tub





54" Garden Tub With Step & No Walls:

- 53-3/4" x 45" x 24" H with Flange
- Total Capacity: 49 Gallons
- Slip Resistant Floor
- Available in Whirlpool by Special Order

0377864 54" x 45" Garden Tub with Step / Bone **0377865** 54" x 45" Garden Tub with Step / White

Milltown Garden Tub





60" Garden Tub, No Step, No Wall

- 59-1/2" x 42-1/4" x 23-3/4" H with Flange
- Total Capacity: 75 Gallons
- Slip Resistant Floor
- Available in Whirlpool by Special Order

0377860 60" x 42" Garden Tub, No Step / Bone **0377861** 60" x 42" Garden Tub, No Step / White

Surrounds For Garden Tubs

0379040 Surround 40" x 54", Almond

0379041 Surround 40" x 54", White

0379043 Corner Caddies 4" x 3", 2 Pack, Almond 0379042 Corner Caddies 4" x 3", 2 Pack, White

*You Must Order One Multi Pack Surround and One Package of Corner Caddies

Heating & Cooling


Fiberglassed Composite Tubs/Surrounds



Fiberglass with Composite Technology for Itrength and Beauty

- High gloss finish
- A Hard plastic surface
- Scratch resistant
- Reinforced
- Prevents flex
- Adds thickness






Standard Tubs

One piece garden tub constructed with composite technology with integrated apron, center, left or right hand drain and textured bottom. Three-year warranty. Individually boxed. 27" x 54" x 15" with 1" lip.

0379850 White, LH Drain **0379852** White, RH Drain **0379858** White, Center Drain


0379851 Bone, LH Drain0379853 Bone, RH Drain0379859 Bone, Center Drain



3-Pc. ABS Wall Surround

Three piece bath wall featuring two convenient shelves. Interlocking panels with smooth gloss finish. 27" D x 54" W x 59.5" H.


0379855 White **0379856** Bone



5-Pc. Surrounds

Five piece bath wall featuring six convenient shelves. High-gloss finish. 27" D X 54" W X 59" H.

0379916 Bone **0379917** White



5-Pc. Garden-Tub Surrounds

Five piece bath wall featuring six convenient shelves. High-gloss finish. Easily cut to fit depths from 42" to 48".

0379058 Bone 60" W x 59" H **0379056** White 60" W x 59" H

Fiberglassed Composite Tubs/Surrounds

- Molded from Gelcoat fiberglass and fully reinforced with fiberglass backing
- Available in left or right hand drain
- Twin elevated back wall shelves w/ acrylic towel bar
- Textured floor pattern
- Anti-flex floor construction
- Complies with ANZI Z 124 Series and HUD/FHA-UM-73a





29" x 54" tub with matching 1-pc. surround designed specifically to be used with the 29" x 54" tub.

0379060 White, LH 0379063 Bone, LH 0379061 White, RH 0379062 Bone, RH

0378208 Shower Door for Above



Shower Pans & Surrounds

29" x 54" shower pan with 1 piece surround and all the great design features shown on the left. No towel bar. Step over 9.5", tub depth 4", wall height 20".

0379866 White Pan 0379867 Bone Pan 0379868 White Surround 0379869 Bone Surround

0378209 Shower Door for Above

Fiberglass Garden Tubs





One piece garden tub featuring integrated tiling flange, integrated apron and textured bottom. Available with or without step.

0379860	42" x 60"	Bone	No Step
0379861	42" x 60"	White	No Step
0379862	49" x 60"	Bone	W/Step
0379863	49" x 60"	White	W/Step
0379864	45" x 54"	Bone	W/Step
0379865	45" x 54"	White	W/Step

Heating & T

ABS Tubs/Surrounds



These tubs and surrounds are made of ABS plastic and come in calf-grain textures. The strength in these tubs come from injection molded foam bases and formed drain supports. Garden tubs have an additional Masonite bottom sheet for stability. One-year warranty on standard tubs; heavy-duty units have a five-year warranty. Other tub styles and sizes are available by special order.

Tubs



Heavy-Duty*: 27" x 54" x 14-7/8" H (11-3/8" Depth)

 0379970
 LH White
 0379971
 RH White

 0379627
 LH White; Boxed
 0379628
 RH White; Boxed

 0379972
 LH Almond
 0379973
 RH Almond

 0379629
 LH Almond; Boxed
 0379630
 RH Almond; Boxed

Heavy-Duty with Center Drain*:

27" x 54" x 14-7/8" H (11-3/8" Depth)

0379885 White **0379886** Almond

*5 Yr. Warranty on Heavy Duty Tubs by BB

Standard Tub with Left or Right Hand Drain:

27" x 54" x 15-7/16" H (12" Depth)

0379985 RH White
0379875 LH White, Boxed
0379876 RH White, Boxed
0379978 LH Almond
0379979 RH Almond

0379984 LH White

0379877 LH Almond, Boxed **0379878** RH Almond, Boxed

Permalux Plus

0379965 Shower Surround, White

0379967 LH White, Boxed **0379966** RH White, Boxed

Tub with Center Drain:

27" x 54" x 14-7/8" H (11-3/8" Depth)

0379997 White

0379999 White; Boxed **0379998** Almond

0380000 Almond; Boxed





Standard Garden Tub

With Outside Step: 40" x 60" x 17-1/16" H (13-5/8" Depth) 0379993 White

0379994 Almond

Heavy Duty Garden Tubs

with Outside Step

40" x 54" x 17-1/16"H (12-3/8" Depth)

0379974 Almond

0379631 Almond; Boxed

0379975 White

0379632 White: Boxed

46" x 60" x 21"H (15-1/2" Depth)

0379982 White

0379624 White: Boxed 0379983 Almond 0379623 Alm.; Boxed

40" x 60" x 17-1/16"H (13-5/8" Depth)

0379968 Almond

0379625 Almond; Boxed

0379969 White

0379626 White; Boxed





Garden w/Center Drain:

42" x 60" x 19" (13-5/8" Deep) Without Step

0379995 White, Boxed 0379996 Almond







Corner Tubs

54" x 54" RH Drain; 17-1/2" Deep

0379880 White Tub 0379881 White Surround

I-20



ABS Tubs/Surrounds



One-Piece Tub Surround

Made of durable ABS with a built-in soap dish. Comes tri-folded in individual boxes. Easy to install with adhe-

sive or rivets (not included).

0379035 Almond for 27" x 54" Standard Tub 0379036 White for 27" x 54" Standard Tub 0379037 Almond for 40" x 54" Garden Tub 0379038 White for 40" x 54" Garden Tub 0379031 Almond for 40" x 60" Garden Tub 0379029 White for 40" x 60" Garden Tub

Rivets


0379033 Almond **0379034** White

Three-Piece Tub Surround

Made of durable ABS plastic, the interlocking panels support ease of installation. Easy to install with approved construction adhesive (not included).

0379105 Almond for 27" x 54" Standard Tub 0379106 White for 27" x 54" Standard Tub 0379107 Almond for 40" x 54" Garden Tub 0379108 White for 40" x 54" Garden Tub 0379109 Almond for 40" x 60" Garden Tub 0379110 White for 40" x 60" Garden Tub


Multi-Piece Surround with Corner Caddies



Calf-grain finish and tile look. All ABS stock formed from .080 sheet. Flanged lip at top and two sides for easier installation and straight wall finish. 57-3/4" high. One-year warranty.

*Please note that by adding the corner caddies to a 40" x 54" tub, for example, the surround now fits as 48" x 60" tub.

0379040 Almond f/40" x 54" Garden Tub, Sides & Back **0379041** White for 40" x 54" Garden Tub, Sides & Back **0379025** Almond f/27" x 54" Std. Tub, Sides & Back **0379026** White f/27" x 54" Std. Tub, Sides & Back **0379042** 4" x 3" White Corner Caddies*, 2 Pk. **0379043** 4" x 3" Almond Corner Caddies*, 2 Pk.



Shower Stall

Comes complete with "no caulk" drain, plastic faucet, shower head, handrail, soap dish and curtain. One-piece heavy-gauge plastic walls install quickly without caulk or fitting. Resists mildew and rust. White. 7.0 cubic feet, 33" x 72-3/8" x 33", 27" opening.

0379024 Economy Shower Stall

Retrofit Shower Stall

32" x 32". Stall only.

0379023 White Shower Stall 0379022 Bone Shower Stall





Door for Shower Stall

Continuous hinge with integrated handle and drip for easy installation. 27" opening. Not recommended for Economy Shower Stall.

0378205 Shower Door 0378210 Replacement

Rollers w/screws

Shower Pan





Beveled inside perimeter lets water from the walls flow back into pan. New design also adds strength. 32" x 32".

0379090 Almond 0379091 White

Bath-Size Shower Pan & Door





Replace any 27" x 54" tub with this new shower pan. Fits in the same space with no plumbing change.

0379098 Almond RH 0379096 White RH 0379097 Almond LH 0379095 White LH

Sliding track door w/integrated handle and drip for easy installation. Use with 0379097-8 and 0379095-6 below.

0378206 Shower Door for 27" x 54" Shower Pan



Door for 32" **Shower Pan**

Continuous hinge with integrated handle and drip for easy installation. Use with 0379090 and 0379091.

0378204 Shower Door for 32" x 32" Shower Pan 0378210 Replacement Rollers with Screws

Shower Surrounds for Tub or Shower Sizes



Made of durable ABS with a built-in soap dish. Comes in individual boxes. Easy to install with adhesive or rivets (not included).

0379092 1-Pc. Almond for 32" x 32" Shower 1-Pc. White for 32" x 32" Shower 3-Pc. White for 54" x 28" Shower Pan 3-Pc. Almond for 54" x 28" Shower Pan

Heating & To

Coastline Tub & Shower Enclosure



Silver satin anodized finish with safety tempered glass enclosure accents any bathroom. Nylon ball bearing rollers, W-type bottom track, wrap around vinyl glazing and 2 single towel bars.

 0378201
 54"; 4/Ctn.

 0378206
 For 54" Shower Pan

 0378303
 54" Replacement Sill Track

 0378304
 3/4" Black Rubber Seal

 0378305
 1-1/8" Black Rubber Seal

 0378210
 Replacement Rollers with

Bath/Tub Repair Kit




Comes with everything for the most demanding repairs to all types of plastics, fiberglass

and even enamel bath fixtures. Shower stall cracks can be repaired in minutes.

0110235

Flange Locks



Holds tub or shower pans against wall while allowing environmental expansion and contractions without cracking the tub or shower pan. Stainless steel to prevent rusting or discoloration while providing a strong "spring" action.

Use a minimum of:

- 3 flange locks per back flange
- 2 locks per side of tub
- 3 locks per flange on shower pans

0379039

Plastic Tub Molding



0265525 Tub, 8' Almond **0265526** Tub, 8' White **0265527** Inside Corner, 8' Almond

0265528 Inside Corner, 8' White

Screws for Shower/Tub Doors

Concave Cove




Two 6' 3/4" cove lengths of polished aluminum, 10/Ctn.

0265520

Tub Molding

54" set includes; 2-28" and 1-53-1/2" length coves, one each of right and left hand ends, and 2 corners. Bagged. 6/Ctn.

0265515



Garden Tub Molding

Garden Tub Set: 60" set includes 2-48-5/8" and 1-59-1/4" and 2-23-5/8" length coves. Ends and corners.

0379919 30/Ctn.

0265518 Screws; 50/Box

Trim Kits

Kits include: one 60" retainer, three 48" retainers, one 60" molding, four 48" moldings, 2 inside corners and 2 outside corners.

0265529 60" Almond Kit **0265530** 60" White Kit

Kits for 54" include: two 54" retainers, two 54" moldings, 2 inside corners and 2 outside corners.

0265531 54" White Kit **026**

0265532 54" Almond Kit






Coatings & Cleaners

Drain Components

Metal Strainer

Metal 4-1/4" flat sink strainer less locknut with grid, large rubber washer and metal washer.





Shower Drain

1 -1/2" Shower Drain with Stainless Steel Grid and Locknut. Chrome.



0374117

Rubber Stoppers



0379003 1-3/4"; 72/Ctn.

Tub Basket

2" stainless steel strainer with rubber stopper.

0374105 100/Ctn.



Toe-Touch Drain

1-1/2" C.P. toetouch drain, brass.

0374110



Bathtub Drain

Chrome 1-1/2" pop-stop drain with positive push-pull seal. Stopper seats and seals with a finger-tip touch. Plug is completely removable for cleaning. Comes with locknut.


0374107 50/Ctn.

0374109 Gasket for 0374107

Bathtub Drain Pack

Complete with chrome pop-stop tub drain, ABS P-trap and swivel strainer adapter. 1-1/2".

0321614







Flip-It Fit-All **Bathtub Stopper**

Fits 90% of all tub drain openings! Needs no tools to install!



Just press into drain and it stays there





Contains a unique ball-shift toggle system which opens and closes the drain with a simple push of the toe or finger. Fits all 1-3/8" to 1-5/8" tub drains. To install, just affix the included "O" ring and press into drain. Complete with "O" rings and instructions. Chrome in clamshell pack.

0374120

Replacement Chrome Tub Stopper

Polybag with hang hole.

0374123

1-1/2" Tub Trap Swivel

0320794







1-1/2" sp x NPSM.

0321615 50/Ctn.


Trap Adapter with Washer & Nut

1-1/2" x 1-1/2" or 1-1/2" x 1-1/4" furnished with both size SJ washers.

0321613 25/Ctn.

China Lavatory Sink

17" x 20" oval porcelain drop-in bowl.




Plastic Lavatory Sink 17" x 20" oval polypropylene, less overflow.

0376805 White; 8/Ctn. 0376807 Bone; 8/Ctn.

CO Plug & Drain

Matching CO plug & drain for 0377202 White 0377200 Bone



Riser with Nut Supply Line




0374425 30" x 3/8"

0376816 Bone

Rectangular Lavatory

Rectangular lavatory sink, plastic. 17" x 20"

0376804 White 0376803 Bone



Sink Supply Lines




Adapter Drain & Trap Connector Installs quickly and easily without special tools, gluing, threading or soldering. Simply place the ends over the pipes and tighten the rust-proof clamps. Connects 1-1/4" or 1-1/2" tubular traps to all common 1-1/4" or 1-1/2" drain piping.

0321895 20/Ctn.



FlowTite™





0374427 x 3/8" brass comp. adpt. 0374428 x 1/2" IPS nut

Replacement **Stoppers**

0374122 Chrome 0374108 Ivory



CO Plug & Drain Plastic Stopper f/1-Piece

0377200 Almond 0377203 Chrome 0377202 White

Pop-Up

0377205 Repl. Gasket

Chrome ABS



CO Plug



Use with china lavatories 0376815 & 0376816.

0377204 Carded



1-1/4" x 5" CO plug w/chain and rubber stopper. 25/Ctn.

0377201 Chrome

Male with washer and nut. 1-1/2" SP X SJ, 300/Ctn.

0321606 0375004 Bevelled Washer Only

1-1/2" P-trap, black polypropylene. 25/Ctn.



"P" Trap w/Union

ABS 1-1/2" H x H. without CO.





0321607 35/Ctn.

Plumbing Vent


Automatic 1-1/2" vent with adapter.



0425204 50/Ctn.

Flat Washer

1.5" rubber.



0375003 50/Ctn.

Bevelled Washer

1.5" rubber bevelled washer for use with P-trap adapter 321606.

0375004

0375203



Threaded Nipples

Plastic, 3" dia.; 25/Ctn.


0320301 3" 0320302 6"

0320303 10"



Reducing Elbow

Plastic, 3/4" x 3/4" combination and reducing elbow. Insert x MPT



Qwik Elbow

0321897

Connects all common household drain, waste & vent pipes quickly without special tools or fittings. Flexible, x-long, ideal for fittings cut out at the joint during alteration or repair. Flexible PVC 3" x 3".







0321541

Flexible Fittings

Couplers

- Elastomeric PVC, not rubber
- Highly resistant to caustic chemicals and ozone



- High tear and shear strength
- Rust-proof Series 300 stainless steel bands including screw and housing to assure easy installation and a positive seal.



0321893 1-1/2" 0321892 2"; 10/Ctn. 0321890 3"; 10/Ctn. 0 321891 4"; 10/Ctn.

Reducing Coupler



0321894 3" to 4"; 10/Ctn.

Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Tools & Hardware

Carpet & Flooring

Electrical

Dishwasher Drain Air Gap | Adj. Continuous Waste

Eliminates pressure build-up and possible contamination of water. Durable plastic with intake and discharge tube and a trouble-free air release valve for automatic anti-siphon protection. 5/8" OD inlet x 7/8" OD outlet.



0375006 Dishwasher Drain Air Gap

Brass Drain & Icemaker Valve



1/2" PEX x 1/4" O.D. compression straight valve.

0168219

PVC Basket & Strainer



Plastic 3", with stainless steel ring.

0374101 Basket & Strainer 48/Ctn. 0374202 Washer; 50/Ctn.

0374106 Basket Only



Adj. Continuous Waste w/Tailpiece



Metal Basket & Strainer



Stainless steel sink strainer to fit sinks with openings.

0374104 Basket & Strainer: 50/Ctn. 0374103 Repl. Basket f/374104 0374202 Washer; 50/Ctn.

White Plastic Basket & Strainer



0374100 White

Stainless Steel Kitchen Sink w/Faucet Ledge

Nickel-bearing stainless steel bowls are buffed and complemented by a satin-buffed top deck. Sound deadening material is applied to the bowl base. 4 holes in faucet ledge.

0373601 33" x 19" OD; 13" x 14" Bowl; 6" D

0373603 33" x 19" OD: 8" D

0373606 33" x 19" OD; 7" D



Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Appliances

Tools & Hardware

Carpet & Flooring

Electrical

Plumbing

Stainless Steel Kitchen Sink w/o Faucet Ledge

No faucet ledge. Nickel-bearing stainless steel bowls are buffed and complemented by a satin-buffed top deck. Sound deadening material is applied to the bowl base. 6" deep.



0373599 33" x 17" OD; 13" x 14" Bowl Size

White Permalux Kitchen Sink

19" x 33" x 7-1/2" deep double bowls in "Permalux Plus" finish: acrylic sink with two-part polyurethane added to the back for added strength. Higher and deeper gloss than fiberglass with permanent gloss retention. Caulked finish looks like one-piece unit. Durable and stain resistant, will not chip, peel or spiderweb. UV protection. Resists scratching and marring. Cleaner/chemical resistant. Four fixture mounting holes. Five-year warranty.


0373602 White Permalux Kitchen Sink 0374100 Basket w/Strainer, White





Sink Clips

Stainless steel, self-rimming U channel sink compression clip with screws.



Sink Hole Covers

1-3/4" hole covers for stainless steel.

0373600



0373200

I-28

Specifications Subject to Change without Notice

Heating & Cooling

ABS-DWV Fittings

ABS/DWV Service Weight Pipe

Schedule 30



Single step solvent cementing procedures—no primer required. Excellent solvent cementing characteristics. Black. 84/Ctn.

0321669 3" x 10' 0320706 3" x 20'

Flush Bushing

0321602 1.5" x 1.25"; 50/Ctn. 0321616 2" x 1.5"; 25/Ctn. **0321603** 3" x 1.5"; 15/Ctn. 0321617 3" x 2"; 20/Ctn.



hxhxh

Hub Sanitary Tee

0321612 1.5"; 50/Ctn. 0321618 2"; 25/Ctn. 0320808 3"; 25/Ctn. 0320817 4"; 5/Ctn.

Female Adapter

0320814 3" x 3" x 1.5"; 20/Ctn. 0321619 3" x 3" x 2"; 20/Ctn.

ABS/DWV Foam Core Pipe

Schedule 40

Thick wall, heavy-duty black ABS foam-core pipe for rigid code requirements.



0321670 1.5" x 20' **0321627** 3" x 10' 0321674 4" x 20'

0321672 2" x 20' **0321625** 3" x 20'



Male Adapter

0321611 1.5"; 50/Ctn. 0321816 3"; 25/Ctn.



Cleanout Plug

0320825 2"; 25/Ctn. 0320812 3"; 30/Ctn.

mpt

Coupling



hxh

Fitting C.O.

0321822 2"; 25/Ctn.

0321823 3"; 25/Ctn.

0321825 4"; 10/Ctn.

Adapter

0321601 1.5"; 100/Ctn. 0321812 2"; 25/Ctn.

0320807 3"; 48/Ctn. 0320818 4"; 10/Ctn.

Cleanout Adapter w/Plug







spg x fpt

0320815 1.5"; 50/Ctn. 0320819 4"; 10/Ctn.

0320822 3"; 25/Ctn.

Pipe Increaser Reducer

h x fpt



0321862 1.5"; 100/Ctn.

0321610 3"; 35/Ctn.

0321705 1.5" x 2"; 25/Ctn. 0321817 3" x 1.5"; 25/Ctn. 0321818 3" x 2"; 25/Ctn. 0321819 3" x 4"; 10/Ctn.



spg x fpt

Vent Elbow

0321846 3"; 25/Ctn.

hxh





2-Way Cleanout Tee

0321622 3"

FPT Sanitary Tee

0320809 3" H x 3" FPT x 3" H; 25/Ctn.

h x fpt x h

Wye hxhxh 0321836 3" 0321837 2"

1/4 Bend Street



spg x h

0320920 3"; 20/Ctn.

hxh

0320799 3"; 30/Ctn.

1/16 Bend



0321605 1.5"; 50/Ctn. 0321858 2"; 75/Ctn. 0320810 3"; 25/Ctn.

1/8 Bend



hxh 0321604 1.5"; 50/Ctn. 0320828 2"; 25/Ctn. 0320816 3"; 25/Ctn. 0320821 4"; 10/Ctn.

1/4 Bend



1/8 Bend Street



0320921 3"; 20/Ctn.

0321838 1-1/2"

Long-Turn Tee

0321827 1.5"; 20/Ctn. 0321828 2"; 25/Ctn. 0321850 3"; 15/Ctn.

0321829 3" x 3 "x 1-1/5"; 10/Ctn. **0321830** 3" x 3" x 2"; 10/Ctn.

0321851 4"; 5/Ctn.

FPT 1/4 Bend

h x fpt

0320811 3" H x 3" FPT; 30/Ctn.

hxhxh

Double Tee Fitting

0321855 3"; 5/Ctn.

Long Sweep, 1/4 Bend



0320827 1.5"; 25/Ctn. 0320826 3"; 25/Ctn. 0320820 4"; 5/Ctn.



hxhxh

Double 1/4



0321857 3"; 10/Ctn.


Double Sanitary Tee



0321623 3"; 10/Ctn. **0320813** 3" x 3" x 2" x 1.5"; 10/Ctn. 0321620 3" x 3" x 2" x 2"; 10/Ctn.

PVC Belled Pipe

PVC Sewer & Drain Belled Pipe



Top-quality pipe of Type 1, Grade 1 PVC, with a true 1000 lb. crush weight and .070 minimum wall thickness. PVC-S&D easily solvent welds unlike high density polyethelene pipe which will not weld.

0320700 3" x 10'

Female Cleanout Adapter

0320806 3" SP x FPT; 40/Ctn.





Cleanout Plug


0320795 3" MPT; 30/Ctn.

Wye




0320804

Coupling



0320805

45° Elbow





0320803


Male Adapter




Adapts sewer pipe to standard female pipe threads. Teflon thread tape is recommended to threaded joints. 3" Hub x MIP; 25/Ctn.

0320800

Reducer Coupler



Sanitary Tee



90° Street Elbow



Hub x spigot. Used to change direction in piping. Sometimes called a "street quarter bend." 3"; 25/Ctn.

0320793

Hub x hub x hub. Used to connect vertical branch line into straight sewer line. Also, used with cleanout to provide access to piping.

0320801 3"; 15/Ctn.

1/4" Bend 90°

3" H x H; 25/Ctn.



0320802

Doors & Windows

PVC-DWV 40 Pipe & Fittings

PVC-DWV Schedule 40 Pipe

Dual marked for drain, waste, and vent as well as pressure applications. NSF approved.

0321501 1.5" x 10' **0321525** 3" x 20'

0321502 2" x 10' 0321534 4" x 20'

0321503 3" x 10'

0321505 4" x 10'

45° Street Ell

Used to change direction from a fitting hub to a pipe. Sometimes called a "street eighth bend." 20/Ctn.



90° Sanitary Street Elbow


Hub x spigot. Used to change direction. Sometimes called a "street quarter bend."

0321511 1.5"; 50/Ctn. 0321512 2"; 30/Ctn. 0321523 3"; 20/Ctn.



Hub x hub. Used to change direction in piping. Sometimes called a "guarter bend."

0321509 1-1/2"; 50/Ctn. 0321510 2"; 30/Ctn. 0321497 3"; 20/Ctn. 0321488 4"; 20/Ctn.



22-1/2° Elbow

Male Adapter

Hub x hub. Sometimes called a "sixteenth bend."

0321530 3"

Hub x MIP. Adapts to standard female

pipe threads. Teflon

recommended for

threaded joints.

thread tape is



Hub x hub. Used to change direction in piping. Sometimes called an "eighth bend."

0321506 1.5"; 50/Ctn. 0321498 3"; 20/Ctn. 0321487 4"



Female

Adapter

Hub x FIP. Adapts to standard male pipe threads. Teflon thread tape is recommended for threaded joints.


0321524 1.5"; 25/Ctn. 0321493 3"; 20/Ctn.

Hub x hub x hub. Used when connecting a branch line into a horizontal drain pipe. Also can be used in conjunction with a "Twist-Lok" plug to provide a cleanout in a drain pipe.

0321504 1.5"; 50/Ctn. 0321513 2"; 20/Ctn. 0321499 3"; 10/Ctn.



MIP. Used to form a removable closure. Threaded plugs offer a corrosion proof alternative to metal plugs. Teflon thread tape is recommended for





Test Tee

0321522 1.5"; 50/Ctn.

0321492 3"; 25/Ctn.

With plug. Used at the base of a vertical drain pipe (stack) to provide a cleanout opening flush with the finished wall. Teflon thread tape is recommended for threaded joints.

Sanitary Tee

Hub x hub x hub. Used with connecting a branch line into a vertical drain pipe (stack).


0321508 1.5"; 50/Ctn. 0321507 2"; 30/Ctn. 0321494 3"; 15/Ctn.

0321810 3" x 3" x 2"; 10/Ctn.



Hub x hub. Used to join straight lengths of pipe.

0321518 1.5": 40/Ctn. 0321517 2"; 30/Ctn. **0321490** 3"; 50/Ctn. 0321485 4"



Reducing Coupling

Hub x hub. Used to reduce or increase pipe sizes.

0321500 3"

0321515 3" x 1.5"; 30/Ctn. 0321514 3" x 2"; 25/Ctn. **0321516** 2" x 1.5": 30/Ctn.



Long Turn Tee

HxHxH

0320789 3"



PVC-DWV 40 Pipe & Fittings

PVC Schedule 40 Pressure Pipe

NSF Approved pressure pipe w/plain end. 1/2" max working pressure at 73° F - 315 PSI. 3/4" max working pressure at 73° F - 200 PSI.

0320925 1/2" x 20'

0320926 3/4" x 20'

0321486

Double Sanitary Tee



Hub x hub x hub x hub. **0321811** 3"; 10/Ctn.

2-Way Cleanout Tee

4" H x H x H. Used with a vertical pipe stack, this fitting provides for above ground level access to piping.

45° Elbow

Slip x slip. Used to change direction in piping. 3/4"; 25/Ctn.



0320914

Tee

Slip x slip x slip. Used to provide a branch supply line from a main line. 25/Ctn.



Coupling

Slip x slip. Used to join lengths of pipe. S x S; 50/Ctn.

0320904 3/4" 0320927 1/2"


Female Adapter

Slip x FIP. Adapts Genova pressure pipe to standard male pipe threads. Teflon joint tape is recommended for threaded joints.



0320906 3/4"; 25/Ctn. **0320928** 1/2"; 25/Ctn.

Check Valve



0440420 3/4" Socket

Male Adapter

Slip x MIP. Adapts Genova pressure pipe to standard female pipe threads. Teflon joint tape is recommended for threaded joints.

0320908 3/4"; 25/Ctn. **0320929** 1/2": 25/Ctn.



Reducing Bushing

Spigot x slip. Reducing bushing inserts into fitting hub to reduce to smaller pipe size.



0320910 3/4" x 1/2" SP x Slip; 25/Ctn.

90° Street Elbow

Slip x MIP. Used to change direction in piping. Adapts to standard female pipe threads. Teflon joint tape is recommended for threaded joints.

0320918 3/4" S x MIP



90° Elbow

Slip x slip. Used to change direction in pipir



0320916 3/4" S x S; 25/Ctn. **0320931** 1/2" S x S; 25/Ctn.

Socket End Ball Valve



0440415 3/4"; 10/Ctn. **0440416** 1/2"; 10/Ctn.

Black Iron Fittings

Black Iron Gas Pipe Line



0320950 3/4" x 10 0320951 1/2" x 10'


Black Iron Nipples

0167101 1/2" x 3" Nipple 0167102 1/2" x 4" Nipple 0167105 3/4" x Close Nipple 0167106 3/4" x 3" Nipple

0167107 3/4" x 4" Nipple 0167108 3/4" x 6" Nipple 0167109 3/4" x 8" Nipple



Black Iron 90° **Street Ell**



Black Iron Reducing Coupling

0167133 3/4" x 1/2" 0167134 1" x 3/4"

Black Iron 90° **Reducing Ell**

0167115 1/2" x 3/4"



Black Iron

0167110 1/2" 0167111 3/4" 0167114 1"



Black Iron Coupling



0167130 1/2" 0167131 3/4"

Black Iron Valve



0167140 1/2" 0167141 3/4"

Black Iron Tee



0167125 1/2" 0167126 3/4"

Black Iron Cap

0167137 1/2" 0167138 3/4"



Plug

0167139 3/4"



Galvanized Fittings

Tee



0167084 1/2"; 40/Ctn. 0167085 3/4"; 20/Ctn.

Coupling



0167080 1/2"; 60/Ctn. 0167082 3/4"; 50/Ctn.

Nipple



0167090 3/4" x 3"; 25/Ctn. 0167092 3/4" x 4"; 25/Ctn. 0167093 3/4" x Close; 25/Ctn.

Adapter



0167072 1/2" MPT; 50/Ctn. 0167073 3/4" B X MPT

Bell Reducer

1/2" x 3/4" FPT; 50/Ctn.



0440301

Elbow



0167074 1/2"; 50/Ctn.

3/4" FPT **Gate Valve**

0440406 Plastic; 5/Ctn. 0375308 Brass; 100/Ctn.



Stop Waste Globe Valve

3/4"; 202T0A **0440650** Brass




Quick Brass Disconnect

For garden hoses. 0163211 Brass



Ball Valve

Forged brass, 3/4".



Check Valve

Brass with stainless steel rings. 3/4" FPT x 3/4" MPT.



0451612 Brass: 50/Ctn.

Brass Check Valve

Brass with positive O-ring seals prevent water escaping in case of pressure loss in main line. 1/2" MPT x 1/2" FPT.



0440410 Brass: 25/Ctn.

Boiler Drain MPT Valve

3/4"; Plastic; 10/Ctn. 0440405 3/4"; Brass; 144/Ctn/ 0375306

1/2"; Plastic; 10/Ctn.

0376902

1/2"; Brass; 10/Ctn.

0379912

Check Valve

Brass 200 lb. WOG (150°F), non-shock. swing check, bronze disc, threaded ends. 3/4" FPT.



0375310 Brass: 80/Ctn.

1/4" Turn **Ball Valve**

1/2" Insert x 1/2" Insert Brass 0168220



Long Handle Ball Valve



Cash-Acme Dual Backflow Preventer

Protects the primary water system (city water supply) by providing containment at the water meter. Valves function in either horizontal or vertical position and under continuous or intermittent pressure. Maximum system pressures to



175 psi and minimum pressure of 10 psi. Temperatures from 32° F to 140° F. Maximum recommended rate of flow is 30 GPM. 3/4" valve has a female threaded union inlet and a female threaded outlet. Straight-through design minimizes pressure drop. Certified under A.S.S.E. Standard 1024.


0440425 3/4" Type BF1

SHOWN ON RIGHT: Typical installation where inlet pressure exceeds 150 psi: the pressure regulator must be installed ahead of the dual check backflow preventer.

Installation Tip:

Backflow preventer valve should be installed immediately downstream of the water meter. The type BF-1 may be installed following a domestic water pressure regulator. The valve may be installed horizontally or vertically.

Keeps polluted water from contaminating potable water by preventing reverse flow into supply lines.



Doors & Windows

Connector


Barbed Fittings

0440204 1/2"; 25/Ctn. 0441630 3/4"; 10/Ctn.



Elbow

0441638 3/4"; 10/Ctn. 0441643 Insert x MPT; 25/Ctn.



0441642 3/4"; 10/Ctn.

Adapter

MPT; 25/Ctn.



0440203 1/2" 0440208 3/4"

Pipe Hose Barbs

0441628 3/4" x 3/4" FPT: 15/Ctn.

0321621 1/2' x 1/2" FPT;

25/Ctn.



Qest Fittings

Qest standard pipe threaded, compression fittings for repair or add-on to any kind of existing plumbing—galvanized, copper & CPVC.

Tees



Stock #	Α	В	С	Qty.
0166020	1/2"	1/2"	1/2"	50/Ctn.
0166021	3/4"	3/4"	1/2"	50/Ctn.
0166022	3/4"	3/4"	3/4"	50/Ctn.
0166023	3/4"	1/2"	3/4"	50/Ctn.
0166025	3/4"	1/2"	1/2"	50/Ctn.
0166027	1/2"	1/2"	3/4"	50/Ctn.
0167044	1"	1"	1"	10/Ctn.
0167046	1"	1"	3/4"	10/Ctn.
0167048	1"	3/4"	1"	10/Ctn.
0167049	1"	3/4"	1/2"	10/Ctn.
0167050	1"	3/4"	3/4"	10/Ctn.
0166090	1"	1"	1/2"	10/Ctn.

Cones



0166055 3/8" OD, 1/4" ID; 100/Ctn. 0166056 1/2" OD, 3/8" ID; 100/Ctn. **0166057** 5/8" OD, 1/2" ID; 100/Ctn. 0167064 7/8" OD, 3/4" ID; 25/Ctn.

Street Elbows

1/2" F. 50/Ctn. 0166096 1/2" M 0166097 3/4" M



Nuts

For 3/8" OD, 1/4" ID, 1/2" FPT; 100/Ctn.

0166052



For 1/2" OD, 3/8" ID, 1/2" FPT; 100/Ctn.

0166053

For 5/8" OD, 1/2" ID, 3/4" FPT; 100/Ctn.

0166054

For 7/8" OD, 3/4" ID, 1" FPT; 25/Ctn. 0167060

Male Couplings



3/8" & 1/4" standard pipe thread adapts to pumps & appliances

0166030 1/2" x 1/2"; 100/Ctn. *0166033 3/4" x 3/4"; 50/Ctn.

*0166035 3/4" x 1/2"; 50/Ctn. *0167058 1" X 1"; 25/Ctn. *0167059 1" x 3/4"; 25/Ctn.

*0166091 1" x 1-1/2"; 25/Ctn.

Nut, Ring & Cone Kit

Each kit contains 100 nuts, cones & rings. Flare nuts for both 3/8" OD and 1/2" OD tubing have 1/2" thread size fittings. Flare nuts for 5/8" OD tubing have 3/4" standard pipe threads to fit 3/4" thread size fittings.

0166070 3/8" OD, 1/4" ID 0166071 1/2" OD, 3/8" ID 0166072 5/8" OD, 1/2" ID

Elbows



***0166024** 1/2" x 1/2"; 100/Ctn. *0166026 1/2" x 3/8"; 100/Ctn.

*0166029 3/4" X 3/4"; 50/Ctn.

*0167052 1" x 1"; 25/Ctn. *0167054 1" x 3/4"; 25/Ctn.

3/8" & 1/4" standard pipe thread adapts to pumps & appliances

Test Caps

0166040 1/2" F 0166037 3/4" F



Test Plugs

0166094 1/2" M 0166095 3/4" M



Doors & Windows

Heating & Cooling

Qest Fittings continued

Qest standard pipe threaded, compression fittings for repair or add-on to any kind of existing plumbing—galvanized, copper & CPVC.

Male/Female Adapters

0167056 3/4" M x 1/2" F; 50/Ctn. **0167057** 1" M x 3/4" F; 50/Ctn.

Drop Ear Elbows



0166098 1/2" M x 1/2" F; 50/Ctn 0166099 3/4" M x 1/2" F; 50/Ctn.

Water Line Clamps

0166105 5/8" OD, 1/2" ID; 100/Ctn.

Female Couplings

0166039 3/4" F x 3/4" F: 50/Ctn. 0166044 1/2" F x 1/2" F; 100/Ctn.

Angle Stop Valve

0166109 1/2" M x 1/2" M; 10/Ctn.

Drain Valve

10/Ctn.

0166112 1/2" F x HT 0440626 1/2" M x HT 0166113 3/4" M x HT



Straight Stop Valve

10/Ctn.

0440620 1/2" F x 1/2" M **0440622** 1/2" M x 1/2" M 0166111 3/4" M x 1/2" M

Globe Valve

10/Ctn.



0440632 3/4" M x 3/4" M

Rings

100/Ctn. 0166058 For 3/8" OD, 1/4" ID 0166059 For 1/2" OD. 3/8" ID 0166060 For 5/8" OD, 1/2" ID 50/Ctn.

0167062 For 7/8" OD, 3/4" ID

Uponor PEX Tubing

Uponor first introduced the world to crosslinked polyethylene (PEX) tubing in the early 1970s. With more than 30 years of service — longer than any other PEX manufacturer in North America — Uponor PEX is the fastest-growing choice for residential and commercial plumbing systems, thanks to its powerful, inherent advantages over metallic and rigid-plastic piping.

Features Smallest bend radius Tested and proven for over 30 years Most flexible tubing Least likely to kink Maintenance free Highest degree of crosslinking

Uponor PEX is the clean, green and healthy alternative — no solder, nor torches, no fluxes or solvents. All connections are made with engineered fittings that, when properly installed, are leak-resistant and will last the life of the system.

Uponor PEX is lightweight and flexible, requiring substantially fewer fittings than copper or rigid-plastic systems, so it installs more easily and efficiently.

Uponor PEX is quiet, with no pipe noise or water hammer. Uponor PEX also features low thermal transfer, so it is virtually sweat-free in most environments.

Uponor PEX is durable. The superior makeup of our PEX makes it resistant to freezing and to aggressive water and soils — the kinds of problems that cause metal systems to fail prematurely.

Wirsbo AQUAPEX® Tubing

The tubing is UL listed for use in residential fire protection systems.




0165106 3/4" ID x 20' **0165105** 1/2" ID x 20'

0165102 3/4" ID x 100' 1/2" ID x 100' 0165101 0165100 3/8" ID x 100'

Advantages


Jenova Universal Fittings

Reducing Tee



Used to provide a branch from a main line and is designed to join to PEX, copper or CPVC tubing. 3/4" ID - 7/8" OD" x 3/4" ID - 7/8" OD" x 1/2" ID - 5/8" OD: 10/Box.

0166211



Reducing Coupling

Joins 1/2" PEX, copper or CPVC tubing to 3/8" PEX, copper of CPVC tubing.

0166212 1/2" ID - 5/8" OD" x 1/4" ID - 3/8" OD; 20/Box

Reducing Assembly


Allows any fitting hub to be reduced to accept PEX, copper of PVC tubing. Used where line is reduced in size.



0166222 3/4" ID - 7/8" OD" x 1/2" ID - 5/8" OD; 10/Box 0166223 1/2" ID - 5/8" OD" x 3/8" ID - 1/2" OD; 10/Box

Coupling

Designed to join PEX, copper or CPVC tubing.




0166202 1/4" ID - 3/8" OD": 20/Box 0166203 1/2" ID - 5/8" OD"; 20/Box **0166204** 3/4" ID - 7/8" OD"; 20/Box

Tee

This fitting is used to provide a branch from a main line and is designed to join with to PEX, copper or CPVC tubing.

0166209 1/2" ID - 5/8" OD"; 10/Box **0166210** 3/4" ID - 7/8" OD"; 10/Box



Male **Adapter**



Designed to adapt from metal female pipe thread to PEX,

copper or CPVC tubing on the COLD WATER SIDE ONLY of a hot and cold water supply system. Where hot or changing temperatures are likely, utilize the recommended Genova Universal Transition Male Adapter in conjunction with a Genova Universal Coupling. Teflon tape is the accepted method of sealing pipe threads on CPVC fittings. Do not use other materials or compounds unless specifically approved by the manufacturer.

0166207 1/2" ID - 5/8" OD"; 20/Box 0166208 3/4" ID - 7/8" OD"; 20/Box

90° Elbow

Used to change the direction in piping and is designed to join with to PEX, copper or CPVC tubing.

0166213 1/2" ID - 5/8" OD"; 20/Box **0166214** 3/4" ID - 7/8" OD"; 10/Box





90° Swivel Elbow

Allows a direct 90° connection between 5/8" OD PEX, copper or CPVC tubing and male running threads on faucet. Has a cone washer inside female end to achieve seal.


HAND TIGHTEN ONLY! This fitting seals by means of a gasket and the use of joint compound or Teflon tape is neither necessary nor recommended.

0166215 1/2" ID - 5/8" OD"; 20/Box

Appliances

Heating & Tov

Female Adapter





Designed to adapt from metal male pipe thread to PEX, copper or CPVC tubing.

HAND TIGHTEN ONLY! This fitting seals by means of a gasket and the use of joint compound or Teflon tape is neither necessary nor recommended.

0166205 1/2" ID - 5/8" OD"; 20/Box **0166206** 3/4" ID - 7/8" OD"; 20/Box


Ice Maker Kit





0166220

Dishwasher Hookup Assembly



Includes: Tee 1/2" OD x 5/8" (0166209: used to provide a branch from a main line and is designed to join with to PEX, copper or CPVC tubing) CPVC Connect Tube 5/8" OD x 3" Straight Supply Valve (0166224: adapts mechanically and is used where toilet, vanity or sink water supply piping comes through the wall. Designed to join PEX, copper or CPVC tubing) Olefin Riser 3/8" OD x 1/4" ID X 60"

0166227


Replacement O Rings

0166225 Black Plastic



Line Valve

This unique valve mechanically joins water supply tubing utilizing a special locking ring and an elastomeric seal. It can be used to join PEX, copper or CPVC tubing. 10/Box.





Straight Supply Valve

Adapts mechanically and is used where toilet, vanity or sink water supply piping comes through the wall. Designed to join PEX, copper or CPVC tubing. 10/Box.



0166224 1/2" ID x 5/8" OD" x 1/4" ID

Metal Gripper Rings

For replacement purposes in Genova's Universal Fittings. 2 gripper rings of each size are included in each bag: 1/4", 1/2", 3/4" OD; 20/Box/

0166221



All Purpose Seal Lubricant


Used as a lubricant with Genova Universal fittings for ease in application. 1 oz.



0180102

IMPORTANT:


Note the order in which each of the component parts are installed in the Universal Fitting hand-tightened nut. Be sure all parts are present and in this order before installing.





0166125 1/2" x 10' **0166126** 3/4" x 10'

Swivel Elbow w/ Solvent Weld Socket



Allows a direct 90° connection between CPVC tubing and female running threads on faucet. Has a cone washer inside female end to achieve seal.


0166135 1/2" x 3/4" FPT

Tees



0166117 1/2" 0166118 3/4" 0166119 3/4" x 1/2" x 1/2" 0166120 3/4" x 3/4" x 1/2"

45° Elbows



0166133 3/4"

90° Elbows



0166115 1/2" **0166116** 3/4"


Couplings



0166121 1/2" **0166122** 3/4"

Stop Angle Valve

CPVC x OD Compression



0166130 1/2" x 3/8"

Male Adapter



0166101 1/2" **0166124** 3/4"

Female Adapter



0166102 1/2" **0166123** 3/4"

Reducing Bushing



Used to reduce from fitting socket to CPVC tubing.

0166134 3/4" x 1/2"

Stop & Waste



0166127 CPVC x CPVC 1/2" **0166128** CPVC x CPVC 3/4"


Stop Straight Valve



CPVC x OD Compression

0166131 1/2" x 3/8"

Swivel Adapter



0166136 1/2" x 3/4" Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Appliance

Tools & Hardware

Sarpet &

Electrical

Plumbing

owing & Safety

Heating 8 Cooling

Failsafe Fittings for PEX

Fail Safe components are NOT interchangeable with polybutylene or any other insert and crimp components even though they have been designed for use with the same crimp tools and gauges.


This insert and crimp system is designed to help a professional plumber make permanent, tightly sealed, leakproof connections in a properly-functioning PEX hot and cold water distribution system or to repair any existing system.

Black Copper Crimp Rings

0168200 For 3/8" Tubing; 100/Ctn. **0168201** For 1/2" Tubing; 100/Ctn. 0168202 For 3/4" Tubing; 100/Ctn.



Brass Test Plug



168223 1/2" Insert; 100/Ctn. 168224 3/4" Insert; 50/Ctn.


Transition Couplings



0168216 1/2" PB x 1/2" PEX; 100/Ctn. 0168217 3/4" PB x 3/4" PEX; 100/Ctn.

Insert Tees

Insert x insert x insert.



0168213 3/8" x 3/8" x 3/8" Tee; 50/Ctn. 1/2" x 1/2" x 1/2" Tee; 25/Ctn. 3/4" x 3/4" x 3/4" Tee; 25/Ctn. 1/2" x 1/2" x 3/4" Reducer; 25/Ctn. 3/4" x 1/2" x 1/2" Reducer; 25/Ctn. 3/4" x 1/2" x 3/4" Reducer; 25/Ctn. 0168251 3/4" x 3/4" x 1/2" Reducer; 25/Ctn.

Insert Couplers

0168203 3/8" x 3/8"; 100/Ctn. **0168204** 1/2" x 3/8"; 100/Ctn. **0168205** 1/2" x 1/2"; 100/Ctn. 0168206 3/4" x 1/2"; 50/Ctn. **0168207** 3/4" x 3/4"; 50/Ctn.


Insert Elbows



Crimping Tool



Insert x insert.



0168208 3/8" x 3/8" Elbow; 50/Ctn. **0168210** 1/2" x 1/2" Elbow; 50/Ctn. 0168211 3/4" x 1/2" Elbow; 50/Ctn. 0168212 3/4" x 3/4" Elbow; 20/Ctn.

FlowGuard Gold 1-Step CPVC Cement

Oatey's one-step cement for CPVC is specially formulated to bond with FlowGuard Gold CPVC where all-purpose cements will not. Needs no primer, faster cure time than regular cements, low VOC, meets ASTM D-2846 & F-4 93. Exceeds environmental requirements.

0112630 4 oz.; 24/ctn 0112631 8 oz.; 24/ctn

0168109 For 3/4" Tubing



Fits 1/2" OD Riser (3/8" Nom.) 0168230 100/Ctn.

Fits 5/8" OD (1/2" Nom.) Tubing 0168231 100/Ctn.

Ballcock Nut



Fits 1/4" & 3/8" Riser.

0168227 100/Ctn.

Drop Ear Elbow

1/2" Insert x 1/2" MPT.



Anchors & Outdoor Set-Up Material Improvements

Doors & Windows


Coatings & Cleaners

Appliances

Tools & Hardware

0168246 10/Ctn.

Swivel Elbow



1/2" x 1/2" FPT Brass Nut;

0168233

Cone Seals (Washers)




1/2" ID Lav cone. 100/Bag

0168259

25/Ctn.

MPT Adapters



0168236 3/8" Insert x 1/2" MPT 0168237 1/2" Insert x 1/2" MPT 0168238 1/2" Insert x 3/4" MPT 0168239 3/4" Insert x 1/2" MPT 0168240 3/4" Insert x 3/4" MPT

Flare Swivel Adapters



0168235

Female Swivel Adapters



0168256 3/4" Insert x

3/4" FPT: 50/Ctn.

0168257 1/2" Insert x

1/2" FPT; 50/Ctn.

0168258 1/2" Insert x

1/2" Closet; 10/Pk.

Centerset **Nuts**



Fits 3/8" riser (1/2" hole). 100/Ctn.

0168226

Brass Straight Stop Valve




0168220

1/2" insert x 1/2" insert; 10/Ctn.

Male Thread Elbows

50/Ctn.



0168253

3/8" Insert x 3/8" MPT

0168254

1/2" Insert x 3/8" MPT

0168255

1/2" Insert x 1/2" MPT

FPT Adapters



25/Ctn.

0168241 3/8" Insert x 1/2" FPT 0168242 1/2" Insert x 1/2" FPT

0168243 1/2" Insert x 3/4" FPT

0168244 3/4" Insert x 3/4" FPT

Specifications Subject to Change without Notice

1-42

1/2" Insert x 1/2" Flare; 50/Ctn.

Heating & Cooling



For PEX

Throw away your crimping tools, solvent cement, torches, solder and Teflon tape—you won't need them with the Flair-It plumbing system, designed for normal hot and cold potable water applications. Extremely simple to install and reusable. Resists corrosion and scaling, with high resistance to cold temperatures. Complies with ASTMD 3309 standard.

Installation Tips







Replacement Parts

164410 1/2" Nut **164412** 1/2" Washer **164411** 3/8" Nut **164413** 3/4" Washer

Elbows

W/Flair-It connections on both ends.


0164300 1/2" ID x 1/2" ID 0164301 1/2" ID x 3/4" ID 0164302 3/4" ID x 3/4" ID 0164303 3/8" ID x 3/8" ID


Flair-It connection x FPT.


0164305 1/2" ID x 1/2" FPT **0164306** 3/4" ID x 3/4" FPT

Flair-It connection x MPT.

0164307 1/2" ID x 1/2" MPT **0164308** 3/4" ID x 1/2" MPT **0164309** 3/4" ID x 3/4" MPT **0164310** 1/2" ID x 3/8" MPT **0164311** 1/2" ID x 3/4" MPT








Tee

W/three Flair-It connections.

L x R x Inside
0164320 1/2" ID x 1/2" ID x 1/2" ID
0164322 3/4" ID x 1/2" ID x 1/2" ID
0164323 3/4" ID x 1/2" ID x 3/4" ID
0164324 3/4" ID x 3/4" ID x 1/2" ID
0164325 3/4" ID x 3/4" ID x 3/4" ID
0164326 1/2" ID x 1/2" ID x 3/8" ID
0164327 3/8" ID x 3/8" ID x 3/8" ID
0164328 1/2" ID x 1/2" ID x 1/2" MPT



PEX Adapter




PEX adapter to gray poly pipe.

0164415 3/4" PB x 3/4" PEX

Drain Angle


Valve

A drain valve with Flair-It connections on both ends.



0164378 3/8" ID x 3/8" ID **0164380** 1/2" ID x 1/2" ID

Swivel Elbow



Faucet connection to Flair-It connection.


0164316 3/4" ID x 3/4" FPT **0164317** 1/2" ID x 3/4" FPT **0164318** 3/8" ID x 1/2" FPT **0164315** 1/2" ID x 1/2" FPT



Coupling & Adapter

W/Flair-It connections on both ends.

0164336 1/2" ID x 1/2" ID 0164337 1/2" ID x 3/4" ID 0164338 3/4" ID x 3/4" ID




0164339 1/2" ID x 3/8" ID 0164340 3/8" ID x 3/8" ID

Adapters w/female pipe threads and a Flair-It connection.


0164341 1/2" ID x 1/2" FPT **0164342** 3/4" ID x 3/4" FPT 0164343 1/2" ID x 3/8" FPT 0164344 1/2" ID x 3/4" FPT

0164345 1/2" ID x 1/8" FPT




Couplings w/male pipe threads and a Flair-It connection.

0164346 1/2" ID x 1/2" MPT 0164348 1/2" ID x 3/8" MPT 0164351 1/2" ID x 3/4" MPT 0164352 3/8" ID x 1/2" MPT 0164347 3/4" ID x 3/4" MPT




Swivel Straight



Faucet connection to a Flair-It connection.

0164356 3/4" ID x 3/4" FPT 0164357 3/8" ID x 1/2" FPT 0164358 1/2" ID x 3/4" FPT 0164355 1/2" ID x 1/2" FPT


Garden Hose Fitting



Garden hose to a Flair-It connection.

0164350 Adap. 1/2" ID x 3/4" Male Hose 0164360 Swivel Coupling 1/2" ID x 3/4" FPT


Straight Stop Valve



Flair-It connections on both ends.

0164375 3/8" ID x 3/8" ID **0164376** 1/2" ID x 1/2" ID


Drop Ear Elhow



Shower & tub connection to Flair-It connection.

0164304 1/2" ID x 1/2" FPT


Plug



Used to cap-off Flair-It fittings.

0164368 3/8" ID x 3/8" ID 0164369 1/2" ID x 1/2" ID 0164370 3/4" ID x 3/4" ID

Swivel Tee



W/female pipe thread swivel in the middle.

0164333 1/2" ID x 1/2" ID x 1/2" FPT **0164334** 1/2" ID x 1/2" ID x 3/4" FPT


Can



Used to insert a plug into the end of a pipe.

0164365 3/8" ID x 3/8" ID **0164366** 1/2" ID x 1/2" ID **0164367** 3/4" ID x 3/4" ID

Transition Coupling



0164332 3/4" Poly x 3/4" PEX

Coatings & Cleaners

Heating & Cooling

Swivel Ballcock Adapter

Toilet connection to a Flair-It connection.

0164359 1/2" ID x 3/4" FPT 0164361 3/8" ID x 3/4" FPT



Flair-It Wrench

small, hard-to-access places.

0381500 3/8" & 1/2" 0381501 1/2" & 3/4"



Washing **Machine Valve**



Compression Stop Valve



0164372 1/2" x 3/8"

Compression **Angle Valve**



0164373 1/2" x 3/8"

3-Way Valve

0164404 1/2 ID



0164397 1/2" P x 1/2" P x 1/2" P 0164398 1/2" P x 1/2" MPT x 1/2" P

ishwasher Hook-Up Kit

Straight Stop Valve, 1/2" P x 1/2P" Male Elbow, 1/2" Px3/8" MPT with Tapered Threads Tee, 1/2" P x 1/2" P x 1/2" P

0164390

Flair-It Dealer Starter Kits

1/2" Dealer Starter Kit

Each kit contains the following in a co	orrugated box:	QTY
Tee (nuts included)	1/2 P x 1/2 P x 1/2 P	10
Elbow (nuts included)	1/2 P x 1/2 P	20
Coupling (nuts included)	1/2 P x 1/2 P	20
Male Pipe Adapter (nuts included)	1/2 P x 1/2 MPT	20
Tee (nuts included)	1/2 P x 1/2 P x 3/8 P	10
Straight Stop Valve (nuts included)	1/2 P x 1/2 FPT Swivel	10
Elbow Swivel (nuts included)	1/2 P x 1/2 FPT Swivel	10
Cap	1/2 FPT	10
Female Pipe Adapter (nuts included)	1/2 P x 1/2 FPT	10

0164383*

Mixed Dealer Starter Kit

1/2 D v 1/2 D	
1/2 P x 1/2 P	10
1/2 P x 1/2 FPT	10
1/2 P x 1/2 FPT	10
1/2 P x 1/2 P x 1/2 P	10
1/2 P x 1/2 P x 3/8 P	10
1/2 P x 1/2 P	10
1/2 P x 1/2 FPT	10
3/4 P x 1/2 P	10
1/2 P x 1/2 FPT Sw	10
3/4 P x 3/4 P	10
3/4 P x 1/2 P x 1/2 P	10
3/4 P x 3/4 P x 1/2 P	10
3/4 P x 3/4 P	10
1/2 P x 3/4 BCT Sw	10
1/2 P x 1/2 P	10
3/4 P x 3/4 P	10

0164386*

3/4" Dealer Starter Kit

Each kit contains the following in a	corrugated box:	QTY
Elbow (nuts included)	3/4 P x 3/4 P	20
Tee (nuts included)	1/2 P x 1/2 P x 3/4 P	10
Tee (nuts included)	3/4 P x 1/2 P x 3/4 P	10
Tee (nuts included)	3/4 P x 3/4 P x 3/4 P	10
Coupling (nuts included)	3/4 P x 3/4 FPT Swivel	10
Male Pipe Adapter (nuts included)	3/4 P x 13/4 MPT	10
Ballcock Adapter (nuts included)		
Coupling (nuts included)	3/4 P x 3/4 P	10

0164385*

* Tilt bins and Flair-It Display Poster available on page I-46



Flair-It Display Poster

Four color sign explaining the Flair-It system is available at no cost!



0263137 Flair-It Display Poster

Gondola above is not included in any of these kits. (Kits found on Page 45)

Tilt Bins

These are the same bins shown above in the Flair-It display gondola

Transparent, tilt-out multi-purpose storage system:

- · freestanding or wall-mountable
- bins are removable
- · bin tags included
- · two sizes available
- unique interlocking design lets you mix and match rows of 4- and 5-drawer bins





4 Drawers w/Tags

0263135 5 Drawers with Tags



Stock #	Description	
0161500	1/2X1/2 STRAIGHT COUPLING	
0161501	3/4X3/4 STRAIGHT COUPLING	
0161502	1/2X1/2 FNPT STRGHT CONNECTOR	
0161503	3/4X3/4 FNPT STRGHT CONNECTOR	
0161504	1/2X1/2 MNPT STRGHT CONNECTOR	
0161505	3/4X3/4 MNPT STRGHT CONNECTOR	
0161506	1/2X1/2 ELBOW	
0161507	1/2X1/2X1/2 TEE	
0161508	1/2 END STOP	
0161510	DISCONNECT CLIP 3/4"	
0161511	DISCONNECT CLIP 1/2"	
0161524	DISCONNECT CLIP 3/8"	
0161512	1/2X1/2 BALL VALVE	
0161513	3/4X3/4 BALL VALVE	
0161514	3/4X3/4 ELBOW	
0161515	3/4X3/4X3/4 TEE	
0161516	BITE 3/4X3/4X1/2 REDUCING TEE	
0161517	1/2 X 3/4 FNPT CONNECTOR	
0161518	1/2 X 3/4 MNPT CONNECTOR	
0161519	3/4 X 1/2 REDUCING	
0161520	3/4 X 1/2 ELBOW	
0321555	3/4 HOSE VACUUM BREAKER	
0161521	3/8 COUPLING	
0161522	3/8 ELBOW	
0161523	3/8 TEE	
0440012	3/4 X 24" WTR HTR SUPPLY CONN	

Anderson Metals - Copper & Brass Fittings

Flare Nuts, Long

0160322 3/8" 0160333 1/2" 0160344 5/8"

0162321



Flare Sealing Caps

0160221 0160232



Swivel Flare Nut Couplings

0161921 3/8" FL x 3/8" FL 0161932 1/2" FL x 1/2" FL

Flare to 3/4" FHT



Flare/Flare Unions




Flare/Flare **Elbows**

0161321 3/8"




Heavy Forged Nuts



Flare to FPT **Elbows**

0160522 3/8"



Swivel Connectors



0162751 0162752

Flare/MPT **Elbows**



Flare Plug

0162407 3/8"



0160631 1/2" x 3/8"; 25/Ctn.

Reducing Flare

0161122 3/8" x 3/8"

Close Nipple



0161367 3/4"

Hex Nipple



0161326 3/4"

Male Adapter Insert



0161325 3/4"

Flare to MPT **Couplings**



0161022 3/8" FL x 3/8" MPT 0161023 3/8" FL x 1/2" MPT 0161024 3/8" FL x 3/4" MPT 0162414 1/2" FL x 3/8" MPT 0161036 1/2" FL x 1/2" MPT 0161037 1/2" FL x 3/4" MPT

Flare to FPT **Couplings**



0162203 5/8" FL x 3/4" FPT 0160922 3/8" FL x 1/2" FPT 0160923 3/8" FL x 3/4" FPT 0160935 1/2" FL x 1/2" FPT 0160936 1/2" FL x 3/4" FPT 0160937 3/4" FL x 3/4" FPT


Copper Tubing



0165121 3/8 OD, 50' 0165132 1/2 OD, 50' **0165133** 5/8 OD, 50'

WaterRise® Water Shut-Off

- Premade to save you time and money
- Self-contained in tough PVC case
- Insulation and heating cable protect against the cold
- All copper pipe and rugged Mueller valves
- 5-year guaranteed replacement of parts or complete unit
- American made
- Self-draining
- Surface shut-off



Special Order Only


Brushes

0112617 1-1/2"; 36/ctn 0112618 3"; 12/ctn



Universal 3-in-1 Crimping Tool


One tool for all ring sizes 3/8", 1/2" and 3/4".



0168106

2-in-1 Crimping Tool

Compact and affordable for hard to reach places.



0168001 1/2" x 3/4"

Rachet-Style Pipe Cutter

Easily cuts through PVC pipe up to 1". Rachet-action requires minimal pressure. Molybdenum stainless steel blade will not rust or break and lasts twice as long as most other cutters.



0380250 Cutter 0380251

Replacement Blades

Pipe Thread Tape

Chemically inert, withstands alkalies, acids, oil and solvents. Temperature range: -400°F to -600°F. 1/2" x 260". 200/ctn



0360410

Pipe & Tube Hanger Straps

Plated Steel Hanger Straps w/Holes:

Sturdy steel strapping with alternating bolt & nail holes. 3/4" wide.

0262602 3/4" x 100'; 5/ctn 0262604 3/4" x 10'; 25/ctn

Plastic Hanger Straps w/Holes:

3/4" plastic strapping, non-corrosive w/holes. Packed in dispenser box.

0262600 3/4" x 50'; 20/ctn **0262601** 3/4" x 100'; 20/ctn



It is imperative that all Oetiker earred clamps be closed according to specifications in order to be 100% effective. Oetiker's Clamp Master Ratchet Pinchers are light in weight, but with a heavyduty action that provides the needed leverage to close the ears on the stainless steel clamps.

0380255

Oetiker Stepless™ Ear Clamps

For those hard to get to places for a sure no-leak repair or installation. The patented "step-less" design provides a 360° seal around the pipe. 100/ctn



For PEX 0167063 3/8"

0167065 1/2". 0167066 3/4"

For POLY 0167069 1/2" 0167070 3/4"

Boss Biggies Abrasive Wipes

Dual sided abrasive wipes clean paint, adhesives, oils and more from hands, tools and surfaces. 80 wipes / tub



0181401

Heating & Tow Cooling Sa

All Purpose Cement

Heavy-bodied clear cement for use on ABS, PVC, and CPVC pipe and fittings up to 12" in diameter. Flows freely and provides a thick layer. Helps fill gaps in larger diameter pipe and joints.

 4 oz.; 24/ctn 8 oz.; 24/ctn 16 oz.; 24/ctn 32 oz.; 12/ctn

FlowGuard Gold 1-Step CPVC Cement

Oatey's one-step cement for CPVC is specially formulated to bond with FlowGuard Gold CPVC where all-purpose cements will not. Needs no primer, faster cure time than regular cements, low VOC, meets ASTM D-2846 & F-4 93. Exceeds environmental requirements.

0112630 4 oz.; 24/ctn **0112631** 8 oz.; 24/ctn

ABS-To-PVC Transition Green Cement

Medium-bodied greencolored cement for use in joining ABS to PVC in non-pressure transition joints. All schedules up to 6" dia. pipe and fittings. Recommended application temperature 40°F to 110°F. Meets ASTM D-3138.

0112613 16 oz.; 6/ctn

Pipe Joint Compound

Non-toxic, fast-set, non-hardening paste lubricates and seals threaded joints. Use on water, natural gas, steam and air lines.

0112801 2 oz. Tube; 12/ctn **0112901** 4 oz. with Brush; 12/ctn

ABS Cement

Medium-bodied black cement for use on ABS pipe and fittings up to 6" in diameter. For all pressure and non-pressure applications.

 4 oz.; 24/ctn 16 oz.; 24/ctn 8 oz.; 24/ctn 32 oz.; 12/ctn



Rain-R-Shine

Fast-setting blue PVC cement for solvent welding under damp or wet conditions; effective when quick pressurization is needed. Ideal for sprinkler or pool installations.



0112607 16 oz.; 24/ctn

PVC Cement

Regular-bodied clear cement for PVC pipe and fittings up to 3" dia. Use on Schedule 40 and Schedule 80 potable water pressure pipe, gas, conduit, drain waste and vent



pipe. Flows freely, sets-up quickly. Apply at temperatures 40° - 90° F. NSF and UPC approved. Exceeds ASTM D-2564.

0112614 4 oz.; 24/ctn

Purple Primer/ Cleaner



All purpose primer/ cleaner for PVC/ CPVC pipe and fittings. Purple

tint tells you primer has been used. Removes surface dirt, grease and grime; also softens pipe surface to allow for a fast and permanent solvent weld. Flows freely, evaporates quickly.

0112616 8 oz.; 24/ctn **0112622** 32 oz.; 12/ctn

Cold Weather Cement

Medium bodied clear cement for use on PVC pipe and fittings up to 6" dia. Formulated for fast initial set up at temperatures down



to -5° F to 100° F Sch. 40 and Sch. 80. Non-pressure, DWV, up through 4" diameter, no primer needed where local codes permit. Recommended for all grades and types of PVC pipe and fittings, potable water, pressure pipe, gas, conduit and DWV. Meets ASTM D-2564.

0112625 Pint; 24/ctn

Clear Cleaner

A clear cleaner recommended for use on ABS, PVC and CPVC pipe and fittings, all schedules and diameters. A fast-acting

cleaner to remove surface dirt, grease and grime. Flows freely and evaporates quickly. Apply at temperatures 40°F to 100°F.

0112640 8 oz.; 24/ctn



Plumber's Putty



0112645 14 oz.



CAMCO Antifreeze

Protect your potable water system from freeze damage. Camco antifreezes inhibit fouling and corrosion while preventing algae growth. They also help in lubricating pumps and valves throughout the system. Choose a temperaturespecific product designed for your winterizing needs. Safe and tasteless.

CAIMICO

0190602 Freeze Ban -50 0190601 Winter Ban -50 0190603 Arctic Ban -50


(PG/Ethyl Alcohol Blend)



Blow Out Plugs

To remove water from lines, screw into water intake fitting and apply air pressure.





0192010 Plastic; 50/ctn 0192011 Brass; 50/ctn

Hand Pump

Easily, economically installs anti-freeze. One end of adapter hose fits over faucet; pump fits into anti-freeze bottle with other end of tube over pump inlet.



0192005 10/ctn



Fiberglass Pipe Insulation Kit

Frost King Fiberglass Pipe Insulation Kit, comes with 25' plastic vapor barrier.

1.6 R-Value. Package covers

- 17' of 1/2" Pipe
- 12' of 3/4" pipe
- 10' of 1" pipe.

For either hot or cold water pipes. Made In USA.

0270801 3" x 1/2" x 25' roll.



Pow-R Wrap

A strong, heat resistant, permanent and economical repair. Works on virtually every kind of pipe and hose. Pow-R Wrap is a complete, self contained kit that includes a resin impregnated fiberglass tape in foil

bag, Pow-R Stick epoxy putty to enhance repairs, 1 pair of protective gloves and complete installation instructions.

- * Water activated fiberglass wrap
- * Holds up to 600 PSI
- * Works on wet, dirty or corroded surfaces
- * Safe for drinking water system repairs

0270600 2" x 48" to repair up to 1" diameter pipe **0270601** 3" x 132" to repair from 11/4" to 3" dia. pipe

Go-Aerosol Primer Cleaner w/cement

Spray weld. Multi-purpose, one step primer cleaner and cement.

0112600 Primer cleaner & ABS/PVC. 11oz.

0112603 Primer cleaner & ABS/PVC. Green. 11oz.

0112602 Primer cleaner & ABS/PVC/CPVC, 4.5oz.



Pre-Slit Tubular

Single step foam pipe insulation with half-slit to easily slip over pipe. Selfclosing so you need no tape. Flexible for easy bending. 6' long, bulk.



3/8" THICK WALL

0270525 1/2" Copper or 1/4" Iron pipes **0270526** 3/4" Copper or 1/2" Iron pipes **0270527** 1-1/4" Copper or 1" Iron pipes

1/2" THICK WALL

0270523 1/2" Copper or 1/4" Iron pipes **0270524** 3/4" Copper or 1/2" Iron pipes

1" THICK WALL - R 6.4

0270495 1" Copper pipes

Appliances

Pressure Regulators


Cash-Acme EB-75 Compact

Fully pressure-balanced piston, automatically reduces and regulates high inlet pressures down to 45 psi at standard factory setting. Built-in back pass check which operates independently of the regulator, allowing water to flow back through the regulator in cases of thermal expansion caused by hot water heating devices. Iron body, threaded connections, iron spring chamber, brass piston and seat ring. EP rubber seat disc and diaphragm and a inbuilt brass strainer screen.



Watts N250

Stainless steel seat, integral strainer. Unitized construction. High temperature resisting diaphram for hot or cold water. For supply pressures up to 250 lbs. Adjustable reduced pressure range 30-60 lbs. Standard setting 50 lbs. All working parts easily and quickly serviceable without removing valve from line. 3/4" x 3/4" FPT.



0451002 48/ctn

0451001 3/4"

Water Hoses

Blackline Water Hoses

650 pound burst test pressure, solid brass fittings, tasteless and odorless. Withstands freezing. May be hooked up underground. Thermostatically controlled heat tape is recommended in winter.



0440101 15' Black; 20/ctn 0440102 25' Black; 13/ctn **Valterra Drinking Water Hose**

High pressure, drinking water safe. Non-toxic, FDA approved materials. 160 PSI working pressure. Easy to use hose gripper. White.

0440199 1/2" x 25'; 10/ctn



Hose Clamps

0262500 1/4" - 5/8" 0262501 1/2" - 1-1/8" 0262502 1-7/8" - 3-3/4" 0262503 3-1/8" - 5"



Quick Brass Disconnect


For garden hoses 0163211



Repair Couplings

For galvanized & plastic pipe.

0163210 1/2"; 28/ctn 0163209 3/4"; 15/ctn




Brass Hose Bibb

Cast brass male hose bibb. 3/4" hose.

0374413 1/2" 0374414 3/4"



Hose Washer & Filters





Washing Machine Valve

One-piece 1/2" brass body with 2.5" tailpiece. Combination .5 solder or threaded connection with locknut. 6/ctn

0379915



Freezeless Wall Faucet


Stainless steel, will not wire draw. Adjustable flange pivots to flush with any wall. Adjustable packing nut with teflon impregnated packing. Modern handle fits with precision spline; can be used as loose key. Nozzle 3/4" male hose thread. 10".

0378612 10"-3/4" MIPx1/2" FIP 0378613 10"-1/2" MIPx1/2" C 0378614 8"-3/4" MIPx1/2" FIP



1/2 Turn Washing **Machine Valves**

Long shank MIP valve with easy on/off control and color-coded handles. Forged brass construction eliminates porosity problems of traditional cast valves. UPC and CSA listed.



0376905 Blue Handle 0376906 Red Handle

Outlet Box



Universal for right- or left-hand drain. Rust-proof, beige. Holes 3" apart.

11-3/4" W x 10" H x 2-1/2" D.

Cutout:

9-1/8" W x 7-1/4" H x 2-1/2" D.

0440206

Anti-Siphon Frost-Proof Sill Cock

Chrome-plated, silver-soldered. 1/2".

0378620 8"

0378621 10"

0378622 12"



Copper **Tubing**

0165121 3/8 OD. 50' 0165132 1/2 OD, 50' 0165133 5/8 OD, 50'



Flexible Pressure Water Line

Medium density polyethylene. Maximum working pressure at 73° F is 100 psi 1/2" nom, size ID is .6221 outside diameter .742, wall thickness .060 3/4" nom size ID is .824, outside .966, wall thickness .071. Not NSF approved.

0321864 3/4" x 100'



Pressure Water Line

Polyethylene. NSF approved and conforms to ASTM-D-2239. Maximum working pressure at 73° F is 160 PSI. Nom size 3/4", ID .824, OD 1.008, wall thickness .092.

0321866 3/4" x 100'

Appliances

Norco Hydraulic Bottle Jacks

Fifty-percent safety overload factor. Easier to repair than threaded jack designs. Fewer working parts, internally machined oil passages, extremely smooth bearing surfaces and close tolerances ensure longer life, fewer breakdowns. No-leak "Uniweld" construction. Carrying handle included.

0410191 12 Ton Standard; 4/Ctn. **0410190** 12 Ton Shorty; 4/Ctn.

0410192 20 Ton: 4/Ctn.

0410196 Repair Kit f/20 Ton: 76520, 76820 (2-9/16" plunger)

0410189 Repair Kit f/12 Ton (2-9/16" plunger)

0410193 Oil Filler Plug; 25/Ctn.

Air Hydraulic Jacks

Equipped with U.S. Patented air motor kit for quick and easy lifting. Quick connector hose provides easy removal of air hose. Uses standard shop air. Minimum height: 9.5" H; maximum: 18-5/8" H.

0410050 12 Ton; 26 lbs. 0410051 20 Ton; 35.2 lbs.





Hook it up, pull it tight, and zip! It's done! The quickest, toughest, safest tie-down on the market.

- Lightweight yet strong, heavy duty 3/8"
- Self-locking, quick release
- Cinches tightly in place without knots or buckles
- All parts are corrosive-resistant
- Easy-release trigger is recessed to prevent accidental triggering
- Rubber-coated hooks protect vehicles and prevent slipping
- Safer than bungees with no slap-back or snapping
- 8' length of rope

0342107



Displays available





- 1/2" 100% recycled polyethylene plastic
- Virtually indestructible, even in harsh conditions
- Double-sided, skid and slip resistant
- Low cost alternative to fiberglass mats
- Easily portable
- Maintenance free
- 6 Year Warranty from date of purchase

Get vehicles and equipment over lawns, through mud and across soft terrain while saving labor, bog-down time, towing charges and ground restoration fees—perfect for set-ups.

0265301 2' x 4' 0265303 2' x 8' 0265302 2' x 6' 0265304 4' x 8'

J-1

Transport Lights

Low profile light bars:



Four Halogen rotator model with two diamond mirrors. Redesigned reflector with pre-focused halogen bulb for more light intensity. 110 RPM per rotating module. Relampable 50 watt equivalent intensity (35 watt halogen) bi-pin bulb. Shatter-resistant polycarbonate outer lens, amber warning color.

0340855 48" Wide (9404h)

Amber Minibar



Shatter-resistant polycarbonate outer dome,

non-corroding molded nylon base, low current consumption, easy to service with modular parts. 55 watt Halogen light, 8 amp draw. 17" x 4.75".



0340856 Permanent Mount (9200ha)

0340857 Magnetic Mount, Adapter & Cord (9200hma)

0340859 Replacement Bulb (2073-795)

360° 2-Color Minibar



Rugged aluminum 16" minibar with two 360° quad flash strobes, one wall mirror. 11.25 joules. Flash rate of 75 quad flash sequences per minute, per self-contained strobe @22 watts. 5.5" H x 16" L x 8.5" D.

0340862 (9216s-boy)

360° Strobe LED Beacon with Flange Mound



(nine 1 watt LEDs), flange mount, short lens.

- 10 Customer selectable flash patterns
- Synchronizing capabilities between 0340840 and 41
- Extremely low current draw
- Durable polycarbonate, Twist-Off Lens
- Features a durable and lightweight polycarbonate, universal flange base
- Completely encapsulated circuit for increased weather and shock resistance

0340840 Permanent Mount (255tsl)

0340841 Vacuum Magnetic Mount, Adapter & Cord (255tsvI)

360° Strobe Beacons





Versatile & powerful with 5.5" amber lens and computer designed optics. Universal anodized aluminum mounting base. Accommodates surface, pipe or magnetic mount options. Magnetic mount version includes metal disk with Velcro and cigarette-plug adapter with cord. Double flash.

0340850 5.5" High (240cfda-u)


0340851 4 1/2" H, Magnetic Mount (240smd-u)

0340852 Replacement Flash Tube (129)



Selectable Double or Quad Flash

Field selectable flash pattern via internal jumper: standard quad flash or selectable double flash. Virgin Lexan, twist-off lens. Durable and lightweight polycarbonate plastic universal flange base. Completely encapsulated circuit for increased weather and shock resistance. Automatic low voltage shutdown below 9.5V DC. Operates automatically 12V DC - 48V DC. Amp draw: 2.0 Amps at 12V DC. Joule rating: 7 joule double flash; 10 joule quad flash. Flash rate: 80 DFPM/65 QFPM. 4-3/4" tall x 6-13/32" dia.





Safety Signs

Vinyl Double-Sided Sign



Features a strong 1/4" poly rope sewn the entire length; all the stress goes to the rope, not on the sign, so there are no grommets to tear out. 12" high letters are screen printed black on interstate yellow. "Oversize Load" on one side & "Wide Load" on the other.

0342016 20" x 84"; 25/Ctn.

Metal Double-Sided Sign



Light-weight metal alloy sign. Baked-on enamel finish, scratch resistant. Will not fade, crack, peel or rust. Custom-designed fold for easy storage. Black on interstate yellow. 12" letter height and 2" letter stroke.

0342009 15" x 6' **0342010** 18" x 7' (PA Approved)

Oversize Load (Ohio DOT)

OVER SIZE LOAD

Vinyl mesh open weave meets Ohio DOT regulations. 12" x 60" with 8" letters.

0342003

Poly-Coated Fabric Highway Signs

Long lasting, durable and weatherproof, reinforced metal grommets, double stitched seams and Tyvek corners for extra strength. Attaches easily with shock cords. Black letters on interstate yellow background.



Cloth sleeve numbered 10, 12, 14 and 16 enables sign to address every Arkansas sign requirement. Letter height 12", stroke 2".

0342001 Over Size XX Load, 18" x 7'; 25/Ctn.

OVER SIZE LOAD

0342002 Over Size Load; 18" x 8', Michigan Approved; 25/Ctn.



0342005 Danger - Wide Load Ahead, 18" x 4': 25/Ctn.



0342007 Danger - Wide Load Follows, 18" x 4'; 25/Ctn.

Towing Safety Flags

Red Flag & Clip Kit

Meets regulations. Two bright red ravel-proof nylon tricot flags and two plastic flag clips. Clear-bagged.

0341907 18" x 18" 0341908 24" x 24"




Plastic Clips



0341909 Each 0341904 Bag of 25; 40/Ctn.

Red Flag Red tricot nylon, plain

edges. High level of reflectancy. In packs of 6, 240/Ctn.



0341911 18" x 18" **0341912** 24" x 24"

Flag & Staff

Nylon tricot flag mounted on heavy-duty 36" staff. Ideal for front of tow trucks where required. 24" x 24".

0341905

Flag Holder

Galvanized steel, bolt-on mount. Thumb screw holds secure. All hardware included. 24/Ctn.

0341906



Trucker's hard rubber snubbers with iodized S-hooks for superior resiliency and long life.

0342102 15": 50/Ctn. 0342103 22"; 50/Ctn. 0342104 31"; 50/Ctn.

Shoe Covers

Better liquid & particulate barrier. Breathable, microporous film laminate. Passes NFPA 99 criteria for antistatic materials

0345038 white, one-size, 200/case




KleenGuard A20 Coveralls

Breathable Particle Protection Apparel

KleenGuard A20 Coveralls are made from Microforce Barrier SMS, a breathable fabric that provides improved barrier protection on submircronsized particles for a perfect combination of protection and comfort.

The tough, durable cloth-like outer layer is an abrasion-resistant, spunbond polypropylene and the middle layer is an intricate web of microfibers that filter out light, water-based liquids and dry particulates. These white coveralls are ideal for maintenance and general clean-up work, including asbestos handling, lead abatement and fiberglass/cellulose insulation operations.



Zipper Front Elastic: Back. Wrists & Ankles




KleenGuard Hooded A20 Coveralis			
Stock #	Color	Size	Case Qty
0345041	White	Large	24
0345042	White	X Large	24
0345043	White	2X Large	24
0345044	White	3X Large	20
0345045	White	4X Large	20

Dust Mask

types of dust. Lightweight, easy to use. Single fixed strap. Adjustable metal nose band to ensure a secure seal and comfortable fit.

0345055 white, one-size



Doors & Windows

Heating & Cooling

J-5

All Leather Work Gloves

All Leather Work Gloves

- Front, back & leather cuff
- Double leather palm
- Double Stitched
- · Sold as pairs with hang-up display cards



0345016

Leather Palm Work Gloves

Full leather palm with leather knuckle band & fingers. Split leather cowhide. Double stitched. Heavy canvas gauntlet cuff for added protection. Sold as pairs with hang-up display cards.

0345015



Rubber **Knee Pads**

Rubber Knee Pads with Elastic Velcro® Straps. Quick and easy on/off with 2" wide single elastic Velcro straps.

0345010



ABC Extinguishers

Multi-purpose. Non-toxic tri-class dry chemical agent (monoammonium phosphate) fights flammable liquids & electrical fires as well as wood, paper and cloth fires. Recommended for commercial use.

Multi Purpose Home UL rated:1-A:10-BC: Effective on wood, paper, plastic, flammable liquid and electrical fires. Mounting bracket with strap included. 0340508* 2 lbs 9.3 oz.; 6/Ctn.

Heavy Duty. Multi Purpose, for Home, Office or Business Rechargeable (fits easily inside standard fire box-fire box not included). Exceeds NFPA 10 Minimum Code Requirements. UL rated 3-A:10-B:C for trash, wood, paper, liquids, electrical fires. 0340509* 4 lbs 12oz.: 6/Ctn



Smoke Alarm AC Powered

120VAC. ionization sensor. meets U.L. Standard 217. Interconnectable. Quick connect wiring harness and Fast Install mounting bracket. Outside diameter is 5-3/8" for better coverage of cutouts.

0141302 Electric (mfg# 9120) 0141305 Electric with 9V Battery

Back-up in side drawer. (mfg# 9120B)



BC Extinguisher

Recreational. Fights flammable liquids and electrical fires. UL rated 5-B:C. Large, easy to read gauge. Sodium bicarbonate. Rechargeable. Mounting bracket with strap included.

0340501* 2 lbs.; 6/Ctn.

Garage and Home. UL rated 10-B:C. Fights grease, oil and electrical fires. Large, easy to read gauge. Includes Ergonomic handle and trigger. Sodium bicarbonate. Mounting bracket with strap included.

0340507* 2 lbs, 7 oz.; 6/Ctn.



0340507

Smoke Alarm **Battery Powered**

10 year limited warranty

Hinged cover for easy battery replacement. Lighted Power & Alarm indicator. Silence feature. Tamper resistant locking pin.



0141303 Carbon Zinc Battery FG250B 0141301 Lithium Battery - FG250LB

Extinguishers

Kitchen Fire

UL rated 5-BC made especially for the kitchen. White with white mounting cap and pop-up pressure indicator. Effective on oil, flammable liquids and electrical fires. Specialty quick release mounting cap. Non-corrosive. Easy to clean up.

0340510* 1 lb 5.3 oz; 6/Ctn.

w/Lithium Battery Tamper Resistant

- · Lithium Battery Powered
- Electrochemical Sensor
- · Sensor Life Monitor
- Tamper-Resistant
- ANSI/UL 2034-09 Listed
- · CSA and IAS Certified
- NFPA 720 Compliant
- Five Year Warranty

0250120 Battery Powered 0250121 Plus Digital Display



Carbon Monoxide Detector

Carbon Monoxide Detector

Plug-In with 9v Battery Back-Up. Digital Display

Plug-in carbon monoxide alarm with digital display and 9V batterv backup meets most state and local codes for carbon monoxide alarms.

Electrochemical Carbon Monoxide Sensor - the most accurate sensor available as compared to other sensing technologies.

- Single Button Test/Silence
- Battery Backup
- Two silence features can silence the low-battery chirp for up to eight hours or temporarily silence an unwanted nuisance alarm
- Digital Display shows visual confirmation of CO levels in PPM
- Peak Level Recall Button recalls the highest level of Carbon Monoxide detected
- 5-Years Limited Warrant

0250108 Plug-In, 9v Back-Up





Combo Alarm Smoke Detector & Carbon Monoxide **Detector**

0250106 Battery Powered

0250105 Plug-In

Carbon Monoxide

Detector

0250104

0250105

Samples air once every second

Calibrated at four levels for accuracy

First Alort

0250104 Plug-In w/Battery Back-Up

(2 - AA batteries)

(2 - AA batteries)

Silencer button, re-alarms if levels persist

Unique self testing system alerts if malfunctions.

Battery Powered. The BRK First Alert **Combination Carbon** Monoxide and Smoke Alarm protects you from the very real dangers of both fire and smoke as well as

U-Bolt w/Nut

0156915 mono-leaf spring 0156925 four-leaf spring

locking nuts included.



0250106

carbon monoxide. 0250103 Battery Powered Use 2-AA Batteries

1/2" dia. for mounting to 3" dia. axle tube. Self-

Triangle Cast Equalizer

Rugged cast. Use 1/2" or 9/16" dia. shackle bolts.

Stock #	Α	В	С	D
0157170	6"	4"	9/16"	1-3/4"



Banana Equalizer

Heavy 1/4" steel with new strong design to distribute load, preventing undue stress to axles or mobile home frame. Uses 1/2" or 9/16" dia. shackle bolts.

Stock #	Α	В	С	D
0157164	5-5/8"	2-13/16"	9/16"	9/16"



Bearing Cone



Bearing Cup

L 68149, high grade alloy steel. Shaft dia. 1-3/8"

0157184

LM 67048, high grade alloy steel. Shaft dia. 1-1/4'

0157188



Shur-Set III™ **Breakaway Kit**

Mounts on jackpost or A-frame. Quick, easy, one-bolt installation—no cutting or drilling needed. Rust-proof polyethylene plastic case protects battery and charger from elements and corrosion. Meets or exceeds DOT specifications regarding breakaway/ holding requirements.

Complete kit includes: battery case with mounting bracket; 12V sealed, rechargeable battery; and nylon breakaway switch. Battery charger sold separately.



0340105 Breakaway Kit; 10/Ctn. 0340103 Switch Only; 20/Ctn.

Lug Bolt

1/2" dia. For use with cast hubs that are drilled and tapped.



0154109 1/2 - 13 threads.

2-1/4" long.

0153108 1/2 - 20 threads. 1-7/8" long.

Lug Stud

Plated 1/2" dia., 2" long, 1/2-20 threads. Fits only Continental axles with formed steel hubs.

0157124

Spring Hanger

0340106 Battery Charger

1/4" thick heavy steel, for use w/1-3/4" wide spring.

Breakaway Switch

corrosion free to assure long life. Silver contact points remain

corrosion free for positive contact. Nylon pull-pin can't freeze up,

Sets trailer brakes in case of accidental trailer breakaway. Trailer brakes are applied automatically.

assuring positive activation.

0340103

Reinforced nylon case. Rust and

Battery Charger

12 volt. Fits securely in battery case with battery. Compatible with all automotive

overcharging. Designed to provide exact

electrical systems. Automatic shutoff prevents

amperage needed to sealed, wet cell battery.

0157161 3" long, drop 2-1/4". For use with 9/16"

or 1/2" dia. shackle bolt.

0157168 1-3/4" long, drop 1-1/8". Use only at

shackle end of single axle suspensions.

0157160 13" long, drop 3-1/4". Use with 9/16" or

1/2" dia. x 3" shackle bolt.

1/4" thick steel, 1-1/4" wide. Use with 1/2" or

9/16" dia. shackle bolt to connect to equalizer

Shackle **Bolt & Nut**

Steel, 9/16" dia, and 3" long. Hex lock nut included.

0157166

Lug Nut

Plated steel, 1/2" with 20 threads per inch. Heavy

0157130

Universal Rim Clamp

Heavy-cast. Universal, will fit most mobile home axles, fits axles using either lug bolts or lug studs. Sometimes referred to as wedges.



0157125

Dust Can

Universal plated, will fit most axles, keeps grease in and dirt out to protect bearings.



0156900

Spindle Nut

Shackle Link

0157162 2-9/16" Hole Center 0157163 2-1/4" Hole Center

or to spring hanger.


Universal assembly comes with 1" dia. washer, 1/8" x 1-1/2" long cotter pin, and 1" dia. slotted hex nut.



0157172

Grease Seal

ABS plastic, long-wearing. (Refer to old seal dimension before ordering).



0157174 2-9/16" OD. 1.840" ID lip seal.

0157176 3-3/8" OD, 2.245" ID lip seal



Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Appliances Tools & Hardware



TNC-13

Free standing wood burning stove with 6" top exhaust. Heats up to 1,800 sq ft. 1.8 cu. foot firebox can accommodate logs up to 20".

Features:

- High tech firebox design for cleaner burn, more heat and more efficient burn times
- Extra large 9 1/4" x 16 1/2" door glass standard
- · Rear heat shield is standard

Dimensions:

25 1/4" wide x 26" high x 14" deep Weight: 295 lbs

0238100 50-TNC13 stove

- · Convenient ash drawer
- This pedestal version is Mobile Home approved!
- E.P.A. Certified
- Shown with optional lip trim and door trim



You must use an outside air hook-up when installing either model in a mobile home.

TNC-30

Free standing, non-catalytic, wood burning stove with 6" top exhaust. Heats up to 2,200 sq ft. 3.5 cu. foot firebox can accommodate logs up to 20".

Features:

- Super clean burn (1.63 grams/ hour) makes it the cleanest burning large firebox on the market
- Potential of 75,000+ BTU's when burning seasoned cordwood
- Rear heat shield is standard

Dimensions:

23 1/4" wide x 27 3/4" high x 24 1/2" deep Weight: 455 lbs

0238101 50-TNC30 stove

- · Convenient ash drawer
- This pedestal version is Mobile Home approved!
- E.P.A. Certified meets all E.P.A. clean air standards
- Shown with optional lip trim and door trim



You must use an outside air hook-up when installing either model in a mobile home.

Stove Pipe & Accessories

Stock #	Description
0238105	6" x 12" TLC all flue chimney
0238106	6" x 48" TLC all flue chimney
0238107	6" adjustable ceiling plate flat-6/12
0238108	6" adjustable ceiling plate 6/12-12/12
0238109	6" topper
0238110	6" cathedral ceiling support box

Stock #	Description
0238111	6" round ceiling support
0238112	6" adj. flashing 6/12-12/12
0238113	6" adj. flashing 0/12-6/12
0238114	6" tall cone flashing 0/12-2/12
0238115	6" storm collar, fixed
0238116	6" stovepipe adapter





2400 Kerosene Heater

The Monitor 2400 direct vent room heater runs on either K-1 Kerosene or Low Sulphur No.1 Oil. This supplemental heater is designed to keep up to 2,000 sq. ft. comfortable on about 1.5 – 2.0 gallons a day. Heat rating of 43,000 High, 16,200 Low BTUs

The Monitor "pipe within a pipe"

0239963 26.6"H, 28.7"W, 14"D

design ensures no cold air infiltration and no fumes. The control panel includes a child lock to prevent accidental operation by children. The Monitor 2400 kerosene heater also has a 7-day timer, so you can customize the four-time / temperature program for individual days of the week.

Direct Vent Room Heater for Natural Gas or LP



GF 1800 Heater - 20,000 Input BTUs/HR

The Monitor GF1800 gas heater runs on either Natural Gas or Liquid Propane. This efficient supplemental heater can provide comfortable dependable heat to spaces up to 800 sq. ft.

This Monitor gas heater can be programmed to four different times and four different temperatures to match your family's lifestyle. It also has a 7-day timer so you can customize the four time/temperature

0239961 25.6"H, 20.9"W, 12.4"D

program for individual days of the week.

Like all Monitor heaters, the GF1800 gas heater is a sealed combustion unit that uses outside air for combustion and sends all exhaust outside. Monitor's "pipewithin-a-pipe" uses the smallest pipe in the industry, 2 ½ inches. This technology ensures steady comfortable heat with no fumes. Approved for manufactured housing.



GF 3800 Heater - 34,500 Input BTUs/HR

The GF 3800 can provide comfortable dependable heat to spaces up to 1500 sq. ft.
The GF 3800 has a Seven-Day Programmable thermostat, Child lock, Auto reset after power outages, and beautiful contemporary styling. The GF 3800, like all Monitor

0239960 26.6"H, 28.7"W, 14"D

Heating Systems, is a sealed, combustion unit that uses outside air for combustion and sends all exhaust outside. Outside air is drawn through a pipe-within-a-pipe venting system. This process preheats combustion air regaining heat from the exhaust gases.

નeating & **Cooling**

Vent-Free Systems:

Vent-Free systems draw room air to support combustion in a clean burning blue flame or radiant-plaque system. Rated at 99.9 percent efficient, vent-free heaters release nearly all of the available heat energy into the room. To ensure safe operation, all vent-free systems include an Oxygen Depletion Sensor

(ODS) to automatically turn off the heater if room oxygen level drops to an unsafe level. Vent-free systems are designed to provide supplemental heat and may not be used as a primary heat source.

SR Radiant Heat

Stock #	ck # Model # Input Btu Temperature Control		Ship. Wt.	
0239995	SR-10	10,000	Manual 1-Heat Setting	18 lb
0239996	SR-18	18,000	Manual 3-Heat Setting	27 lb
0239997	SR-30	30,000	Manual 3-Heat Setting	35 lb

18 lb 27 lb 35 lb

HearthRite Heaters

- · Standing Pilot/Piezo
- · Radiant or Blue Flame design
- Manual or T-stat
- 99% efficient





Floor stand & blowers available

Blue Flame

Stock # Model #		Input Btu	Temperature Control	Ship. Wt.
0239983	HB20ML	20,000 LP	Manual	25 lb
0239980	HB20TL	20,000 LP	Thermostat	25 lb
0239982	HB30ML	30,000 LP	Manual	33 lb
0239981	HB30TL	30,000 LP	Thermostat	33 lb

Radiant

Stock #	Model #	Input Btu	Temperature Control	Ship. Wt.
0239987	HR15ML	15,000 LP	Manual	25 lb
0239985	HR15TL	15,000 LP	Thermostat	25 lb
0239988	HR25ML	25,000 LP	Manual	33 lb
0239986	HR25TL	25,000 LP	Thermostat	33 lb

Accessories

Stock #	Model #	Description	Ship. Wt.
0239989 HAB01		Blower (fits 15 - 30k Btu	5 lb
0239993 HAS01		Stand (fits 6k - 10k Btu	3 lb
0239994	HAS02	Stand (fits 15k - 30k Btu	3 lb

Direct-Vent Systems:

DV systems mount along an outside wall and have a ventwithin-a-vent system to draw in outdoor air to support combustion and exhaust flue products to the outdoors. The vent cap usually installs on the outside wall of the home. Because they do not draw your already heated room air to support combustion, DV systems are among the most efficient of the vented heaters. DV systems may be installed as the primary heating system. Approved for manufactured housing.

MV Direct Vent Wall Furnaces

Empire MV direct-vent heaters are slim and compact, complementing any room décor. Built-in Thermostat, Safety Thermocouple, and Matchless Piezo Igniter. Standing Pilot/Piezo. Modulating Hydraulic Thermostat.

Stock #	Model #	Type of Gas	Input Btu	Ship. Wt.
0239998	MV-130 NAT	Natural	14,000	33 lb
0239999	MV-130 LP	LP	14,000	33 lb



Empire Comfort Heating Systems

DV Direct Vent Wall Furnaces

Clean and cost efficient comfort with Empire wall furnaces. Delivering ample, room-filling warmth, each furnace is stylishly crafted and fits against an outside wall. Millivolt wall thermostat. Standing Pilot/Piezo ignition system.

Stock #	Model #	Input Btu	Type of Gas	Ship. Wt.
0239950	DV-215 SG NAT	15,000	Natural	60 lb
0239951	DV-215 SG LP	15,000	LP	60 lb
0239977 DV-25 SG NAT		25,000	Natural	98 lb
0239978	DV-25 SG LP	25,000	LP	98 lb
0239973	DV-35 SG NAT	35,000	Natural	101 lb
0239976	DV-35 SG LP	35,000	LP	101 lb





0239971 Automatic Blower (Mfr# DRB-1), 8 lb

High Efficient Direct Vent Wall Furnaces

Advanced technology makes these heaters more than 80 percent efficient A.F.U.E. The 20,000 Btu DV-20E is ideal for heating basements, family rooms or several small rooms. The DV- 40E and DV-55E are perfect for heating large family rooms, offices, apartments or even entire homes. Hot Surface/Electronic ignition system.

Stock #	Model #	Input Btu	Type of Gas	Temperature Control	Ship. Wt.
0239990	DV-20E	20,000	Natural	Thermistor, Electronic	126 lb
0239991	DV-40E	40,000	Natural	Thermistor, Electronic	137 lb
0239992	DV-55E	55,000	Natural	Thermistor, Electronic	156 lb



0239959 Floor Pad 36 x 14 inch. (Mfr# DVP-1), 10 lb

B-Vent Systems:

B-Vent systems use room air to support combustion and exhaust their flue products to the outdoors via a single pipe. B-Vent heaters can mount anywhere you have access to an existing flue or where you can install a vent run through the roof. The ability to attach to an existing flue makes a B-Vent system an excellent replacement for an inefficient oil or wood stove. Though less efficient than other technologies - because they draw the already-heated room air to support combustion -B-Vent systems may be installed as the primary heating system.

Console Room Heaters

Our console heaters feature an open design for maximum heat dispersion and include a draft diverter to eliminate pilot outages. Choose closed cabinet for heat only or visual flame (with optional log set or ceramic radiant package) for a fireplace-like

experience. Installs easily with standard vent pipe. An optional automatic blower enhances heat circulation (standard on RH-50B/656B.) Hydraulic thermostat.

Console

Stock #	Model #	Input Btu	Type of Gas	Ship. Wt.
0239969	RH-25	25,000	Natural	84 lb
0239968	RH-35 NAT	35,000	Natural	88 lb
0239972	RH-35 LP	35,000	LP	88 lb

0239959 Floor Pad 36 x 14 inch. (Mfr# DVP-1), 10 lb **0239971** Automatic Blower (Mfr# DRB-1), 8 lb

Visual Flame and Closed Front, (With blowers installed)

Stock #	Stock # Model #		Type of Gas	Front of Unit	Ship. Wt.
0239979	RH-65B	65,000	Natural	Visual Flame	142 lb
0239970	RH50-CB NAT	50,000	Natural	Closed Front	124 lb
0239975	RH65-CB LP	50,000	LP	Closed Front	124 lb



0143200 Heat/Cool Unit 0143201 Sleeve

B-Vent Systems: (Continued)

Gravity Wall Furnaces - Natural Gas

Our economical Gravity Vented Furnaces utilize state-of-the-art technology for the highest fuel efficiency. This furnace recesses into a wall or surface mounts

with the optional kit. Heat two adjoining rooms with the GWT-50. Standing Pilot ignition system. Millivolt thermostat (not included).

Stock #	Model #	Input Btu	WxDxH	Ship. Wt.
0239964	GWT-35	35,000	16" x 6" x 66-1/8"	86 lb
0239967	GWT-50*	50,000	16" x 6" x 66-1/8"	133 lb

^{*} Dual Wall heats 2 rooms 0239967 may use 2 blowers

0239958 Wall Thermostat, Millivolt Reed Switch (Mfr# TMV), 2 lb

FAW

Conventional Vent Counterflow Wall Furnaces

Counterflow wall furnaces circulate warmth at floor level to provide comfort at a fraction of the cost of electric heat. The front panels remove easily for cleaning and servicing. Choose

standing pilot or electronic ignition. Optional side and rear registers help disperse heat to other areas. Standing Pilot/Piezo ignition system. 24V wall thermostat. Shipping weight 110lb.



Stock #	Model #	Input Btu	WxDxH	Gas	Ship. Wt.
0239965	FAW-40-SPP NAT	40,000	14-1/8" x 10-3/8" x 72-1/2"	Natural	110 lb
0239966	FAW-40-SPP LP	40,000	14-1/8" x 10-3/8" x 72-1/2"	LP	110 lb

GE® ENERGY STAR® 230/208 Volt **Built-In Room Air Heat/Cool Unit**


AJHS10DCC GE® 230/208 Volt Built-In Heat Pump

Features and Benefits

- 10.000/9.800 BTU
- 9,700/9,500 BTU pump
- 11,600/9,500 BTU strip
- 9.5/9.5 EER
- 230/208 Volts
- Mechanical controls

- · Variable position thermostat
- Four-way air direction
- · Up-front, washable air filter
- 2 cool/2 heat/2 fan only speeds
- Model AJHS10DCC Soft Gray







R6GD 13 SEER. R-410A Single Packaged Gas/Electric Units 2 Ton thru 5 Ton Units

The R6GD Series single packaged gas/electrics are high efficiency self contained cooling units that can be installed on the roof or on a slab. The convertible unit design makes installations simple in all applications. Units are ETL and ETLc listed.



- Heavy-Gauge, Full Perimeter Base Rails Facilitates forklift handling and curb mounting.
- Convertible Air Delivery Horizontal or downflow to accommodate rooftop or horizontal application.
- Galvanized Steel Cabinet with Polyurethane finish provides 950 hour salt spray protection to resist corrosion.
- Plastic Coated Coil Guard and Mesh Hail Guard Will never rust and protect the coil from being damaged by balls, lawn mowers, hail etc.
- Accessible Service Ports Quick access to refrigerant system without disrupting operation.
- Access to Controls and Major Components Easy in and out service.
- R-410A Refrigerant Environmentally friendly.



- Corrosion-Resistant Drain Pan Quickly drains away evaporator condensate.
- Smaller Panels, Great Fit and Finish, Total Seal Well-designed, quality construction. Drip edge on top panels whisks away rainwater. Embossed bottom pan keeps blower component compartment dry.
- Proven, Industry Standard Components Easier service and availability.
- Quiet Operation Low vibration. 20" fan blade combined with custom venturi condenser fan.
- High/Low Pressure Switch Added compressor protection.
- 1 year limited parts warranty.
- 1 year limited labor warranty.
- 10 year limited compressor warranty.


Stock #	R6GD Model #	Cooling BTUH	Output Heating BTUH	Dimensions L x W x H	Refrigerant Charge oz.	Shipping Weight
0104167	X30K-072C	28,400	57,600	55.8" x 47.5" x 39"	96	450 lbs.
0104168	X36K-096C	36,000	76,800	55.8" x 47.5" x 39"	112	495 lbs.
0104169	X42K-096C	42,000	76,800	55.8" x 47.5" x 39"	115.2	525 lbs.
0104170	X48K-096C	42,000	76,800	55.8" x 47.5" x 43"	224	550 lbs.

US LP gas conversion kit

0102858 (Mfr.# 904090A)

(Accessories on Pg K-11 & K-12)

MODEL IDENTIFICATION CODE





Single Packaged Air Conditioner, Single Phase 13 SEER. R-410A. 2 thru 5 Ton Units Cooling: 24.000 to 60.000 Btuh

The P5 Series single packaged air conditioners are high efficiency self contained cooling and heating units that can be installed on a slab. Units are ETL and ETLc listed.

- State-of-the-art scroll compressor is standard equipment.
- Designed using galvanized steel with a polyester urethane coat finish. The 950 hour salt spray finish resists corrosion 50% better than comparable units.
- Both indoor and outdoor coils are designed to optimize heat transfer, minimize size and cost, and increase durability and reliability.
- The service valves are easily accessible and simplify servicing of the refrigeration system.
- R-410A Refrigerant environmentally friendly

- A wire coil guard and mesh hail quard that will never rust protects the coil from being damaged by balls, lawn mowers, hail, etc.
- Designed to make servicing easier for the contractor, access panels are provided to all major components.
- 0" clearance to combustibles on duct side of the unit allows for installations in tight
- Easy access to evaporator for cleaning and general maintenance.
- High and low pressure switches added compressor protection.




- Drain trap design optimizes drainage capabilities.
- Easy to install electric heat strip provides up to 20 kw of heat output.
- Compact footprint and profile make the P5 Series easy to install and transport.
- 1 year limited parts warranty.
- 1 year limited labor warranty.
- 10 year limited compressor warranty.

Stock #	P5RD Model #	Cooling BTUH	Dimensions L x W x H	Refrigerant Charge oz.	Shipping Weight
0104086	024K	24,000	49" x 35" x 30.2"	125	290 lbs.
0104087	030K	30,000	49" x 35" x 30.2"	128	295 lbs
0104088	036K	35,400	49" x 35" x 30.2"	147.2	295 lbs
0104089	042K	41,000	49" x 35" x 30.2"	126.4	312 lbs
0104090	048K	47,500	49" x 35" x 30.2"	155.2	318 lbs
0104091	060K	55,000	49" x 35" x 34.2 "	148.8	348 lbs

DIMENSIONS (Top view)

Return Diameter: 14"; Supply Diameter: 12"

MODEL IDENTIFICATION CODE



Heater Kit Matrix

Identification codes for heater kits on page K-12

		Idonation codes for floater take on page 17.12						
Stock #	Mfg.#	Model #	024K	030K	036K	042K	048K	060K
S.O.	917166B	H3HK-005H-01B	Χ	Х	Χ	Х	Х	X
S.O.	917167B	H3HK-008H-01B	Х	Х	Х	Х	Х	Х
0103110	917168B	H3HK-010H-01B	Х	Х	Х	Х	Х	Х
0103111	917169B	H3HK-015H-01B	NA	X(2)	X(2)	X(2)	X(2)	X(2)
0103112	917170B	H3HK-020H-01B	NA	NA	NA	X(2)	X(2)	X(2)
0103113	917172B	H3HK-015H-21B	NA	Х	Х	Х	Х	Х
0103114	917173B	H3HK-020H-21B	NA	NA	NA	Х	Х	Х


^{() =} Number of internal circuit breakers required. See accessories page K-12

MILLER.

Single Packaged Heat Pump, Single Phase 13 SEER, R-410A, 2 thru 5 Ton Units Cooling: 24,000 to 56,000 Btuh Heating: 24,000 to 54,500 Btuh


The Q5 Series single packaged heat pumps are high efficiency self contained cooling and heating units that can be installed on a slab. Units are ETL and ETLc listed.

- State-of-the-art Copeland Scroll compressor: Is standard equipment.
- Designed using galvanized steel: With a polyester urethane coat finish. The 950 hour salt spray finish resists corrosion 50% better than comparable units.
- Both indoor and outdoor coils: Are designed to optimize heat transfer, minimize size and cost, and increase durability and reliability.
- The service valves are easily accessible: And simplify servicing of the refrigeration system.
- A wire coil guard and mesh hail guard that will never rust: Protects the coil from being damaged by balls, lawn mowers, hail, etc.
- High and low pressure switches: Added compressor protection.
- Suction Accumulator: Protection from liquid flood back and future compressor failures.



- Time / Temperature Defrost: A reliable, industry standard control offers various time settings to meet any type climate.
- Five Minute Restart Time Delay: When the unit shuts down, a five minute delay keeps the unit from restarting, eliminating the highest cause for compressor failure.
 - 1 year limited parts warranty.
 - 1 year limited labor warranty.
 - 10 year limited compressor warranty.


Stock #	Q5RD Model #	Cooling BTUH	Heating BTUH	Dimensions L x W x H	Refrigerant Charge oz.	Shipping Weight
0104092	024K	24,000	24,000	49" x 35" x 22.2 "	102.4	295 lbs.
0104093	030K	28,600	26,600	49" x 35" x 30.2"	128	335 lbs.
0104094	036K	35,600	34,000	49" x 35" x 30.2"	137.6	340 lbs.
0104095	042K	40,500	40,000	49" x 35" x 30.2"	132.8	355 lbs.
0104096	048K	46,000	44,500	49" x 35" x 34.2 "	179.2	385 lbs.
0104097	060K	56,000	54,500	49" x 35" x 38.2 "	200	385 lbs.



Return Diameter: 14" (12" for 024K); Supply Diameter: 12"

For emergency back-up heat, applicable heater kit must be installed. Kits sold separately.

MODEL IDENTIFICATION CODE



Heater Application Matrix*

Identification codes for heater kits on page K-12

Stock #	Mfg.#	Model #	024K	030K	036K	042K	048K	060K
S.O.	917166B	H3HK-005H-01B	X(0)	X(0)	X(0)	X(0)	X(2)	X(2)
S.O.	917167B	H3HK-008H-01B	X(0)	X(0)	X(2)	X(2)	X(2)	X(2)
0103110	917168B	H3HK-010H-01B	X(2)	X(2)	X(2)	X(2)	X(2)	X(2)
0103111	917169B	H3HK-015H-01B	NA	X(2 or 3)				
0103112	917170B	H3HK-020H-01B	NA	NA	NA	X(3)	X(3)	X(3)
0103113	917172B	H3HK-015H-21B	NA	X(0 or 1)				
0103114	917173B	H3HK-020H-21B	NA	NA	NA	X(1)	X(1)	X(1)

For emergency back-up heat, applicable heater kit must be installed. Kits sold separately.

() = No. of internal circuit breaker kits required. X = Branch circuit protection only NOTE: Blower performance heating values based on 10kw heater kit for 024k, 030k, and 036k. 15kw values used for 042k and 048k.

K-8

^{*} NA = Not Approved



Single Packaged Air Conditioner, Single Phase 15 SEER. 12 EER. R-410A. 2 thru 5 Ton Units **Cooling: 24.000 to 57.500 Btuh**


The P5 Series single packaged air conditioners are high efficiency self contained cooling and heating units that can be installed on a slab. Units are ETL and ETLc listed.

- State-of-the-art Copeland ultra-tech Scroll compressor: Provides two stage heat/cool
- Designed using galvanized steel: With a polyester urethane coat finish. The 950 hour salt spray finish resists corrosion 50% better than comparable units.
- Both indoor and outdoor coils: Are designed to optimize heat transfer, minimize size and cost, and increase durability and reliability.
- The service valves are easily accessible: And simplify servicing of the refrigeration system.
- R-410A Refrigerant: Environmentally friendly
- A wire coil guard and mesh hail guard: That will never rust protects the coil from being damaged by balls, lawn mowers, hail, etc.
- Designed to make servicing easier: For

- the contractor, access panels are provided to all major components.
- 0" clearance: To combustibles on duct side of the unit allows for installations in tight areas.
- Easy access: To evaporator for cleaning and general maintenance.
- High and low pressure switches: Added compressor protection.
- Drain trap: Design optimizes drainage capabilities.
- Easy to install: Electric heat strip provides up to 20 kw of heat output.
- Compact footprint and profile: Make the P5 Series easy to install and transport.




- Compressor sound blanket is standard.
- Energy efficient: Brushless DC (ECM) blower motor.
 - 1 year limited parts warranty.
 - 1 year limited labor warranty.
 - 10 year limited compressor warranty.



Stock #	Mfg.#	P5RF Model #	Cooling BTUH	Heating BTUH	Dimensions L x W x H	Refrigerant Charge oz.	Shipping Weight
0108005	920880	X24K	24,000	24,000	49" x 35" x 30.2"	128	295 lbs.
0108006	920881	X36K	35,400	26,600	49" x 35" x 30.2"	131	295 lbs.
0108007	920882	X48K	47,500	34,000	49" x 35" x 38.2"	171.2	395 lbs.
0108008	920883	X60K	57,500	40,000	63" x 35" x 38.2"	240	430 lbs.

Return Diameter: 14"; Supply Diameter: 12". For emergency back-up heat, applicable heater kit must be installed. Kits sold separately.

MODEL IDENTIFICATION CODE



Heater Application Matrix*

Identification codes for heater kits on page K-12

Stock #	Mfg.#	Model #	X24K	X36K	X48K	X60K
S.O.	917166B	H3HK-005H-01B	Х	Χ	Х	Х
S.O.	917167B	H3HK-008H-01B	Х	Х	Х	Х
0103110	917168B	H3HK-010H-01B	Х	Х	Х	Х
0103111	917169B	H3HK-015H-01B	NA	X(2)	X(2)	X(2)
0103112	917170B	H3HK-020H-01B	NA	NA	X(2)	X(2)
0103113	917172B	H3HK-015H-21B	NA	Х	Х	Х
0103114	917173B	H3HK-020H-21B	NA	NA	Х	Х

* NA = Not Approved

() = No. of internal circuit breaker kits required.

X = Branch circuit protection only

NOTE: Blower performance heating values based on 10kw heater kit for 024k, 030k, and 036k. 15kw values used for 042k and 048k.



Single Packaged Heat Pump. Single Phase 15 SEER. 12 EER. 8.0 HSPF, R-410A, 2 thru 5 Ton Units **Cooling: 24,000 to 46,500 Btuh** Heating: 23,000 to 44,000 Btuh

The Q5 Series single packaged heat pumps are high efficiency self contained cooling and heating units that can be installed on a slab. Units are ETL and ETLc listed.

- State-of-the-art Copeland Ultra: Tech Scroll compressor provides two stage heat/cool.
- Designed using galvanized steel: With a polyesterurethane coat finish. The 950 hour salt spray finish resists corrosion 50% better than comparable units.
- Both indoor and outdoor coils: Are designed to optimize heat transfer, minimize size and cost, and increase durability and reliability.
- The service valves are easily accessible: And simplify servicing of the refrigeration system.
- R-410A refrigerant: Environmentally friendly.
- A wire coil guard and mesh hail guard that will never rust: Protects the coil from being

- damaged by balls, lawn mowers, hail, etc.
- 0" clearance to combustibles: On duct side of the unit allows for installations in tight areas.
- High and low pressure switches: Added compressor protection.
- Suction Accumulator: Protection from liquid flood back and future compressor failures.
- Demand defrost standard: Provides additional energy savings in heating by defrosting only when necessary.
- Quiet operation and low vibration: 20" fan blade combined with custom Venturi condenser fan.




- Compressor sound blanket is standard.
- Three Minute Restart Time Delay: When the unit shuts down, a three minute delay keeps the unit from restarting, eliminating the highest cause for compressor failure.
- Protected Distributor Tubes: Both indoor and outdoor coils include very high abrasion resistance fiberglass sleeves to prevent leaks from tubing rubbing together.
 - 1 year limited parts warranty.
 - 1 year limited labor warranty.
- 10 year limited compressor warranty.

Stock #	Q5RF Model #	Cooling BTUH	Heating Btuh 47°F	Dimensions L x W x H	Refrigerant Charge oz.	Shipping Weight
0108000	X24K	24,000	23,000	49" x 35" x 30.2"	140	335 lbs.
0108001	X36K	34,600	34,600	49" x 35" x 30.2"	163	340 lbs.
0108002	X48K	46,500	44,000	49" x 35" x 38.2"	197	385 lbs.
0108003	X60K	46,500	44,000	63" x 35" x 38.2"	240	435 lbs.

For emergency back-up heat, applicable heater kit must be installed. Kits sold separately.

MODEL IDENTIFICATION CODE



Heater Application Matrix*

Identification codes for heater kits on page K-12

Stock #	Mfg.#	Model #	X24K	X36K	X48K	X60K
S.O.	917166B	H3HK-005H-01B	X(0)	X(0)	X(2)	X(2)
S.O.	917167B	H3HK-008H-01B	X(0)	X(2)	X(2)	X(2)
0103110	917168B	H3HK-010H-01B	X(2)	X(2)	X(2)	X(2)
0103111	917169B	H3HK-015H-01B	NA	X(2 or 3)	X(2 or 3)	X(2 or 3)
0103112	917170B	H3HK-020H-01B	NA	NA	X(3)	X(3)
0103113	917172B	H3HK-015H-21B	NA	X(0 or 1)	X(0 or 1)	X(0 or 1)
0103114	917173B	H3HK-020H-21B	NA	NA	X(1)	X(1)

^{*} NA = Not Approved


() = No. of internal circuit breaker kits required. X = Branch circuit protection only

NOTE: Blower performance heating values based on 10kw heater kit for 024k, 030k, and 036k. 15kw values used for 042k and 048k.



Sheet Metal System Reference Description

- 1 12" x 12" Return Air
- 2 16" x 20" Air Filter
- 3 12" x 20" Grille
- 4 Supply Damper
- 5 12" or 14" Dia. Flex Return Duct
- 6 12" Dia. Flex Supply Duct
- 7 12" x 12" x 12" "Y" fitting



Double Wide Application

Sheet Metal Systems

Stock #	Description
0100913	Single Wide Fittings Kit (Ref. 1, 2, 3 and 4)
0100917	Single Wide Fittings Kit with 12" Supply and 14" Return (Ref. 1, 2, 3 and 4)
0100914	Double Wide Kit for 2T HP w/12" connections (Ref. 1,2,3,4 & 6)
0100915	Double Wide Fittings Kit for 14" gas pack w/14" connections
0100918	Double Wide Fittings Kit with 14" return and 12" supply (Ref. 1, 2, 3 and 4) for A/C & HP
0103146	12" Return Box (Ref. 1)
0103153	14" Air Return Box
0100916	14" x 14" x 14" Y-Fitting
0103152	12" x 12" x 12" Y-Fitting (Ref. 7)
0103151	14" x 12" x 12" Y-Fitting

Single Wide Application

Stock #	Description			
0103148	12" x 20" Grill (Ref. 3)			
0100235	0100235 14" Duct Collar			
0100360	12" Starter Collars			
0100361	14" Starter Collars			
0103150	12" Supply Fitting (Ref. 4)			
0103149	0103149 14" Supply Fitting (Ref. 4)			
0103131	16" x 20" Hog Hair Filter (Ref. 2)			
0103160	16" x 14" Reducer Adapter			
0103154	14" -12" Reducer Adapter			
0103155	10" - 12" Reducer Adapter			
0101227	12" Duct Collar f/Nordyne			
0100362	362 12" Flex Connector			
0103073	14" Flex Adaptor Kit Square to Round			

Accessories

Stock #	Mfg. #	Description	Use With
0103001	903992	Heat/Cool Thermostat	All A/Cs
0103004	919604	HP Thermostat	
0238128	901996A	Automatic Damper	M Series Furnaces
0238221	902095	Base Damper	CMF
0237943	901083	Auto Damper	F/M Series Gas Furnaces w/Coil Cabinets & Nordyne Elec. Downflow Applications For Coil Cabinet M
Provious		Universal Hard Start Kit Provides additional starting torque for the compressor motor when operating with low line voltage or high operating temperatures	All Models
0102858	102858 904090A LP Conversion Kit f/Gas Pack		R-4 & R-6 Series
0262508		48" Hvy. Dty. Cable ties for duct work	

Duct Packages


Description	R4.2	R6	R8
10" x 25' Duct	0103147		
12" x 7' Duct	0103141		
12" x 14' Duct	0103142		
14" x 20' Duct	0103143		
12" x 20' Duct	0103144		
12" x 25' Duct	0100908	0103157	0103138
14" x 7' Duct	0103140		
14" x 25' Duct	0103145	0103158	0103139

Circuit Breaker/Adapters

Stock #	Mfg. #	Description
0101039	913350	4-Pole Single Adp
0101040	913556	6-Pole Single Adp
0101038	913554	2-Pole Brkr Single Phase



Heater Kit Identification Codes





High Efficiency Air Conditioner, 13+ SEER Residential System 1.5 - 5 Ton Capacity

The DS4(B,Q)D-KA/B series now offers the choice of an air conditioner that uses more efficient and environmentally friendly refrigerant designated R-410A. The unit, when combined with our matched indoor coils, offers a full line of quality, split-system air conditioning systems, units are ideally sized for manufactured housing applications.

- R-410A Refrigerant Earth friendly non-ozone depleting refrigerant.
- Permanently Lubricated Motor A heavy duty PSC motor for long lasting reliability and quiet operation. Requires no maintenance and is completely protected from rain and snow.
- Removable Top Grille Assembly Allows ease of service from the top without disconnecting fan motor leads.
- Composite Base Pan Absorbs sound and corrosion resistant. Composite is also stronger and lighter than steel.
- One Piece Top/Orifice Designed for maximum airflow and quiet operation.
- Easy Compressor and Control Access

- Designed to make servicing easier for the contractor, access panels are provided to all controls and the compressor from the side of the unit.
- Compressor All models utilize quiet and efficient Copeland Scroll Compressors.
- Durable, Attractive Cabinet Designed using galvanized steel with a polyurethane finish. the 950 hour salt spray finish is 1.5 mil thick and resists corrosion 50% better than comparable units.
- Steel Guard[™] Protects the unit coil from being damaged by balls, lawn mowers, hail, etc.



- High Pressure Switch Protects against abnormally high system pressures. Auto-reset feature prevents nuisance service calls.
- Liquid Line Filter Drier Included with outdoor unit.
 - 1 year limited parts warranty
 - 5 year compressor warranty
 - 1 year mileage warranty
 - 1 year labor warranty

Air Conditioner Condenser - 13 SEER.

Braze Stock #	Quick Connect Stock #	Model #	Cooling Capacity	Seer Rtg.	Refr. Ozs.**	Delay Fuse Max	Total Amps	Dimensions H x W x D	Ship. Wght.
0102201	0107500	DS4(B,Q)D-024KB	24,000	13	90	25	13.5	23" x 22.75" x 22.75"	130
0102202	0107501	DS4(B,Q)D-030KB	29,400	13	96	30	14.8	27" x 23.75" x 22.75"	144
0102203	0107502	DS4(B,Q)D-036KB	35,400	13	104	35	17.8	27" x 23.75" x 22.75"	146
0102204	0107503	DS4(B,Q)D-042KA	39,500	13	124	40	19.31	31" x 30.75" x 30.75"	196
0102205	0107504	DS4(B,Q)D-048KA	45,000	13	127	50	23.2	31" x 30.75" x 30.75"	196
0102206	0107505	DS4(B,Q)D-060KA	58,000	13	160	60	27.6	43" x 30.75" x 30.75"	228

Start Assist Kit

Provides additional starting torque for the compressor motor when operating with low line voltage or high operating temperatures.

0101107 (Mfr.# 912933)


Fan Delav Kit (TDR)

80-second fan delay

0103085 (Mfr.# 911758)

See pages K-17 & K-18 for coils and line sets

MODEL IDENTIFICATION CODES



High Efficiency Heat Pumps, 13+ SEER Residential System 1.5 - 5 Ton Capacity

The DT4(B,Q)D Series now offers the choice of a heat pump that uses a more efficient and environmentally friendly refrigerant designated R-410A. The heat pump, when combined with our engineered matched indoor coils, offer a full line of quality, split-system heat pumps. Units are ideally sized for manufactured housing applications.

- Warranty The best in the industry
 - 1 year limited parts
 - 5 year compressor
 - 1 year mileage
 - 1 year labor
- R-410A Refrigerant Earth friendly nonozone depleting refrigerant.
- Copper Tube / Aluminum Fin Coils Both indoor and outdoor coils are designed to optimize heat transfer, minimize size and cost, and increase durability and reliability.
- Permanently Lubricated Motor A heavy duty PSC motor for long lasting reliability and quiet operation. Requires no maintenance and is completely protected from rain and snow.
- Time / Temperature Defrost A reliable. industry standard control offers various time settings to meet any type climate.
- Removable Top Grille Assembly Allows ease of service from the top without disconnecting fan motor leads.

- Composite Base Pan Absorbs sound and corrosion resistant. Composite is also stronger and lighter than steel.
- Steel Guard[™] Protects the unit coil from being damaged by balls, lawn mowers, hail,
- One Piece Top/Orifice Designed for maximum airflow and quiet operation.
- Common Suction Service Port This port allows the contractor to read the suction pressure in all modes of operation without removing any panels, saving time and increasing serviceability.
- Five Minute Restart Time Delay When the unit shuts down, a five minute delay keeps the unit from restarting, eliminating the highest cause for compressor failure.
- Suction Accumulator Protection from liquid flood back and future compressor failures. All 12 seer H.P. have scroll compressors.
- Hot Gas Muffler Reduces compressor noise and vibration.



- Easy Compressor and Control Access Designed to make servicing easier for the contractor, access panels are provided to all controls and the compressor from the side of the unit.
- Durable, Attractive Cabinet Designed using galvanized steel with a polyester urethane finish. The 950 hour salt spray finish is 1.5 mil thick and resists corrosion 50% better than comparable units.
- High Pressure Switch Protects against abnormally high system pressures. Autoreset feature prevents nuisance service calls.
- Liquid Line Filter Drier Included with outdoor unit.

Heat Pump Condenser - 13 SEER

Braze Stock #	Quick Connect Stock#	Model #	Cooling Capacity	Seer Rtg.	Refr. Ozs.**	Delay Fuse Max	Dimensions H x W x D	Ship. Wght.
0102208	0107506	DT4(B,Q)D-024K	23,600	13	138	30	35" x 30.75" x 30.75"	180
0102209	0107507	DT4(B,Q)D-030K	29,200	13	145	30	39" x 30.75" x 30.75"	185
0102210	0107508	DT4(B,Q)D-036K	35,400	13	168	35	43" x 30.75" x 30.75"	190
0102211	0107509	DT4(B,Q)D-042K	39,000	13	243	40	39" x 30.75" x 30.75"	260
0102212	0107510	DT4(B,Q)D-048K	45,000	13	248	45	43" x 30.75" x 30.75"	295
0102213	0107511	DT4(B,Q)D-060K	51,000	13	248	50	43" x 30.75" x 30.75"	305

See pages K-17 & K-18 for coils and line sets

Start Assist Kit

0101107 (Mfr.# 912933)


Fan Delav Kit (TDR)

80-second fan delay 0103085 (Mfr.# 911758)

2-Stage Outdoor Thermostat

0102077 (Mfr.# 913235)

MODEL IDENTIFICATION CODES



DT4BE Series 15+ SEER. R-410A High Efficiency Heat Pump . 1.5 - 5 Ton Capacity

The DT4BE Series now offers the choice of an heat pump that uses a more efficient and environmentally friendly refrigerant designated R-410A. The DT4BE Series of heat pumps offers exceptional performance. The unit, when combined with our engineered coils or air handlers, offers a full line of quality, split system cooling and heating equipment. When matched with our variable speed air handler, or our variable speed blower kits, the DT4BE is rated up to 15 SEER and 8.5+ HSPF. Units are ideally sized for slab or rooftop mounting in single, multifamily, and light commercial applications.

- Warranty The best in the industry
 - 1 vear limited parts
 - 5 year compressor
 - 1 year mileage
 - 1 year labor
- Composite Base Pan: Absorbs sound and is corrosion resistant. Composite is also stronger and lighter than steel.
- Copper Tube / Aluminum Fin Coils: Both indoor and outdoor coils are designed to optimize heat transfer, minimize size and cost, and increase durability and reliability.
- Permanently Lubricated Motor: A heavy duty PSC motor for long lasting reliability and quiet operation. Requires no maintenance and is completely protected from rain and snow.
- Removable Top Grille Assembly: Allows ease of service from the top without disconnecting fan motor leads.
- High Pressure Switch: Protects against abnormally high system pressures. Auto-reset feature prevents nuisance service visits.
- Liquid Line Filter Drier: Included with unit, field installed.




- One Piece Top/Orifice: Designed for maximum airflow and quiet operation.
- Easy Compressor and Control Access: Designed to make servicing easier for the contractor, access panels are provided to all controls and the compressor from the side of the unit.
- Steel Guard™: Protects the unit's coil from being damaged by balls, lawn mowers, hail etc.

Dimensions: 43"H x 30-3/4"W x 30-3/4"L								
Stock #	Mfg.#	Model #	Cooling Capacity	Seer Rtg.	Refr. Ozs.**	Ship. Wght.		
0108020	919661D	DT4BE-024K	24,000	14	166	189		
0108021	919662D	DT4BE-030K	29,400	14	168	189		
0108022	919663D	DT4BE-036K	35,400	14	174	191		
0108023	919664D	DT4BE-042K	39,500	14	256	294		
0108024*	919669D	DT4BF-048KA*	45,000	15	272	289		
0108025*	919670D	DT4BF-060KA*	58,000	15	272	313		

^{*} To meet tax credit requirements for 4 & 5 ton applications, utilize the DT4BF heat pump matched with a B4VM air handler. Note that these air handlers are "C" cabinet width, which is larger than the E3 footprint and may not fit all applications.

MODEL IDENTIFICATION CODES



Start Assist Kit

Provides additional starting torque for the compressor motor when operating with low line voltage or high operating temperatures.

0101107 (Mfr.# 912933)

Fan Delav Kit (TDR)

80-second fan delay **0103085** (Mfr.# 911758)

2-Stage Outdoor Thermostat

0102077 (Mfr.# 913235)

FSHE Blower Kit

0103084 (Mfr.# 904619) (B-Cabinet).

B4VM-X Series. Air Handler with TXV 15+ SEER Residential System. High Efficiency Heat Pump 24.000 - 60.000 Btuh (Heat Pump & Air Conditioner) **R-410A Refrigerant**

The B4VM-X Series of air handlers, when combined with our 2-stage heat pump or 2-stage air conditioner, offers a full line of quality, split system heating and cooling equipment.

- Warranty The best in the industry
 - 1 year limited parts
 - 5 year compressor
 - 1 year mileage
 - 1 year labor
- Increased Efficiencies-Air conditioning and heat pump efficiencies up to 16 SEER and 8.5 HSPF.
- ECM Variable Speed Motor Programmed to provide 12 field-selectable cooling airflows and 4 heating airflows to match any application.
- Quiet Blower Operation Extra guiet and smooth blower on and off cycles.
- Constant airflow Motor automatically adjusts to different static loads.
- Selectable delay profiles Increases efficiency and comfort.
- Reduced air stratification This results in improved air quality by optimizing humidity removal and filtration capabilities.


- Multi-poised Can be used in horizontal. upflow, downflow and vertical applications.
- Built in Filter Rack makes the air handler easy to service.
- Plug-in Heater Kits Available in 5 kw through 30 kw (Not for use in 115 Volt units)
- Circuit Board Incorporating blower time delay relay, low voltage terminal strip, and heat-strip sequencing.
- Breaker Accessibility Breaker accessible from the front of the unit when heater is applied.
- Plastic Drain Pan Provides corrosion resistance.
- Durable Cabinet Galvanized steel with a polyurethane finish. The finish will endure 950 hours of salt spray and resist corrosion 50% better than comparable units.
- 2-Stage Cooling ECM variable speed motor is programmed to operate at 75% of selected CFM when the system is operating in low stage cooling.



- Thermal Expansion Valve Factory installed externally equalized thermal expansion valve provides precise refrigerant control under varying load conditions.
- Cabinet Insulation 1" insulation with an R-value of 4.2 contributes to guiet operation and prevents cabinet sweating.

Stock #	Mfg.#	Model #	Seer Rtg.	Suction Dia.	Liquid Dia.	Ship. Wght.	H x W
0108032	920424D	B4VM-X-024B	15	3/4	3/8	120	43.5" x 19.75"
0108033	920425D	B4VM-X-036B	15	7/8	3/8	140	49.5" x 19.75"
0108030	920426D	B4VM-X-048C	15	7/8	3/8	170	56" x 22.5"
0108031	920427D	B4VM-X-060C	15	7/8	3/8	170	56" x 22.5"

MODEL IDENTIFICATION CODE



- Upflow and counterflow applications
- Copper tubing with aluminum fins
- Quick connect refrigerant connections
- High efficiency fin design & rifle tubing
- Plastic long-life drain pan & fitting
- Coil pressurized
- Flap added over line set stubs for access to liquid line Schrader for testing

Evaporator "A" Coil 410A

(includes drain hose & clamp)

Stock #	Mfg. #	Model #	LxWxH			
Quick Connect Downturn						
0107515	920688	C5QA-X25U-B	19-1/2" x 18-1/8" x 19"			
0107516	920689	C5QA-X30U-B	19-1/2" x 18-1/8" x 19"			
0107517	920690	C5QA-X36U-B	19-1/2" x 18-1/8" x 19"			
0107518	920760	C5QA-X37U-B	19-1/2" x 18-1/8" x 25"			
0107519	920691	C5QA-X42U-B	19-1/2" x 18-1/8" x 19"			

Mortex Coils Quick Connect

0107520	559576	CM4Q-53U	19-1/2" x 18-1/8" x 18.5"
0107521	559577	CM4Q-54U	19-1/2" x 18-1/8" x 18.5"
0107522	559578	CM4Q-56U	19-1/2" x 18-1/8" x 24.5"

Braze - Horizontal Multipoise Coil

0102214	919628D	C5BA-X25U-B	19-1/2" x 18-1/8" x 19"
0102215	919512D	C5BA-X30U-B	19-1/2" x 18-1/8" x 19"
0102216	919513D	C5BA-X36U-B	19-1/2" x 18-1/8" x 19"
0102217	919630D	C5BA-X37U-B	19-1/2" x 18-1/8" x 25"
0102218	919514D	C5BA-X42U-B	19-1/2" x 18-1/8" x 25"

Braze - Downturn Connections Coil

0102219	920695	C5DA-X25U-B	19-1/2" x 18-1/8" x 19"
0102220	920696	C5DA-X30U-B	19-1/2" x 18-1/8" x 19"
0102221	920697	C5DA-X36U-B	19-1/2" x 18-1/8" x 19"
0102222	920761	C5DA-X37U-B	19-1/2" x 18-1/8" x 25"
0102223	920698	C5DA-X42U-B	19-1/2" x 18-1/8" x 25"

Mortex Coils Braze


0102224	920573	CM4B-53U	19-1/2" x 18-1/8" x 18.5"
0102225	920574	CM4B-54U	19-1/2" x 18-1/8" x 18.5"
0102226	920575	CM4B-56U	19-1/2" x 18-1/8" x 24.5"

Designed specifically for use with certain models of manufactured housing downflow gas furnaces or electric furnaces in both downflow and upflow applications, where system is configured as a pullthrough air application.

Efficiency and capacity ratings are listed in current ARI Unitary Directory for FB Coils matched with Nordyne brand outdoor condensing or heat pump units. Air conditioning coil matches are listed in INDOOR COIL MANUFACTURER air conditioning section. Heat pump coil matches are listed in INDOOR COIL MANUFACTURER heat pump section.

For replacement R-22 A-Coils and Line Sets, see page K-33

C5 Coils Identification Codes



Stock #	Mfg.#	Accessories	Notes:				
0103088	902084	Insulation Kit	3500 Models, EB-B				
0103011	902522	Wire Adapter Plug	3500 Models Coleman				
0103001	903992	H/C Thermostat	All Systems				
0103004	919664	HP Thermostat					
0101200	912349	O-Rings, 5/8; 10/Pk.					
0101201	912350	O-Rings, 3/4; 10/Pk.					
0100924	911656	Stub Kit, 5/8 - 3/8	For R-22 & R410A Line Sets				
0100925	911657	Stub Kit, 3/4 - 3/8	For R-22 & R410A Line Sets				
0100926	911658	Stub Kit, 7/8 - 3/8	For R-22 & R410A Line Sets				
0100598	917763	Metal Filter F/C3QA A-Coil	15-7/8" x 19"				
0100601	917416	Metal Filter F/C3QA A-Coil	16-5/16" x 25"				
0100624	911328	Metal Filters F/C1QA A-Coil Only (2 ea)	16-3/4" x 19"				
0100625	911329	Metal Filters F/C1QA A-Coils Only	17" x 23"				
0103089	902039	Coil/Relay Adapter Package	3400, 4500				
0100602	914649	C3 Conversion Kit (054)	FE, E1, E2 & E3				
0100603	914539	C3 Conversion Kit (24-47, 55)	FE, E1, E2 & E3				
0100604	914540	C3 Conversion Kit (48)	FE, E1, E2 & E3				
0100605	917446	Conversion Kit F/37/43/48 Coils	FE, E1, E2 & E3				
0103092	902828	A-Coil Shelf (PK6F Coleman)	EB-A, EB-B				
0100606	291391	Hold Down Bracket					
0100607	224720	Hold Down Bracket					
0103085	918476	Time Delay Relay					
0100650	914762	Fos. Fuel Relay Kit f/Gas					
0102077	913852	Outdoor T-Stat Kit					
0104155	558171	Filter Kit f/ 42 -53 and -54 Coils	18" x 24"				
0104156	558177	Filter Kit f/ -55 Coils	18-3/4" x 24-1/4"				
0103205	903092A	2 Wire Relay Kit	M1 Furnaces				

Insulated Line Sets 410A

Stock #	Mfg. #	Suction Line ID	Length
0107525	920702	5/8"	15'
0107526	920703	3/4"	15'
0107527	920705	3/4"	20'
0107528	920706	7/8"	20'
0107529	920707	3/4"	25'
0107530	920708	7/8"	25'

Stock #	Mfg. #	Suction Line ID	Length
0107531	920709	3/4"	30'
0107532	920710	7/8"	30'
0107533	920712	7/8"	40'
0107534	920713	3/4"	50'
0107535	920714	7/8"	50'

NOTE: See "Outside Unit Installation Instructions" for factory-specified lineset.

Braze 1/2" Insulated Line Sets 410A

Stock #	Mfg. #	Liquid OD	Suction OD	Length	Insulation
0102230	01-0334	3/8"	3/4"	20'	1/2"
0102231	01-0336	3/8"	3/4"	30'	1/2"
0102232	01-0340	3/8"	7/8"	20'	1/2"
0102233	01-0342	3/8"	7/8"	30'	1/2"
0102234	01-0345	3/8"	7/8"	50'	1/2"

SYSTEM HEATING & COOLING CAPACITIES - 13 SEER — High Efficiency — Single Phase

M1 & M3 (+ Colem	(Btu/h) 47F°	(Btu/h) 17F°						
Outdoor Unit	Indoor Coil + TDR	Coil Height	Cooling Capacity	EER	HSPF	SCFM	Capacity	Capacity
DT4(B,Q)D-018K	C5(B,D,Q)A-X25U-B	19"	18,000	11.05	7.7	625	18,000	10,600
DT4(B,Q)D-024K	C5(B,D,Q)A-X25U-B	19"	23,600	12.6	9.0	750	23,600	13,600
DT4(B,Q)D-030K	C5(B,D,Q)A-X30U-B	19"	29,200	12	8.0	850	30,000	18,000
DT4(B,Q)D-036K	C5(B,D,Q)A-X36U-B	19"	35,400	11.8	8.0	1180	36,000	23,000
DT4(B,Q)D-042K	CM4(B,Q)-53U	18 1/2"	39,000	11.5	8.0	1310	40,500	25,000
DT4(B,Q)D-048K	CM4(B,Q)-53U	18 1/2"	45,500	11.7	8.0	1400	46,500	30,000
DT4(B,Q)D-060K*	CM4(B,Q)-54U***	18 1/2"	51,000	11.5	7.6	1400	51,000	34,800

^{* 5} ton condenser is not a valid Match with the M3 *** Requires 5 Ton Blower set at High Speed

E3 13 SEER		(Btu/h) 47F°	(Btu/h) 17F°					
Outdoor Unit	Indoor Coil + TDR	Coil Height	Cooling Capacity	EER	HSPF	SCFM	Capacity	Capacity
DT4(B,Q)D-018K	C5(B,D,Q)A-X25U-B	19"	18,000	11.05	7.7	625	18,000	10,600
DT4(B,Q)D-024K	C5(B,D,Q)A-X25U-B	19"	23,600	12.6	9.0	750	23,600	13,600
DT4(B,Q)D-030K	C5(B,D,Q)A-X30U-B	19"	29,200	12	8.0	850	30,000	18,000
DT4(B,Q)D-036K	C5(B,D,Q)A-X36U-B	19"	35,400	11.8	8.0	1180	36,000	23,000
DT4(B,Q)D-036K	C5(B,D,Q)A-X37U-B	25"	35,400	11.8	8.0	1180	36,000	23,000
DT4(B,Q)D-042K	CM4(B,Q)-53U	18 1/2"	39,000	11.5	8.0	1310	40,500	25,000
DT4(B,Q)D-042K	CM4(B,Q)-54U	18 1/2"	41,500	11.7	8.0	1400	41,500	25,200
DT4(B,Q)D-048K	CM4(B,Q)-53U	18 1/2"	45,500	11.7	8.0	1400	46,500	30,600
DT4(B,Q)D-048K	CM4(B,Q)-54U	18 1/2"	46,500	12.0	8.0	1400	46,500	30,200
DT4(B,Q)D-060K	CM4(B,Q)-56U**	24 1/2"	53,000	11.7	8.0	1600	54,000	37,000

^{**} Requires 5 Ton Blower set at High Speed

c Application for DT4BE Heat Pumps

SYSTEM HEATING & COOLING CAPACITIES 14+ SEER — High Efficiency — Single Phase

Outdoor Unit	Indoor Unit	Cooling Capacity	SEER	EER	Heating Capacity Btu/h @ 47°F	HSPF	Nominal SCFM
DT4BE-018K	B4VM-X24K-(A,B)	19,000	15.0	13.5	18,800	8.5	675
DT4BE-024K	B4VM-X24K-(A,B)	23,400	15.0	13.5	24,600	8.6	675
DT4BE-030K	B4VM-X30K-B	28,400	15.0	13.5	29,400	8.7	960
DT4BE-036K	B4VM-X36K-B	34,800	15.0	13.5	33,600	8.8	1125
DT4BE-042K	B4VM-X48K-B	40,000	15.5	14.0	38,000	9.0	1300
DT4BE-048K	B4VM-X48K-B	45,500	14.0	12.6	44,000	8.5	1660
DT4BE-060K	B4VM-X60K-B	59,000	14.0	12.5	52,500	8.5	1660

All ratings are with time delay relay.

See current AHRI Directory for certified combinations and ratings.www.ahridirectory.org

Outdoor Unit	Indoor TVX Coil Model	Indoor Unit	Cooling Capacity	SEER	EER	Heating Capacity Btu/h @ 47°F	HSPF	Nominal SCFM
DT4BE-024K	C5B(A,H)-X25(C,U)-B	E3EB(*)+FSHE	23,800	15	12.5	24,000	8.5	750
DT4BE-030K	C5B(A,H)-X30(C,U)-B	E3EB(*)+FSHE	27,600	15	12.5	29,000	8.5	885
DT4BE-036K	C5B(A,H)-X37(C,U)-B	E3EB(*)+FSHE	34,200	15	12.5	34,400	8.5	1200
DT4BE-042K	C5B(A,H)-X42(C,U)-B	E3EB(*)+FSHE	39,500	15	12.5	38,500	8.5	1340

SYSTEM HEATING & COOLING CAPACITIES - 13 SEER — High Efficiency — Single Phase

M1 & M3 (+ Coleman/Vexar Gas or Electric)

Outdoor Unit	Indoor Coil + TDR	Coil Height	Cooling Capacity	SEER	EER	SCFM
DS4(B,Q)D-018KA	C5(B,D,Q)A-X25U-B	19"	18,000	13.0	11.5	525
DS4(B,Q)D-024KB	C5(B,D,Q)A-X25U-B	19"	24,000	13.0	11.5	700
DS4(B,Q)D-030KB	C5(B,D,Q)A-X30U-B	19"	29,400	13.0	11.5	950
DS4(B,Q)D-036KB	CM4(B,Q)-53U	18 1/2"	35,400	13.0	11.0	1150
DS4(B,Q)D-042KA	CM4(B,Q)-53U	18 1/2"	39,500	13.0	11.0	1260
DS4(B,Q)D-048KA	CM4(B,Q)-53U	18 1/2"	45,000	13.0	10.9	1400
DS4(B,Q)D-060KA*	CM4(B,Q)-54U*	18 1/2"	51,500	13.0	10.7	1460

^{* 5} ton condenser is not a valid Match with the M3

E3

Outdoor Unit	Indoor Coil + TDR	Coil Height	Cooling Capacity	SEER	EER	SCFM
DS4(B,Q)D-018KA	C5(B,D,Q)A-X25U-B	19"	18,000	13.0	11.5	525
DS4(B,Q)D-024KB	C5(B,D,Q)A-X25U-B	19"	24,000	13.0	11.5	700
DS4(B,Q)D-030KB	C5(B,D,Q)A-X30U-B	19"	29,400	13.0	11.5	950
DS4(B,Q)D-036KB	C5(B,D,Q)A-X36U-B	19"	34,600	13.0	11.5	950
DS4(B,Q)D-036KB	C5(B,D,Q)A-X37U-B	25"	36,000	13.0	11.5	1100
DS4(B,Q)D-042KA	C5(B,D,Q)A-X42U-B	*	40,500	13.0	11.7	1250
DS4(B,Q)D-048KA	CM4(B,Q)-53U	18 1/2"	45,000	13.0	10.9	1400
DS4(B,Q)D-048KA	CM4(B,Q)-56U***	24 1/2"	48,000	13.0	11.2	1600
DS4(B,Q)D-060KA	CM4(B,Q)-56U***	24 1/2"	55,000	13.0	11.1	1600

^{*} B,D=25", Q=19"

Notes:	
	
	

^{**} Requires 5 Ton Blower on Med/High

^{***} Requires 5 Ton Blower set at High Speed

These handy charts show what you need for specific models...

Nordyne Electric

FEHA	
-------------	--

Heating blower in the FEHA Series Electric furnace can be used for up to 2 tons of cooling. For over 2 tons, use the 0103063 multi-speed blower

Stock #	Mfg.#	Model #
0103087	901699	Relay - 5 Wire
0103063	901282	Multi-Speed Blower
0103001	903992	H & C T-stat
0100603	914539	Conv. Kit
0103086	901698	Relay - 2 Wire

FEHB

FEHB Series comes with a 2-speed blower that can be used for up to 3 tons of cooling. For 4 tons, use the 0103063 multi-speed blower

ace and checked main speed siene.		
Stock #	Mfg.#	Model #
0103087	901699	Relay
0100603	914539	Conv. Kit
0103001	903992	H & C T-stat

FEBB		
FEBB Series includes A/C Blower (2 to 4 tons)		
Stock #	Mfg. # Model #	
0100603	914539	Conv. Kit
0103001	903992	H & C T-stat
0103087	087 901699 Relay Kit 5-Wire	

E1EB/E2EB		
Stock #	Mfg.#	Model #
0100603	914539	Conv. Kit

E1EH 2.5 Ton to 3 Ton		
Stock #	Mfg.#	Model #
0103048	902987	Relay
0103001	903992	H & C Thermostat
0100603	914539	Conv. Kit

E1EH 3.5 Ton to 4 Ton		
Stock #	Mfg.#	Model #
0103048	902878	Relay
0103049	902805	Blower
0100603	914539	Conv. Kit

Nordyne Electric (continued)

E2EH • 2.5 to 3 Ton		
Stock #	Mfg.#	Model #
0103048	902987	Relay
0100603	914539	Conversion Kit
0 103061	902991	Insulation Kit

E2EH • 3.5 to 4 Ton		
Stock #	Mfg.#	Model #
0103048	902987	Relay
0100603	914539	Conversion Kit
0103061	902991	Insulation Kit
0103041	902993	Blower Assembly

Nordyne MG Gas Furnaces

MGH			
Stock #	Mfg.#	Model #	
0103057	911030	Blower	
0103001	903992	H & C Thermostat	

MGHA-02, MMHA, MBHA, MSHA 2-3.5 T			
Stock #	Mfg.#	Model #	
0103007	901998	Blower	
0103010	901995	Relay	
0103001	903992	H&C T-stat	

MGHA-02, MMHA, MBHA, MSHA 4 T		
Stock #	Mfg.#	Model #
0103008	901999	Blower
0103010	901995	Relay
0103001	903992	H & C T-stat

MGHA-05 • 2.5 to 3.5 Ton		
Stock #	Mfg.#	Model #
0103005	902809	Blower
0103001	903992	H&C Thermostat

MGHA-05 • 4 Ton		
Stock #	Mfg.#	Model #
0103206	902898A	Relay
0103006	902810	Blower
0103001	903992	H&C Thermostat

These handy charts show what you need for specific models...

5 Ton Blower Assemblies

Stock #	Mfg.#	Model #
0103060	902985	F/E2E
0103065	903944	F/Coleman Gas
0103044	903963	F/Coleman Elect. EB Motor & cap only to up- grade current 4T blower
0103202	903890	F/M1 Gas Furnace

Nordyne M1 Gas Furnaces

M1GH • 2 Ton			
Stock #	Mfg. # Model #		
0103206	902898A	Relay	

M1GH • 2 to 3 Ton		
Stock #	Mfg.#	Model #
0103200	903412	Blower
0103206	903773A	Relay

M1GH • 2 to 4 Ton		
Stock #	Mfg.#	Model #
0103201	903413	Blower
0103206	902898A	Relay

M1GH • 2 to 5 Ton		
Stock #	Mfg.#	Model #
0103202	903890	Blower
0103206	902898A	Relay

Coleman Electric Furnace

EB-A		
Stock #	Mfg.#	Model #
0103087	901699	Relay
0103089	902039	Coil Support Adapter
0103001	903992	H&C T-stat
0103088	902084	Insulation Kit

EB-B		
Stock #	Mfg.#	Model #
0103092	902828	Coil Relay Adapter Kit
0103001	903992	H&C T-stat
0103088	902084	Insulation Kit

Coleman Gas Furnaces

DGRT-AUA/DGAT-BDA 2 Ton to 3.5 Ton		
Stock #	Mfg.#	Model #
0103007	901998	Blower
0103010	901995	Relay
0103001	903992	H&C T-stat

DGRT-AUA/DGAT-BDA, BDD 4 Ton		
Stock #	Mfg.#	Model #
0103008	901999	Blower
0103009	901994	2W A/C Control (Relay)
0103010	901995	5W A/C Control (Relay)
0103001	903992	H&C T-stat

_	DGRT-AUB/DGAT-BDC 2 Ton to 3.5 Ton							
Stock #	Stock # Mfg. # Model #							
0103008	919999	Blower						
0103011	0103011 902522 Adpt. Plug							
0103001	903992	H&C T-stat						

DGRT-AUB/DGAT-BDD 2 Ton to 3.5 Ton							
Stock #	Stock # Mfg. # Model #						
0103006	902810	Blower					
0103011	0103011 902522 Adpt. Plug						
0103001	903992	H&C T-stat					

DGRT-AUB/DGAT-BDC 4 Ton								
Stock #	Stock # Mfg. # Model #							
0103008	901999	Blower						
0103011	0103011 902522 Adapter Plug							
0103001	0103001 903992 H&C T-stat							



Convertible Furnace Power Oil-Gas 65,000, 80,000 & 100,000 Btu/h





CMF Series is a classic and time-honored design, a versatile and reliable product incorporating a multi-speed blower and multifired burner. Classic design coupled with new technology make the CMF today's choice for a multi-application fossil fuel heating appliance.

- Three-speed, custom fit and painted blower configuration for efficient, quiet operation at all firing rates
- Titanium kilned process technology used in heat exchanger steel for extended life and durability
- Re-sized auxiliary limit switch for reliable cycling
- Beckett oil burners are standard equipment
- Classic 18" width dimension for those tight replacement jobs
- MA 100, MA 200, and CB 200 bases for versatility

Heat Only Furnaces - Standard Flue Vent Size: 4"

Stock#	Mfg.#	Model #	Burner Type	Btu/h Input	Btu/h Output	CFM @ .3	WxDxH	Weight
0238000	904515	CMF2 80PG	Gas Gun	80,000	64,000	800	18" x 24-1/4" x 57"	183
0238001	904516	CMF2 80PO	Oil Gun	80,000	64,000	800	18" x 24-1/4" x 57"	167

Conversion Kits

Stock #	Mfg. #	Model #	Burner Type	Kit Includes:
0238002	903099	CMF80 to 65 PG	Gas Gun	Labels, orifices and air cone
0238003	903100	CMF80 to 65 PO	Oil Gun	Labels and nozzles
0238004	903101	CMF80 to 100 PG	Gas Gun	Labels and orifices
0238005	903102	CMF80 to 100 PO	Oil Gun	Labels, nozzles and burner head



CMF Accessories

Stock # Mfg. #		Description	For Use With:		
0238218 901696		CB-200-A Cottage Base	All CMF Furnaces		
0238355 903453		MA-200 Base Kit	All CMF Furnaces		
0238361	903451	MA-100 Universal Base Kit	All CMF Furnaces		
0238221	902095	Auto. Furnace Base Damper	All CMF Furnaces		
0238350	903893	RA-S2.5 Roof Jack Adaptor	All CMF Furnaces		
0238352	903895	RA-S4.0 Roof Jack Adaptor	All CMF Furnaces		
0238353	104060000	SRJ-1 Standard Roof Jack - 12"	All CMF w/12" or less roof cavity		
0238354	104060003	SRJ-2 Standard Roof Jack - 24"	All CMF w/13" to 24" roof cavity		
0238358	104060015	SRJ-3 Standard Roof Jack - 36"	All CMF w/25" to 36" roof cavity		
0238359	104060018	SRJ-4 Standard Roof Jack - 48"	All CMF w/37" to 38" roof cavity		
0238360	104060024	SRJ-5 Standard Roof Jack - 60"	All CMF w/49" to 59" roof cavity		
0238369	104360001	Roof Jack Extension 4" x 18"	All CMF Furnaces		
0238351	103947002	28" Vent Package	All CMF w/7' ceiling height		
0238356	103947004	34" Vent Package	All CMF w/7'6" ceiling height		
0238357	103947005	40" Vent Package	All CMF w/8' ceiling height		
0238367	901697	Offset Flue Pipe - 4" Diameter	All CMF Furnaces		
0238173	N/A	Filter-Replacement 1/4"x 16-1/2"x 26-1/2"	CMF and CMH Furnaces		
0237801	100-401	Heating Only Thermostat	All Miller Gas & Oil Furnaces		
0238129	918082	Heating Only Thermostat	All Furnaces		
0238006	903866	Replacement Blower - 3 Speed	All CMF Convertible Series		

Notes:	 	
	 	
	 	
	 	 · · · · · · · · · · · · · · · · · · ·
		 · · · · · · · · · · · · · · · · · · ·
	 	
	 	
	 	



M1M* Hot Surface Ignition M1B* Gas Gun

The M1 Series furnace is designed for all sizes of manufactured and modular homes. These units incorporate high efficiency, reliability, and low maintenance. Units may be installed free standing in a utility room or enclosed in an alcove or closet. M1 Series furnaces are available in A/C adaptable or A/C ready, with or without coil cavity box, multiple blower combinations for cooling requirements, and many burner options.

- Sealed Combustion System: Vents exhaust gas directly outdoors and draws in 100% outside air for the burner.
- Easy Open Pawl Latch: Secures the door firmly for transit, yet allows easy removal for access.
- Choice of Air Conditioning Options: From 2 to 5 tons A/C ready.
- Large, Effective Air Filter: Room air is cleaner with this permanent washable filter.
- High Efficiency Drum Heat Exchanger: Delivers optimum heat transfer with low air resistance.
- Appliance Quality Door: Protects against rust and other corrosion. Baked enamel finish allows for easy cleaning.
- Fully Insulated Cabinet: Insures minimized heat loss and quiet operation.
- Reliable Burner: With uniform flame pattern extends life of heat exchanger.



Furnace, Forced Draft Gas

56,000 to 90,000 Btu/h, Heating, A/C Relay (no coil cabinet)

Stock #	Mfg. #	Model #	Burner Type	Output Btu/h	AFUE	Wght.	WxDxH
0233015	903230	M1MB-077AAW	Hot Sur. Ign.	62,000	80.0	149	19-3/4" x 23-3/4" x 56"
0233016	903231	M1MB-090AAW	Hot Sur. Ign.	72,000	80.0	151	19-3/4" x 23-3/4" x 56"

56,000 to 90,000 Btu/h With Coil Cabinet & A/C Ready up to 3 Tons

Stoc	ck#	Mfg.#	Model #	Burner Type	Output Btu/h	AFUE	Wght.	WxDxH
0233	3005	903236	M1MB-056ABW	Hot Sur. Ign.	46,000	80+	167	19-3/4" x 23-3/4" x 76"
0233	3006	903237	M1MB-070ABW	Hot Sur. Ign.	57,000	80+	168	19-3/4" x 23-3/4" x 76"
0233	3007	903238	M1MB-077ABW	Hot Sur. Ign.	62,000	80+	171	19-3/4" x 23-3/4" x 76"
0233	3008	903239	M1MB-090ABW	Hot Sur. Ign.	72,000	80+	166	19-3/4" x 23-3/4" x 76"

56,000 to 90,000 Btu/h, A/C Ready up to 3 Tons (no coil cabinet)

Stock #	Mfg.#	Model #	Burner Type	Output Btu/h	AFUE	Wght.	WxDxH
0233013	903228	M1MB-056AAW	Hot Sur. Ign.	46,000	+08	152	19-3/4" x 23-3/4" x 56"
0233014	903229	M1MB-070AAW	Hot Sur. Ign.	57,000	80+	153	19-3/4" x 23-3/4" x 56"

56,000 to 90,000 Btu/h With Coil Cabinet & A/C Ready up to 4 Tons

Stock #	Mfg. #	Model #	Burner Type	Output Btu/h	AFUE	Wght.	WxDxH
0232985	903240	M1MC-056ABW	Hot Sur. Ign.	46,000	80	171	19-3/4" x 23-3/4" x 76"
0232986	903241	M1MC-070ABW	Hot Sur. Ign.	57,000	80	172	19-3/4" x 23-3/4" x 76"
0232987	903240	M1MC-077ABW	Hot Sur. Ign.	62,000	80	171	19-3/4" x 23-3/4" x 76"
0232988	903243	M1MC-090ABW	Hot Sur. Ign.	72,000	80	171	19-3/4" x 23-3/4" x 76"

Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Appliances

Tools & Hardware

Carpet & Flooring

Electrical


Plumbing

Furnace Direct Vent, Gas Gun 66,000 & 86,000 Btu/h, Heating, A/C Relay

Stock #	Mfg.#	Model #	Burner Type	Btu/h	AFUE	Wght.	WxDxH
0233018	903270	M1BA-066AAW	Pressure w/ Elect. Ignition	56,000	82.2	149	19-3/4" x 24" x 56"
0233019	903255	M1BB-086AAW*	Pressure w/ Elect. Ignition	71,000	81.0	150	19-3/4" x 24" x 56"

^{*} A/C ready up to three tons

MODEL IDENTIFICATION



Roof Jack Components - "Integrated" & Telescoping

Stock #	Mfg.#	Model #	Туре	Flashing Dimensions	Flue Pipe Dia.	Pitch	For Use With:
0237948	903658	FAW1523-0A	Flat	15" min 23" max.	5"		
0237949	903659	FAW2135-0A	Flat	21" min 35" max.	5"		
0237951	903660	FAW2747-0A	Flat	27" min 47" max.	5"		
0230077	903662	SAW2135-2A	Slope	21" min 35" max.	5"	2.5/12	All Miller/
0237956	903663	SAW2747-2A	Slope	27" min 47" max.	5"	2.5/12	Intertherm M1 Series
0237954	903664	SAW3563-4A	Slope	35" min 63" max.	5"	2.5/12	Furnaces
0237955	903666A	SAW5195-4A	Slope	51" min 95" max.	5"	4.0/12	
0237958	902521			Ceiling Ring			

Additional accessories sold on K-29

^{**} With coil cavity



High Efficiency/Direct Vent Condensing Downflow Gas Furnace M3RL

Induced Draft — 90+ AFUE Input 60,000 & 80,000 Btuh (4 Ton A/C Ready)


- 100% fired and tested all units and each component (both mechanical and electrical) are tested on the manufacturing line
- Clean and quiet operation due to the unique design of in-shot burners, location of inducer and use of insulation
- Fixed 30-second blower delay at burner start-up assures a warm outlet air temperature at furnace start-up. Adjustable blower off settings
- Fixed 30-second post purge increases life of heat exchanger
- Dependable hot surface ignitor Innovative application of an appliance-type ignitor with a 20-year history of reliability, assures no call-backs because of handling.
- Tubular primary heat exchanger Heavy aluminized steel heat exchanger assures a long life.
- Stainless steel secondary heat exchanger assures a long life.
- 90-second fixed cooling cycle blower-off delay (TDR) increases cooling performance when matched with a NORDYNE coil
- Sealed combustion approved for direct vent furnace, category IV venting system May be vertically or horizontally vented using a two-pipe system for maximum flexibility in installation.
- Multi-speed direct drive blower Gives a wide range of cooling capacities. 40VA transformer included.
- LP convertible Simple burner orifice and gas valve regulator change for ease of convertibility.
- Diagnostic light flashes identify limit failure, pressure switch failure and improper ground and polarization — easy trouble-shooting.
- 3 amp fuse protection against high and low voltage shorts; protects transformer and control board.
- Low voltage terminal board for easy field wiring.

Stock #	Mfg.#	Model #	Shipping Weight
0233036	903954	M3RL-060A-AW (Short)	150
0233037	903955	M3RL-080A-AW (Short)	155
0233038	903956	M3RL-060A-BW (Tall)	170
0233039	903957	M3RL-080A-BW (Tall)	175

The M3RL will fit in the same footprint and uses the same plenum as the M1 furnaces. The design of the M3RL allows for direct substitution in place of the M1 series furnaces.



Accessories sold on K-29



High Efficiency/Direct Vent or Non Direct Vent Condensing Upflow/Horizontal and Downflow Gas Furnace M4R (C and L Series)

Induced Draft — 92.1 AFUE Input 54,000 - 108,000 Btuh 60,000 & 80,000 Btuh


- 100% fired and tested all units and each component (both mechanical and electrical) are tested on the manufacturing line
- Best packaging in the industry Unique corner post design assures product will arrive to the homeowner dent free.
- 30 second blower delay at start-up assures a warm duct temperature at furnace start-up. Adjustable blower off settings (60, 90, 120 and 180 seconds).
- 30 second post purge increases life of heat exchanger.
- Hot surface igniter Innovative application of an appliance type igniter with a 20 year history of reliability. Utilizes proven Smartlite® technology.
- Color coded wire harness Designed to fit the components, all with quick-connect fittings for ease of service and replacement.
- Flexible category IV venting system May be vertically or horizontally vented using either a one-pipe or two-pipe system for maximum flexibility in installation.
- High Static Blowers All models equipped with high static blowers.
- Low Boy Height Easy to apply in low ceiling applications, works well with taller high SEER coils, easier to
- handle and install.
- Tubular primary heat exchanger Heavy gauge aluminized steel heat exchanger and stainless steel secondary heat exchanger assures a long
- 90 second fixed cooling cycle blower-off delay (TDR) increases cooling performance when matched with a NORDYNE coil.
- High efficiency blower kits maximize efficiencies. On select units, a SEER improvement of up to 1 point is realized.
- Multi-speed direct drive blower Designed to give a wide range of cooling capacities. Switches on PCB, provide ultra easy motor speed selection.
- LP convertible Simple burner orifice and regulator spring change for ease of convertibility.

- Diagnostic lights for easy troubleshooting without counting flashes -Dedicated light for flame signal strength and 2 lights in combination to indicate all other fault codes with easy to recognize states without counting flashes.
- Incorporates integrated control board with connections for electronic air cleaner and humidifier.
- Two piece door design enhances furnace appearance and uses captured screws to prevent losing door screws.
- Seated vestibule reduces burner and inducer sound levels.



Stock #	Mfg. #	Model #	Shipping Weight	
	90	% + Upflow Furnaces		
0233141	904747	M4RC 054D-24B	120lbs	
0233142	904748	M4RC 072D-35C	130lbs	
0233143	904749	M4RC 090D-35C	135lbs	
0233144	904750	M4RC 108D-45D	155lbs	
90% + Downflow Furnaces				
0233145	904751	M4RL 090D-35C	135lbs	
	C6	Cased Coil Wrappers		

•	OU Cased Coll Wilappers						
	0233146 904759		Wrapper, Cased Coil, C6 B				
	0233147 904761		Wrapper, Cased Coil, C6 C				
	0233148 904763		Wrapper, Cased Coil, C6 D				





M5S* Oil Gun

The M5 Series furnace is designed for all sizes of manufactured and modular homes. These units incorporate high efficiency, reliability, and low maintenance. Units may be installed free standing in a utility room or enclosed in an alcove or closet. M5 Series furnaces are available in A/C adaptable or A/C ready, with or without coil cavity box, multiple blower combinations for cooling requirements, and many burner options.

- Sealed Combustion System: Vents exhaust gas directly outdoors and draws in 100% outside air for the burner.
- Easy Open Pawl Latch: Secures the door firmly for transit, yet allows easy removal for access.
- High Efficiency Drum Heat Exchanger: Delivers optimum heat transfer with low air resistance.
- Fully Insulated Cabinet: Insures minimized heat loss and quiet operation.
- Reliable Burner: With uniform flame pattern extends life of heat exchanger.



M	ODEL IDENTIFICATION	
	M 5 S B - <u>06</u> 6	<u>6</u> A - BW
	Application M-Manufactured Home Furnace Series Fuel, Type of Combustion S-Oil, Direct Vent, Gun Burner Comfort Model H - Heating, A/C Ready A - Heating, A/C Ready B - A/C Ready, 3 Ton D - A/C Ready, 5 Ton	Door Color W - White Cabinet Dimensions A - 56" x 19-3/4" x 23-3/4" B - w/Coil Cavity, 76" x 19-3/4" x 23-3/4" Electrical Code A - 1PH, 60 Hz, 120 VAC Heating Capacity Input, BTUH (000')

Stock #	Mfg.#	Output MBtu/h	Model #	Ship Wt. A Cabinet	Ship Wt. B Cabinet
0233024	921212	56	M5SB-066-AAW	151	165
0233025	921209	73	M5SB-086-AAW	158	173
0233026	921211	56	M5SB-066-ABW	151	165
0233027	921208	73	M5SB-086-ABW	158	173

M Series Accessories

Stock #	Mfg. #	Description
0103200	903773	Gas Blower, 2-3 Ton
0103201	903413	Gas Blower, 2-4 Ton
0103202	903890	Gas Blower, 2-5 Ton
0103205	903092A	2-Wire Relay Kit
0103206	902898A	4-7 Wire Relay Kit
0237941	911969A	Coil Cabinet White 24"D x 19-3/4"W x 20"H
0238128 901996A Auto Damper F/MGHA & M1 Series		
0238124	901987A	Duct Connector .88"
0238125	901990A	Duct Connector 6.25"
0238126	901988A	Duct Connector 2"
0237960	903656	Roof Cap

Stock #	Mfg. #	Description
0237966	901935	5" Interior Ext. 10" LG
0237968	901937	5" Exterior Ext. 16" LG
0238362	903894	3.5" x 12" Slant Deck Kit
0238350	903893	2.5" x 12" Slant Deck Kit
0230140	901986	Base Adpt. for MAC
0238127	901989A Duct Connector 4.25"	
0237963	904106	Furn. Vent Transition Kit
0231137	903578	Concentric Flue Kit
0231130	904177	2" Concentric Vent Kit for M4
0231131	904176	3" Concentric Vent Kit for M4
0231132	904914	USLP Conversion Kit for M4
0231134	903578	Concentric Vent Term. Kit f/M4





The E3 Series furnace is designed for all sizes of manufactured and modular homes. These units incorporate reliability and low maintenance. Units may be installed free standing in a utility room or enclosed in an alcove or closet. E3 Series furnaces are available A/C adaptable or A/C ready, with multiple blower combinations for cooling requirements.


- Choice of Air Conditioning options From 2 to 5 tons A/C ready.
- Easy Open Door secures the door firmly for transit, yet allows easy removal for access.
- Effective Air Filter Universal disposable filter is readily available and simple to
- Nichrome Heating Elements provide long lasting, efficient heating.
- Appliance Quality Door protects against rust and other corrosion. Baked enamel finish allows for easy cleaning.

- Fully Insulated Cabinet insures minimized heat loss and quiet operation.
- Safety and Dependability: Auto reset controls protect unit's electrical circuitry and help ensure trouble free performance. Built in circuit breakers for extra safety.
- Adaptable: Unit can be adapted to provide dependable heating in either downflow or upflow mode.
- Versatile: Works with self-contained or split system air conditioners or heat pumps.
- Dimensions: 20" wide, 29" high, 24.5" deep



Stock #	Mfg.#	Model #	Output Heat Btuh
0238089	904129	E3EB-010H	35,000
0238090	904154	E2EB-015HBR	35,000
0238091	904130	E3EB-012H	41,000
0238092	904131	E3EB-015H	53,000
0238093	904132	E3EB-017H	57,000
0238094	904133	E3EB-020H	70,000
0238095	904134	E3EB-023H	75,000

MODEL IDENTIFICATION





Stock #	Mfg.#	Description	For Use With:
0103041	902993	Blower, 2-4 Ton	E3E Models
0103060	902985	Blower, 5T	E3E Models
0238068	902989	Top Grill & Frame White (20" x 27")	E3E Models
0237801	0100-401	Heat Only Thermostat (w/Thermometer)	All Furnaces
0238129	918082	Heat Only Thermostat	All Furnaces
0238124	901987	Duct Connector 11" x 13.25" x .88"	E3E Models
0238125	901990A	Duct Connector 11" x 13.25" x 6.25"	E3E Models
0238126	901988A	Duct Connector 11" x 13.25" x 2"	E3E Models
0237943	901083	Automatic Damper for AC or HP pkg. unit	E2/E3 Models
0238019	913874	4-Pole Single Circuit 1 Phase Adapter Kit	E2/E3 Models
0103061	902991	E2EH Insulation Kit	E3E Models
0103059	903091	Relay Kit, 2 Wire	E3E Models
0103048	902987	Relay Kit, 4-7 Wire	E1/E2 and E3 Models
0100602	914649	3 Coil Conversion Kit (054)	E2/E3 Models
0100603	914539	C-3 Conversion Kit (24-47)	E2/E3 Models
0103058	903001	HP T-Stat Connector	E2EB Models
0237938	902992	Upflow Stand	
0237939	902976	Coil Cabinet Upflow*	F/E2 furnace
0237936	903891	Coil Cabinet Downflow**	F/E2 furnace
0100598	917763	Filter F/24-47 Coil 2/Pkg.	

^{*} Open on both ends, has solid door.

E2E* Conversion to E3E* 15 KW Field Replacement Chart

OLD MODEL		REPLACEME	NT MODEL	
Description	Single Pack	Description	Single Pack	Stock #
E2EH-015HB	0902963B	E2EH-015HBR	0904154	0238090
E2EB-015HB	0902969C	E2EB-015HBR	0904154	0236090
E2EH-015HR	0903965	E3EH-015H	0004404	
E2EB-015HR	0903964C	E3EB-015H	0904131	0238092
E2EH-015HA	0902963A	E3EH-015H	0904131	0238092
E2EB-015HA	0902969A	E3EB-015H	0904131	0230092

- The E2E* 015HBR replaces the existing E2E*-015HB
- The E3E* 015H replaces the existing E2E* 015HR and E2E*-015HA.
- The E2E* -015HR will be discontinued.

^{**} Includes 19" x 24" x 3/8" filter, encloses coil and filters through the door.





Leader in the Warranty Services Industry

Manufactured Housing Product Protection Plan

Welcome to the simplest, easiest, worry-free risk management plan ever offered. SelecRate has been developed to make your business more profitable and less complicated. You and your customer receive all of the benefits of a comprehensive plan without the hassles that can be associated with many other extended agreement programs.

As your partner, we have teamed up with Service Net, North America's largest provider of risk management programs for HVAC/R industry, to develop this unique user-friendly opportunity to take your business to the next level. Through the SelecRate Plan you will increase profits, build your customer base and Service Department, improve customer retention and significantly increase the value of your business.

Five-Year Parts & Labor Protection Plans

0100143 AC Condensor Unit with Coil

0100144 HP Condensor Unit with Coil

0100148 HP Condensor Unit with Coil & Air Handler

0100142 Furnace

0100146 Packaged Unit Gas / Electric

0100140 Packaged AC

0100141 Packaged HP

Ten-Year Parts & Labor Protection Plans

0100149 AC Condensor Unit with Coil

0100150 HP Condensor Unit with Coil

0100156 HP Condensor Unit with Coil & Air Handler

0100154 Furnace

0100153 Packaged Unit Gas / Electric

0100151 Packaged AC 0100152 Packaged HP

Replacement R-22 Coils & Line Sets

Replacement "A" Coil

(for 10 SEER) Piston equipped.

Stock #	Mfg.#	Model #	Dimensions L x W x H
0102610	917224D	C3QA-024U-B	19-1/2" x 18-1/8" x 18"
0102611	917225D	C3QA-030U-B	19-1/2" x 18-1/8" x 18"
0102612	917226D	C3QA-036U-B	19-1/2" x 18-1/8" x 18"
0102613	917227D	C3QA-042U-B	19-1/2" x 18-1/8" x 18"
0102614	917228D	C3QA-047U-B	19-1/2" x 18-1/8" x 18"
0102609*	917266D	C3QA-048U-B	19-1/2" x 18-1/8" x 22-3/4"
0102615	917229D	C3QA-055U-B	19-1/2" x 18-1/8" x 19"

^{*} Will not fit most gas furnaces. Use 0102614 instead.

Replacement Coils for 13 Seer

- TXV equipped
- Needed to make 13 SEER in certain applications

Stock #	Mfg.#	Model #	Metering Device	Dimensions L x W x H
0104140	919213D	C5QA-T25U-B	R-22 TXV	19-1/2" x 18 1/8" x 20"
0104142	919214D	C5QA-T30U-B	R-22 TXV	19-1/2" x 18 1/8" x 20"
0104151	558447	CMQX-36U	R-22 TXV	19-5/8" x 18" x 18-1/2"
0104144	558442	CMQX-42U	R-22 TXV	19-5/8" x 18" x 18-1/2"
0104148	558166	CMQX-53U	R-22 TXV	19-5/8" x 18" x 18-1/2"
0104149	558168	CMQX-54U	R-22 TXV	19-5/8" x 18" x 18-1/2"
0104150	558170	CMQX-55U	R-22 TXV	19-5/8" x 18" x 20-1/2"

Replacement R22 Quick Connect Insulated Line Sets


Stock #	Mfg.#	Suction Line ID	Length
0103023	910866	5/8"	15'
0103024	910867	3/4"	15'
0103027	910870	3/4"	20'
0103037	910871	7/8"	20'
0103029	902893	3/4"	25'
0103030	902892	7/8"	25'
0103025	910872	3/4"	30'
0103028	910873	7/8"	30'
0103022	910875	7/8"	40'
0103021	914761	3/4"	50'
0103019	914526	7/8"	50'

Replacement R22 Braze 3/4" Insulated Line Sets

Stock #	Mfg.#	Suction Line ID	Length
0104190	01-0358	3/4"	20'
0104191	01-0360	3/4"	30'
0104192	01-0364	7/8"	20'
0104193	01-0366	7/8"	30'

Heating T-Stat with Thermometer

Economical 24 volt, wall-mounting heat-only thermostat with setting range of 50° to 90°F, 10° to 30°C with nominal 2°F differential, 2 wire, mercury free, environmentally safe. Bimetal sensor with an open contact switch that is enclosed for dust protection, allowing thermostat to be quickly installed without the critical leveling necessary with other thermostats. 3-1/6" square, 1-1/4" deep. Heat anticipation range of .18 to 1.0 amp.





0237801 100-401; 50/Ctn.

Thermostat

Low voltage, 24 VAC (30 VAC max.). .015 to 1.2 amps heating, 0 to 1.5 amps cooling. Snap action switch. Heating anticipator rating adjustable from 0.15 to 1.2 amps. Cooling anticipator rating fixed. 50°F to 90°F, 10°C to 30°C.

0238129 Heat Only

(Mfr# 918082)

0103001 Heat & Cool (Mfr# 903992)

0103002 Subbase Only

(Mfr# 903996) (replacement only;

will not work with 0238129)

Thermostats




White. Rodgers...

0103004 Digital, shown

Range 50° to 90° on heating and cooling cycle with differential of 2°F. 6.3" x 2.75" x 1.72". Mercury switches 1.5 amps at 24 volts. Slide switches 2 amps at 24 volts.

0103003 Heat/Cool 0103004 Digital Heat Pump

SAVERSTAT® Programmable Electronic T-Stat



For single stage heating & A/C systems with 24V controls. Standard "AA" battery included. One-button programming & hotline for technical assistance. Meets or exceeds all state/federal laws/guidelines requiring automatic setback thermostats. No subbases to stock or install. Large memory. Automatic compressor shortcycle protection. Four time and temp changes per weekday, 2 per weekend

0102998 For A/C; 24/Ctn.

(Mfr# 9600)

0102997 F/Heat Pump; 24/Ctn.

(Mfr# 9620)

Nordyne "E" Thermostat

Digital, cost-efficient. Wall-mount. Low voltage. Batteries are not required. Temperature and mode settings are preserved with the power off.

Programmable

0102993 Heat & Cool

(Mfr# 919732)

0102994 Heat Pump (Mfr# 919738)

Non-programmable 0102995 Heat & Cool

(Mfr# 917432)

0102996 Heat Pump (Mfr# 917433)



0102993 shown



0102995 shown

Nordyne Digital T-stat Heat & Cool



0103013 Non-programmable. (Mfr# 904609) shown.

0102989 Programmable (Mfr# 555559)



Nordyne Digital T-stat Heat & Cool



Non-programmable.

0103014 (Mfr# 920755)

Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Appliances

Tools & Hardware

Plumbing

K-34

leating & Cooling

HVAC Accessories

Non-Metallic Liquidtite Fittings





Straight Connector


For use with non-metallic liquid tight conduit, Type B. Provides smooth connection, no sharp edges to strip wire. Wiring easily pulls through. **Plastic material.**

0220431 1/2" Elbow **0220434** 3/4" Elbow

0220430 1/2" Straight Connector

0220433 3/4" Straight Connector

PVC Conduit



0220441 3/4" x 10"

PVC Condensate P-Trap



0100545 3/4"


Ultra Whips – Convenience Kit

Quick wiring in three distinct colors for easy A/C hookup. 90-degree connector is removable for straight connections (Straight connector not included). 1/2" x 4' THHN wire. Non-metallic connectors.

0220405 10 G, 1/2" x 4'; 6/Ctn. **0220410** 8 G, 1/2" x 4'; 6/Ctn. **0220412** 10 G, 1/2" x 6'; 6/Ctn.



Non-Metallic Sheathed Cable



- Uncoated copper conductors ASTM B-3
- Insulation Cresin-90 PVC compound, color-coded
- Two conductors are laid parallel with ground wire and paper separator
- Three conductors are twisted with cable fillers with wrapped ground wire to form round core
- Smooth 30 mil PVC jacket overall

Materials, test and construction in accordance with ANSI/UL 719 and Federal Specification J-C-30A.

0220425 8-2 NM w/Ground, 125' **0220427** 12-2 NM w/Ground, 250' **0220424** 10-2 NM w/Ground, 250'


Liquidtite Flexible Non-Metallic Conduit

For electrical applications outside, inside and industrial uses including transformer connections, air conditioning and heating. Joins with metallic or non-metallic connectors, easy to cut conduit is impact resistant, chemical resistant and will not kink or fracture.

0220408 1/2" x 100' Roll **0220432** 3/4" x 100' Roll



Underground Feeder Cable



- Solid copper 2 or 3 conductors
- 90° PVC insulation, color coded, insulated conductors and bare ground laid parallel
- 600 Volts
- Sunlight resistant PVC jacket compound

Materials, test and construction in accordance with ANSI/UL 493 and Federal Specification J-C-30A.

0220426 10-2 UF w/Ground, 250'

Thermostat Wire



20 Gauge. UL Listed.

0220308 2 Wire; 500' **0220310** 5 Wire; 250' **0220313** 8 Wire, 250'





10,000 Amperes RMS—UL listed Interrupting Rating 120/240Vac. 15-30 Ampere breakers are suitable for use with 60°C or 75°C conductors. 40-125 Ampere breakers are suitable for use with 75°C conductors.



0220977 15 Amp, 1 Pole ◆▲ **0220982** 20 Amp, 1 Pole ◆▲

0220979 20 Amp, 2 Pole, Common Trip ◆

0220980 30 Amp, 2 Pole, Common Trip ◆


0220981 40 Amp, 2 Pole, Common Trip ◆

0220983 50 Amp, 2 Pole, Common Trip ◆

0220984 60 Amp, 2 Pole, Common Trip ◆

- UL listed as SWD (switching duty) rated. Suitable for 120VAC fluorescent lighting
- UL listed as HACR type for use with air conditioning, heating and refrigeration equipment having motor group combinations and marked for use with HACR type circuit breakers.

Homeline Tandem Circuit Breakers



10,000 AIR — One Pole Tandem 120/240Vac (one space required). 15-20 Ampere one pole tandem breakers are suitable for use with 60°C or 75°C conductors. 15-30 Ampere two pole tandem breakers are suitable for use with 75°C conductors.

0220989 15 and 20 Amp 0220978 20 and 20 Amp 0220993 30 and 15 Amp



Homeline Quad Tandem Circuit Breakers

10,000 AIR — Two Pole Tandem 120/240Vac (two spaces required). Represents two 1-pole outer poles and one 2-pole inner breaker with common trip. 15-20 Ampere one pole tandem breakers are suitable for use with 60°C or 75°C conductors. 15-30 Ampere two pole tandem breakers are suitable for use with 75°C conductors.

0220986 Two 20 Amp 1 Pole, 30A 2 Pole **0220987** Two 20 Amp 1 Pole, 40A 2 Pole **0220988** Two 20 Amp 1 Pole, 50A 2 Pole

Disconnect Switches

- Fuses install into pull-out handle.
- * Line, load, and ground terminals aligned for easy hook up with heavy wires.
- * Reversible side-opening door.
- * Indicator lights for blown fuses.
- * Full dead front.
- * Folding pivot locking tab.
- * Knockouts accommodate three sizes (1/2", 3/4", and 1").
- * Rear entry knockouts.
- * Heavy gauge steel case.
- * Standard 1/4" head screw on dead front.

- Large internal wiring space.
- * Installs without removing internals.
- * UL/CUL listed
- * Multi-lingual packaging.
- * No sharp edges on the metal case.
- * Center slotted hanging hole for easy level wall mounting.
- * Tough epoxy powder coat finish UV stabilized.
- * Long-lasting plated copper electrodes.
- * Operate and store positions for disconnect pull-out.

METALLIC					
Part #	Description	HP Max	Line	Load	Equip. Grounding Terminals Al/Cu
0220406	60 Amp, Not-Fusible	10	#14-#3	#14-#3	(2) #14-#4

NON-METALLIC					
Part #	Description	HP Max	Line	Load	Equip. Grounding Terminals Al/Cu
0220409	60 Amp, Not-Fusible*	3	#14-#3	#14-#3	(6) #14-#4

^{*} Does not contain over-current protection. Suitable for use on systems with up to 10K RMS symmetrical amperes available fault current at 240 Vac when protected by a fuse or circuit breaker rated 60 Amperes or less.



Anchors & Outdoor Set-Up Material Improvements

Doors & Windows


Coatings & Cleaners

Appliances

Heating & Cooling

HVAC Accessories

Fiberglass Filters



0103131 16" x 20" Hog

Hair; 100/Ctn.

0238175 20" x 20"; 12/Ctn.

0231287 Rolled Foam

(24" x 25' x 1/4")

Filters & Retainers

0100598 Electric Furnace Filter 15-7/8" x 19" (Nordyne #917763)

0238173 Filter 1/4" x 16" x 26" F/CMF & CMH Miller furnaces. (Miller #102957040)

0238169 Retainer f/CMF Filter

0238171 Filter 1/4" x 19" x 36" F/Amm Coleman President II (Coleman #7660-3401)

0238172 Retainer f/Coleman Filter

0231283 Filter 1/4" x 19" x 54" F/all Intertherm/Miller MGH

Series (Nordyne #6683560)

0238170 Retainer f/F-30 Filter, Intertherm & Miller 'MGH'

furnace 75 pcs./carton, needs 3 for ea. filter. 238174

Filter Kit

0231284 Filter for M2RL 18" x 20" x 1

0231288 MAC "Sock" Filter 17" x 54"

0238167 E2EB-B 16" x 20", disposable, w/out A/Coil installed)

(Nordyne #668934)

Slimfold Furnace Door

Single panel, full-louvered doors. White finish is electrostatically applied, baked-on enamel. No jamb required. Welded on hinge. Comes with hinges, screws and knob.



Part Number	Door Width	Finished Opening Size	Free Air Space
0211990	20"	20.5" x 80.5"	238 Sq. In.
0211991	22"	22.5" x 80.5"	257 Sq. In.
0211992	24"	24.5" x 80.5	261 Sq. In.

Thermocouples

Fully universal, fits push-in, screw-in or clamp-on type pilot burners.

0232501 18"; 24/Ctn. **0232502** 24"; 24/Ctn. **0232503** 30"; 24/Ctn.


0231350 24"; 10/Ctn. (Nordyne) **0231351** 18"; 10/Ctn. (Nordyne)



Gas Heating Valve

Robertshaw
UNI-LINE
NORTH AMERICA

24V model used with a constant pilot. Pressure regulator. 3/4" FPT Inlet. 3/4" FPT outlet. Side outlet 1/2" FPT w/plugs. 150,000 capacity. Includes one 1/2" x 3/8" reducer bushing.



0231337

1" Supr-Safe Stainless Steel Gas **Connectors**





Ordinary Neck


Dormont's exclusive No-Neck design eliminates the danger of stress cracks in connectors where the straight tubing of the neck enters the nut.


As the inventor of the stainless steel gas connector with over 50 years of proven field experience, Dormont is the most trusted name in gas connectors. AGA listed for both outdoor and indoor use. Annealed 304 stainless steel, PVC coated.





1" OD (3/4" ID) with 3/4" FPT x 3/4" MPT.


0250812 24" 0250814 30" 0250811 36"











Gas Pack/Rooftop HVAC

Meter

Manufactured (Mobile) Home

Commercial Water Heater

R-22 Freon

0190610 30lb can



R-410A Freon



Anchors & Outdoor Set-Up Material Improvements

Doors & Windows

Coatings & Cleaners

Appliances

Tools & Hardware

Carpet & Flooring

Coatings & Cleaners

Safety | riuiiibiiig | Ei

Heating & Cooling


HVAC Duct Tape

Meets UL 181B-FX for duct installations with HVAC equipment.

0360450 2" x 60 Yards



Fin Tool



Straightens even the most severely damaged fins. Heavy-duty spring wire bristles adjust to all settings. Tension adjustment band allows maximum rigidity. Works on all units.

0380028

Cloth Duct Tape




High-tack, excellent strength. Superior performance in sealing air handling systems. Heavy cloth content for easier tearing and additional strength. Metallized UL181B-FX Flex Duct Tape. Made in the USA.

0360455 2" x 60 Yards

Draft Cap

Removable, no down draft. Keeps wind and rain out of smoke pipe, yet allows fuel gases to vent. UL listed for 4" and 5" flue. Stainless steel.



0425202 5" 8/ctn. **0425208** 4" 8/ctn.

RCD - Glasscoat

RCD Corporation's Glasscoat is a woven fiberglass mesh, coated with pressure sensitive adhesive. This strong, light weight, and fire resistant fabric is individually labeled and shrink wrapped. Glasscoat reinforces adhesives, coatings, mastics, and sealants used in the fabrication and installation of air ducts and thermal insulation. Glasscoat is also known by several generic descriptions like: fiberglass scrim, fiberglass tape, and fiberglass cloth.



0102502 White, 3" x 150'

Foil HVAC Tape

For duct board system sealing. Prevents heat loss. Blocks odors and moisture.

0360502 2" x 50 yds. **0360503** 3" x 50 yds.



Coil & Fin Cleaner

Water-based, foaming, powerful blast spray. Convenient, easy-to-use, non-toxic, non-flammable and non-irritating cleaner degreases air conditioners and refrigeration equipment to ensure efficient operation; helps prevent overheating and motor burnout due to accumulated dust, air and grease in air spaces. Excellent vertical hold which liquefies and drains within minutes. Use on heat pumps, air conditioners, refrigerators, automobile radiators and cooling units. 20 oz.

0181375 12/Ctn.



PS-1 MasticLow to High Velosity Air Duct sealant

PS·1 Mastic® is a fiber reinforced, non-toxic, low VOC air duct sealant used for permanently sealing the fabricated joints and seams of sheet metal air ducts, UL listed rigid fiberglass air ducts, UL listed flexible air ducts, crawl space vapor retarders, and thermal insulation. Seals damaged and leaking air ducts and conditioned spaces from air infiltration. Easily applied by brush, trowel, palm, or spray equipment.

0110507 1 gallon **0110508** 2 gallon

#6 Mastic Air Duct Sealant


Low to high velocity, non-toxic adhesive-sealant for permanently sealing fabricated joints and seams of sheet metal air ducts, UL-181 listed rigid fiberglass air ducts, UL-181 listed flexible air ducts and thermal insulation. Ideal for repairing damaged and leaking air ducts and sealing conditioned spaces from air infiltration. Water based, non-flammable, high solids content, fiber reinforced, excellent longevity (actually strengthens with age), fire/mold/mildew resistant, weatherproof,

0110500 2 Gallons **0110501** 1 Gallon

elastomeric. Easy to apply and clean up.

Tank Bushing


Machine-cast in durable Zamac for two-line suction & return installations. Bottom-tapped for solid stub or suction line guide; 1-piece nut and ferrule for easy installation. 2" x 3/8" x 3/8"; 24/Ctn.



0230670

MPT Fill Box


For kerosene drums and skid tanks where auxiliary vents are not required. Vented overlapping top keeps out moisture; locking hasp adds protection. Heavy cast iron; 1-1/2 lbs. 24/Ctn.



0230671

Fill Alarm & Tank Gauge

Complete unit—no assembly—remove from box, screw it to tank. Gray iron, corrosion-resistant finish. Bottom/male: 2". Top/female: 1-1/4". Weight: 2-1/2 lb. Vertical or horizontal applications.



0230675 Vertical 0230676 Horizontal

Delavan® Nozzles



A = Hollow S&B = Solid W = Semi-Solid

0238324 50-80A; 12/Ctn. 0238326 60-80A; 12/Ctn. 0238327 55-90W; 12/Ctn. 0238328 60-80W; 12/Ctn. 0238330 65-90A; 12/Ctn. **0238332** 50-90A; 12/Ctn. 0238334 60-90A; 12/Ctn. **0238336** 65-80-A; 12/Ctn.

TANK TUB

Oil Storage Solution

Available in THREE colors to compliment today's home styles.







Safe, Attractive and Affordable!

- Meets and exceeds NFPA requirements for 110% containment
- Designed for both 275 and 330 gallon storage tanks
- · Extends life of oil tank and prevents oil line freeze-ups
- 2-piece construction for easy installation
- 12 year warranty

0203600 White

0203601 Two-Tone Beige 0203602 Grav

NOT STOCKED AT **ALL LOCATIONS**

Forget worries about spills, leaks, freezing, gelling or condensation!




Say goodbye to this unsightly mess....

Cover can always be lifted to check tank gauge after installing external fill and vent.

E-LITE® by DiversiTech

- Lightweight, yet rugged
- Drillable for securing unit
- Uniform ribbing transfers load evenly
- Unaffected by UV or weather
- Subtle texture resists unit slide
- High recycled






E Lite® is a plastic pad designed as a mounting base for air conditioning condensers. The rugged design provides uniform and generous ribbing for optimum, self-leveling ground support without inserts. E Lite® is injection molded from polypropylene, resulting in a pad that is lightweight, but not too light. A subtle texture prevents unit slide and presents a classic appearance, which is enhanced by rounded edges and a concrete gray color. Each pad is molded with its size in raised letters.

0100505	24" x 24" x 2"
0100507	30" x 30" x 2"
0100512	30" x 30" x 3"

0100509 36" x 36" x 2" 0100510 36" x 48" x 2" 0100530 38" x 48" x 3" 0100531 45" x 58" x 3"



The Black Pad



The Black Pad is an innovative equipment Base, The Black Pad uses ground, recycled rubber in a co-injection process. The pad is extremely durable, resistant to ultraviolet light, and heavier than s completely plastic pad. The Black Pad is suitable for use with pool pump, filters, and heaters and complies with the 1997 Standard Swimming Pool Code sections 305.2 Mounting and section 405 Equipment Foundations and Enclosures.

Use 3 inch pads where local codes supercede the International code and require a pad thicker than 2".


0100498	32" x 32" x 2"
0100499	30" x 30" x 2"
0100500	30" x 30" x 3"
0100501	36" x 36" x 3"
0100502	24" x 24" x 3"
0100504	24" x 24" x 2"
0100503	36" x 48" x 3"
0100506	32" x 32" x 3"

Concrete Pads



0100518 30" x 30" x 2"

Bramec Pump-Up Heat Pump Stand



Corrosion-resistant plastic for use indoor or outdoors. Includes polymeric mastic to help prevent "walking," aid in leveling and absorb vibration and noise.

0100525 3" 0100526 6"

0100527 6" Black Cone


CladLite® Hurricane Pad



0100534 30" x 30" x 4" 0100532 36" x 48" x 4" 0100533 36" x 36" x 4"

A/C Mounting Brackets

Heavy duty, 1/8" thick steel perfect for hanging condensers and heat pumps outside of home. Can be mounted to any height to allow for easy maintenance underneath unit. No longer a need to wait for finished grade or landscaping prior to installing A/C. Pre-punched holes for easy installation. Powder coated gray finish.



0100520 36" Pair

A		CARPORT	,	DRAWER KNOB	
3-WIRE PLUG	H8	CAULKING GUN		DRIP PAN	,
A/C PADS	K41	CEILING FAN		DRIP BAIL	
A/C, WINDOW	E1	CEILING FIXTURES		DROP-IN ISLAND TUB	
ABS CEMENT		CEILING PANEL		DRYER CORD	
ABS FOUNDATION PAD		CEILING TEXTURE REPAIR		DRYER RECEPTACLE	
ABS POP-UP		CEMENT, PLUMBING		DRYER VENT KIT	
ABS TUBS		CENTER SEAL		DRYER/WASHER	
ABS/DWV FITTINGS		CERTAINTEED SKIRTING	A11	DUCT PACKAGES	K12
ACCESS PANEL		CHECK VALVE	I35	DUCT TAPE	
ACCESS PANEL ADJUSTABLE OUTRIGGER		CHIMNEY COVER	A24	DUST MASK	
AIR DEFLECTOR		CIRCUIT BREAKERS		DYCO FLOW CAULK	D3
AIR FILTER		CLAMPS, PLST	E17	E	
AIR HANDLER		CLAMPS, HOSE		_	140
AIR JACK		CLARION TUBS		EAR CLAMPS	
ALTURNAMATS		CLOSE-OFF FILM	,	ELASTOMERIC ROOF COATING.	
ALUMINUM ROOF COATING		CLOSET RINGS		ELECTRIC	DI
ANCHOR CONNECTOR	B3	CO PLUGS		BOXES	H8
ANCHOR MACHINE	B5	COIL & FIN CLEANER CONDENSATE P-TRAP	,	PLATES	
ANCHOR PIER		CONDUIT		RECEPTACLE	
ANCHORS	B1-B6	LIQUIDTITE		SWITCHES	H5
ANTIFREEZE		CONNECTOR	119	TAPE	F14
APPLIANCE TOUCH UP PAINT		DISHWASHER	F14	ELEMENTS	12
AWNINGS		GAS		ENTRANCE LOCK	C18-C21
AXLE PARTS	J6, J7	ICEMAKER		EVAPORATOR COIL	K17
В		PEX		EYE ANCHOR	
BACKFLOW PREVENTER	135	WATER		EZ SET LOCK	C19
BALL VALVE		CONTINUOUS WASTE	127	F	
BARBED FITTINGS		CONTINUITY TESTER	I3	FAILSAFE FITTINGS	144 140
BASEMENT COLUMN		CONVENIENCE KIT	K34, H9	FAUCET, FREEZELESS	
BATH SETS		COPPER TUBING	147, 152	FAUCETS	
BATH TUB REPAIR KIT		CORD, RANGE		FENCING	
BATH VENTS		CORNER TUBS		FIBERGLASS STEPS	
BATH/TUB REPAIR KIT	D8	COUPLINGS, REPAIR		FIBERGLASS TUBS	
BATHTUBS	14- 22	COVERALL		FILTERS	
BATTERY CHARGER	J7	COVER-UPS		FIN TOOL	
BAYMONT TUBS		CPVC FITTINGS		FIRE EXTINGUISHER	F21
BIGGIE WIPE		CPVC PIPECRANK HANDLES		FITTINGS	
BIN BOX		CRAWLSPACE DOOR		ABS/DWV	129-130
BINS, PLASTIC TILT		CRIMP RINGS		BARBED	
BLACK BUTYL TAPEBLACK IRON FITTINGS		CRIMPING TOOL		BLACK IRON	
BLACK IRON PIPE		CURTAIN ROD		BRASS	
BLACK JACK		_		CPVC	• • • • • • • •
BLACK STREAK REMOVER		D		FAILSAFE	
BLOCKS		DECKS	A31-A33	FLAIR-IT	
BLOW OUT PLUGS		DISCONNECT SWITCHES		FLEXIBLE GALVANIZED	
BLOWER		DISCONNECT, BRASS		LIQUIDTITE	
AIR KING	F5	DISHWASHER		PVC	
INSULATION	D11	DISHWASHER AIR GAP		PVC/DWV	
UTILITY	D6	DISHWASHER HOOK UP DOLPHIN FAUCET HANDLES		QEST	
BOTTLE JACK		DOOR BOTTOM		SHARKBITE	
BOTTOM BOARD		DOOR CLIP		UNIVERSAL	
BOTTOM BOARD MENDING KIT		DOOR		FLAG & CLIP KIT	J4
BOXES, ELECTRICAL		CANOPY	A19	FLAG PENNANT	
BRASS FITTINGS		COMMERCIAL		FLAIR-IT DISPLAY POSTER	146
BRASS HOSE BIBB		FURNACE		FLAIR-IT FITTINGS	143-146
BREAKAWAY KIT		HANGER & GUIDE SET	F8	FLANGE LOCKS F/TUB/SHRW	
BRUSHES, PAINT	146	HARDWARE	C12	FLEX PATCH	
C		HINGES		FLEXIBLE FITTINGS	
CABINET HARDWARE	F7	INTERIOR		FLEXX SEALER	
CABLE PULLER		LOCKS		FLIP-IT BATHTUB STOPPER	
CABLE TIES		STOP		FLOOR GRILL	
CABLE, GALVANIZED		VIEWER	,	FLOOR SCREWS	
CAP BOARD		WATER HEATER		FLOORING, LAMINATE	
CARBON MONOXIDE DETECTOR		DOORS HOLE PATCH		FLOWTITE SUPPLY LINES	
CARPET		DOORS	/ U-U1	FLUORESCENT CLOSET LIGHT	
CLEANER		DRAFT CAP		FLUSHER FIXER KIT	
CUTTER		DRAIN & TRAP CONNECTORS		FOAM SEALER	
MOLDING	,	DRAIN TOOL, WATER HEATER		FOAM TAPE	,
PROTECTOR TOOLS		DRAINS		FOMO	
100L3	4-40				

FOUNDATION SYSTEM				PEX TUBING	
FOUNDATION VENT	A17			PHONE JACK	
FRAME PULLER	B14	KITCHEN SPRAY	8I	PIER PAD	B7
FREEZE-FREE HEAT CABLE	H11. H12			PIPE CUTTER	
FRENCH DOOR				PIPE HANGER	
FREON				PIPE INSULATION	
FROST-PROOF SILL COCK		-		PIPE JOINT COMPOUND	
		L			148
FURNACE DOOR		LAMINATE FLOORING	G3	PIPE	
FURNACES				ABS/DWV FOAM CORE	
FURRING STRIP	B19	LEAK STOPPER		BLACK IRON GAS	
C		LEVER LOCK		CPVC	140
G		LIFESTYLE SKIRTING	A3-A4	PVC S& D	
GALVANIZED CABLE	B4	LIGHT BULBS	H4	SERVICE WEIGHT	129
GALVANIZED FITTINGS	134	LIGHT FIXTURES	H1-H4	PLUGS, INSULATION	D11
GARDEN TUBS	[16.][19.][20	LIGHT SHADES	H2. H4	PLUMBING STACK	
GAS CONNECTOR	K38 I3	LIGHTS, TRANSPORT			
GAS HEATER		LINE SETS		PLUMBING VENT	
GAS HEATING VALVE		LIQUID NAIL		POCKET PENETROMETER	
				POLY WALL SYSTEM	
GAS STACK		LIQUIDTITE FITTINGS		POLYCLIP	
GAS VALVE, WATER HEATER		LITTLE BEAVER EARTH DRILL	B5	PORCH LIGHT	H1
GATE VALVES	I35	LOCK		PORTABLE BLDG ANCHOR	B6
GATOR CLAMP	B4	INSTALLATION TOOL	C20	POW-R-WRAP	150
GENOVA UNIVERSAL FITTINGS	138-139	PLASTIC		PRESSURE REGULATOR	
GLAZING, WINDOW		SLIDER			
GLOVES		LOCKS		PRIVACY LOCK	
		LOW FLOW SHOWER HEAD		PUTTY	
GRAB-N-GO TOILET			1/	PUTTY KNIFE	
GROUND FAULT RECEPTACLE.		M		PUTTY TAPE	F15
GW2 ANCHOR	B2			PVC	
ш		MAAX TUBS		CEMENT	140
Н		MASKING TAPE	F14	FITTINGS	
HACKSAW	F5	MASTIC	K39		
HAND PUMP F/ANTIFREEZE	150	MEDICINE CABINET	I10	P-TRAP	
HANDI FOAM		METAL SKIRTING		SCH 40 PRESSURE PIPE	
HANDICAP TOILET		METAL WINDOW		SEWER & DRAIN PIPE	
HANDLES, WINDOW		MINI-BLIND		PVC/DWV FITTINGS	I32
				0	
HARDWARE, PATIO DOOR		MINUTE MAN STABILIZING SYS.		Q	
HEAT CABLE	H11	MIRROR CLIP		QEST FITTINGS	136-137
HEATER		MOLDING AND TRIM	F12	QEST SUPPLY TUBES	I12
GAS	K3-K5	MOLDING, TUB	123	QUICK JACK	
KEROSENE	K2	MOUNTING BRACKET, A/C	K41	QWIK ELBOW	
WOOD					120
HINGES		N		R	
		NAILITE	A7-A8	R22. COMPONENTS	Kaa
	A24	NORCO JACKS			
HITCH HIDER			DIT	RAILINGS	
HOSE			Kaa		
HOSE BIBB		NORDYNE WARRANTY		RANGE	
HOSE		NORDYNE WARRANTY NOZZLES, DELAVAN	K40	RANGE BURNERS	E-12
HOSE BIBB	I51	NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER	K40 F1		E-12
HOSE BIBBCLAMPSDRAIN	151 E17	NORDYNE WARRANTY NOZZLES, DELAVAN	K40 F1	RANGE BURNERSRANGE CORD	E-12 E12, H8
HOSE BIBBCLAMPSDRAINWASHERS	151 E17 151	NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER	K40 F1	RANGE BURNERSRANGE CORDRANGE HOOD	E-12 E12, H8 E10-E11
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR	151 E17 151 C3-C7	NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER	K40 F1 F3	RANGE BURNERSRANGE CORDRANGE HOODRANGE RECEPTACLE	E-12 E12, H8 E10-E11
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT	151 151 151 	NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER	K40 F1 F3	RANGE BURNERSRANGE CORDRANGE HOODRANGE RECEPTACLERAPID WALL	E-12 E12, H8 E10-E11 H8
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE	151 151 151 	NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER	K40 F1 F3	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER	E-12 E12, H8 E10-E11 H8 A12
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING	K40 F1 F3 148	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS	E-12, H8E12, H8E10-E11H8A12B15
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM	K40 F1 F3 I48 K40 B12	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING	E-12, H8E12, H8E10-E11A12A12
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX	K40F1F3I48K40B12E17, I52	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE	E-12, H8E10-E11H8A12B15A9
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX BIN BOX	K40F1I48K40B12E17, I52	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER	E-12 E10-E11 H8 H8 H9 H9 H9 H9 H9 H9 H9 H9 H9 H9 H9 H9 H9
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX	K40F1I48K40B12E17, I52	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER	E-12 E10-E11 H8 H8 H9 H9 H9 H9 H9 H9 H9 H9 H9 H9 H9 H9 H9
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX BIN BOX OUTRIGGER	K40F1I48K40B12E17, I52	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX	E-12 E10-E11 H8 B10-E11 H8 A12 A9 H8 H8 H8
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS HYDRAULIC AIR JACK I ICEMAKER KIT		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX BIN BOX OUTRIGGER	K40 F1 F3 I48 K40 B12 E17, I52 F4 B13	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE	E-12 E10-E11 H8 B10-E11 H8 H8 H8 H8 H8 H8
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS HYDRAULIC AIR JACK I ICEMAKER KIT ICEMAKER VALVE, BRASS		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX BIN BOX OUTRIGGER P P TRAP	K40 F1 F3	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED	E-12 E10-E11 H8 A12 B15 A9 A9 H6 H6 H6, H7
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS HYDRAULIC AIR JACK ICEMAKER KIT ICEMAKER VALVE, BRASS INSULATED ROOF-OVER		NORDYNE WARRANTY	K40 F1 F3 I48 K40 B12 E17, I52 F4 B13	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR	E-12, H8 E-10-E11, H8 A12 B15 A9 A9 H5 H6 H6 H6, H7
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS HYDRAULIC AIR JACK ICEMAKER KIT ICEMAKER VALVE, BRASS INSULATED ROOF-OVER INSULATING FOAM		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX BIN BOX OUTRIGGER P P TRAP	K40 F1 F3 I48 K40 B12 E17, I52 F4 B13	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS	E-12, H8 E10-E11, H8 A12 B15 A9 H5 H6 H6 H6, H7
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS HYDRAULIC AIR JACK ICEMAKER KIT ICEMAKER VALVE, BRASS INSULATED ROOF-OVER INSULATION		NORDYNE WARRANTY	K40 F1 F3 I48 K40 B12 E17, I52 F4 B13	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS	E-12, H8 E10-E11, H8 A12 B15 A9 H5 H6 H6, H7
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS HYDRAULIC AIR JACK ICEMAKER KIT ICEMAKER VALVE, BRASS INSULATED ROOF-OVER INSULATING FOAM INSULATION BLOWER		NORDYNE WARRANTY	K40 F1 F3 I48 K40 B12 E17, I52 F4 B13 I26 B19	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS	E-12, H8 E10-E11, H8 A12 B15 A9 H5 H6 H6, H7
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS HYDRAULIC AIR JACK ICEMAKER KIT ICEMAKER VALVE, BRASS INSULATED ROOF-OVER INSULATING FOAM INSULATION BLOWER F/PLATES & SWITCH		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX BIN BOX OUTRIGGER P P TRAP P TRAP ADAPTER PACSTRAP STRAPPING PAINT APPLIANCE TOUCH	K40 F1 F3 I48 K40 B12 E17, I52 F4 B13 I26 B19	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS	E-12, H8 E10-E11, H8 A12 B15 A9 H8 H8 H6, H7 E2-E6 B18
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS HYDRAULIC AIR JACK ICEMAKER KIT ICEMAKER VALVE, BRASS INSULATED ROOF-OVER INSULATING FOAM INSULATION BLOWER F/PLATES & SWITCH PIPE		NORDYNE WARRANTY	K40 F1 F3 F3 I48 K40 B12 E17, I52 F4 B13 I26 B19 D7	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS RIDGE CAP RIDGID ANCHOR MACHINE	E-12, H8 E10-E11, H8 A12 B15 A9 H8 H8 H6, H7 E2-E6 B18
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS HYDRAULIC AIR JACK ICEMAKER KIT ICEMAKER VALVE, BRASS INSULATED ROOF-OVER INSULATING FOAM INSULATION BLOWER F/PLATES & SWITCH		NORDYNE WARRANTY	K40 F1 F3 I48 K40 B12 E17, I52 F4 B13 I26 B19 D7 D7 F4	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS RIDGIC CAP RIDGID ANCHOR MACHINE ROOF	E-12 E10-E11 H8 A12 B15 A9 A9 H6 H6 H6 H6 H7 B16 B18
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC TAPE HVAC UNITS HYDRAULIC AIR JACK ICEMAKER KIT ICEMAKER VALVE, BRASS INSULATED ROOF-OVER INSULATING FOAM INSULATION BLOWER F/PLATES & SWITCH PIPE		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX BIN BOX OUTRIGGER P P TRAP P TRAP ADAPTER PACSTRAP STRAPPING PAINT APPLIANCE TOUCH WALLBOARD. PANEL NAILS PASSAGE LOCK	K40 F1 F3 I48 K40 B12 E17, I52 F4 B13 I26 B19 D7 D7 F4	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS RIDGID ANCHOR MACHINE ROOF BRUSH & HANDLE	E-12 E10-E11 H8 A12 B15 A9 A9 H6 H6 H6 H6 B16 B16 B16 B17 B18 B18 B18 B18
HOSE BIBB		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX BIN BOX OUTRIGGER P P TRAP P TRAP ADAPTER PACSTRAP STRAPPING PAINT APPLIANCE TOUCH WALLBOARD PANEL NAILS PASSAGE LOCK PATIO	K40 F1 F3 I48 K40 B12 E17, I52 F4 B13 I26 B19 D7 D7 F4 C20	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELF-CONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS RIDGID ANCHOR MACHINE ROOF BRUSH & HANDLE CAP FLASHING	E-12 E10-E11 H8 A12 B15 A9 A9 H6 H6 H6 H7 B16 B18 B18 B18 B18 B18 B18
HOSE BIBB		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX BIN BOX OUTRIGGER P P TRAP P TRAP ADAPTER PACSTRAP STRAPPING PAINT APPLIANCE TOUCH WALLBOARD. PANEL NAILS PASSAGE LOCK	K40 F1 F3 I48 K40 B12 E17, I52 F4 B13 I26 B19 D7 D7 F4 C20	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS RIDGE CAP RIDGID ANCHOR MACHINE ROOF BRUSH & HANDLE CAP FLASHING COATING	E-12 E10-E11 H8 A12 B15 A9 H8 H8 H6 H6 H8 B18 B18 B18 B18 B18 B18 B18 B18 B18 B1
HOSE BIBB		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX BIN BOX OUTRIGGER P P TRAP P TRAP ADAPTER PACSTRAP STRAPPING PAINT APPLIANCE TOUCH WALLBOARD PANEL NAILS PASSAGE LOCK PATIO	K40F1F3K40B12F4B13126B19D7D7D7D7D7D7	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELF-CONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS RIDGID ANCHOR MACHINE ROOF BRUSH & HANDLE CAP FLASHING COATING DUCTING KIT	E-12 E10-E11 H8 A12 B15 A9 H8 H8 H6 H6 H8 B16 B18
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC UNITS HYDRAULIC AIR JACK ICEMAKER KIT ICEMAKER VALVE, BRASS INSULATED ROOF-OVER INSULATION BLOWER F/PLATES & SWITCH PIPE WATER HEATER BLANKET INSULTING FOAM INTERIOR DOOR		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX BIN BOX OUTRIGGER P P TRAP P TRAP ADAPTER PACSTRAP STRAPPING PAINT APPLIANCE TOUCH WALLBOARD PANEL NAILS PASSAGE LOCK PATIO ANCHOR	K40F1F3K40B12F4B13126B19D7D7D7D7C20B2A20-A24	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS RIDGE CAP RIDGID ANCHOR MACHINE ROOF BRUSH & HANDLE CAP FLASHING COATING DUCTING KIT EDGING	E-12 E12, H8 E10-E11 H8 A12 B15 A9 H8 H8 H6, H7 E2-E6 B18 B18 B18 B18 C22 C22
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC UNITS HYDRAULIC AIR JACK ICEMAKER KIT ICEMAKER VALVE, BRASS INSULATED ROOF-OVER INSULATION BLOWER F/PLATES & SWITCH PIPE WATER HEATER BLANKET INSULTING FOAM INTERIOR DOOR J		NORDYNE WARRANTY	K40F1F3K40B12F4B13I26B19D7D7F4D7C20B2A20-A24	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELF-CONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS RIDGID ANCHOR MACHINE ROOF BRUSH & HANDLE CAP FLASHING COATING DUCTING KIT	E-12 E12, H8 E10-E11 H8 A12 B15 A9 H8 H8 H6, H7 E2-E6 B18 B18 B18 B18 C22 C22
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC UNITS HYDRAULIC AIR JACK ICEMAKER KIT ICEMAKER VALVE, BRASS INSULATED ROOF-OVER INSULATION BLOWER F/PLATES & SWITCH PIPE WATER HEATER BLANKET INSULTING FOAM INSULTING FOAM INSULTING FOAM INSULTING FOAM INSULTING FOAM INSULTING FOAM INTERIOR DOOR J JACKING PLATE JACKS		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX BIN BOX OUTRIGGER P P TRAP P TRAP P TRAP ADAPTER PACSTRAP STRAPPING PAINT APPLIANCE TOUCH WALLBOARD PANEL NAILS PASSAGE LOCK PATIO ANCHOR COVER DOOR SCREEN DOOR	K40 F1 F3 K48 K40 B12 F4 B13 L26 L26 B19 D7 C20 B2 A20-A24 C15 C16	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS RIDGE CAP RIDGID ANCHOR MACHINE ROOF BRUSH & HANDLE CAP FLASHING COATING DUCTING KIT EDGING ROOF BROOF JACK	E-12 E12, H8 E10-E11 H8 A12 B15 A9 H5 H6 H6 H6 H7 B18
HOSE BIBB CLAMPS DRAIN WASHERS HOUSETYPE DOOR HULA PENNANT HVAC DUCT TAPE HVAC UNITS HYDRAULIC AIR JACK ICEMAKER KIT ICEMAKER VALVE, BRASS INSULATED ROOF-OVER INSULATION BLOWER F/PLATES & SWITCH PIPE WATER HEATER BLANKET INSULTING FOAM INTERIOR DOOR J		NORDYNE WARRANTY	K40 F1 F3 I48 K40 B12 F4 B13 I26 B19 D7 F4 C20 B2 A20-A24 C15 C16 H9	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS RIDGE CAP RIDGID ANCHOR MACHINE ROOF BRUSH & HANDLE CAP FLASHING COATING DUCTING KIT EDGING ROOF JACK ROOFOVER (OVER-ROOF)	E-12 E10-E11 H8 E10-E11 H8 A12 B15 A9 H5 H6 H6 H6 H6 H7 B18
HOSE BIBB		NORDYNE WARRANTY	K40 F1 F3 I48 K40 B12 F4 B13 I26 I26 B19 D7 F4 C20 B2 A20-A24 C15 C16 H9 I32	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS RIDGE CAP RIDGID ANCHOR MACHINE ROOF BRUSH & HANDLE CAP FLASHING COATING DUCTING KIT EDGING ROOF JACK ROOFOVER (OVER-ROOF) ROSETTE WASHER	E-12 E10-E11 H8 A12 B15 A9 A9 H6 H6, H7 E2-E6 B16 B18
HOSE BIBB		NORDYNE WARRANTY NOZZLES, DELAVAN NUT DRIVER NUT SETTER OETIKER CLAMPS OIL TANK FITTING OLIVER TECH SYSTEM OUTLET BOX BIN BOX OUTRIGGER P P TRAP P TRAP P TRAP ADAPTER PACSTRAP STRAPPING PAINT APPLIANCE TOUCH WALLBOARD PANEL NAILS PASSAGE LOCK PATIO ANCHOR COVER DOOR SCREEN DOOR PVC CONDUIT PVC/DWV SCH 40 PIPE PEEL & SEAL	K40 F1 F3 I48 K40 B12 E17, I52 F4 B13 I26 I26 B19 D7 F4 C20 B2 A20-A24 C15 C16 H9 I32 D3	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS RIDGE CAP RIDGID ANCHOR MACHINE ROOF BRUSH & HANDLE CAP FLASHING COATING DUCTING KIT EDGING ROOF JACK ROOFOVER (OVER-ROOF) ROSETTE WASHER RUBBER KNEE PAD	E-12 E12, H8 E10-E11 H8 A12 B15 A9 H8 H6 H6 H6 H7 E2-E6 B18
HOSE BIBB		NORDYNE WARRANTY	K40 F1 F3 I48 K40 B12 F4 B13 I26 I26 B19 D7 F4 C20 B2 A20-A24 C15 C16 H9 I32 D3	RANGE BURNERS RANGE CORD RANGE HOOD RANGE RECEPTACLE RAPID WALL RATCHET PULLER R-CO STEPS R-COTEC SKIRTING RECEPTACLE DRYER DUPLEX RANGE SELFCONTAINED REFRIGERATOR REGISTER FILTERS REPLACEMENT SPOUTS RIDGE CAP RIDGID ANCHOR MACHINE ROOF BRUSH & HANDLE CAP FLASHING COATING DUCTING KIT EDGING ROOF JACK ROOFOVER (OVER-ROOF) ROSETTE WASHER	E-12 E12, H8 E10-E11 H8 A12 B15 A9 H8 H6 H6 H6 H7 E2-E6 B18

S		STRAINERS		VENT	
S-HOOK	C22	STRAP SEAL		RANGE HOOD	
SCREEN		SUREWALL BONDING CEMENT	D3	WINDOW	
FIBERGLASS	C29	SWITCH DECORATOR	110	FOUNDATION	
FRAME KIT		PLATES		VINYL FLOOR COVERINGVINYL WINDOW	
SPLINE		SELF-CONTAINED			
WINDOW		TOGGLE	,	W	
SCREEN ROOM		T		WALL & CEILING REPAIR PATCH.	D6
SCREWDRIVER		<u>T</u>		WALL	_
SEAM BINDER	, -	T & P VALVE		PATCH	
SEAM-ENDER		TACKY TAPE		PROTECTOR	
SERVICE WEIGHT PIPE		TANK TO BOWL BOLT		WALLBOARD	
SEWER RING		TAPE		JOINT COMPOUND	
SHARKBITE FITTINGS	146	BOTTOM BOARD		PAINT	
SHEARS, METAL		CLOSE-OFF		WASHER/DRYER	
SHED ANCHOR		DUCT		WASHERS, CONE SLIP JOINT	19
SHEDS		ECONO-MEND		WASHERS, HOSE	
SHEET METAL SCREWS		ELECTRICAL		WASHING MACHINE HOSE	
SHEET METAL SYSTEMS SHOE COVER		FOAM		WASHING MACHINE VALVE	,
SHOWER		MASKING		WASP AND HORNET KILLER	
CURTAIN RINGS	110	PIPE THREAD PUTTY		WASTE VALVESWATER CONNECTORS	
CURTAINS		TACKY		WATER CONNECTORS	
DOOR		TARP STRAPS		BLANKET	13
DRAIN	l24	THEFT STOPPER		DOOR	
HEAD		THERMOCOUPLE		DRAIN TOOL	
PAN		THERMOSTAT		DRIP PAN	
STALL		THERMOSTAT WIRE	H8, H9	ELEMENTS	
SURROUNDS		TIE DOWN		THERMOSTAT	
SHUTTERS		TIE DOWN STABILIZING SYSTEM		WATER HEATERS	
SIDEWALL FANS		TILT BINS		WATER HOSE	
SIDING		TISSUE HOLDER TOGGLE SWITCH		WATER LEVEL	
SIGNS & BANNERS		TOILET	⊓ວ	WATER CINE	
SIGNS, TOWING		FLAPPERS	112	WATERRISE WATER SHUT-OFF	
SILL PLATE SEALER		FLUSH VALVE		WATERWAY CONNECTOR	
SINGLE LEVER FAUCET	18	FLUSHER FIXER KIT		WAX BOWL RING	
SINK		GASKETS	I11	WD-40	D8
CLIPS		RINGS		WEATHER STRIPPING	
HOLE COVERS WATER SUPPLY		SEAT		WEATHERPROOF RECEPTACLE.	
LAVATORY		SEAT LOCK		WEBBING STRAP	
KITCHEN		TANK LEVER TANK REPAIR VALVE		WEDGES	
SKIRT GUARD		TOILETS		WINDOWS	024-027
SKIRTING	A1-A14	TOOL		AWNING	A19 A21
SKIRTING STUD	A17	CRIMPING	141. 148	FRAME EXTRUSION	,
SKYLIGHT	A24	OETIKER	,	HARDWARE	
SMOKE ALARM		PIPE CUTTER	148	PARTS	C31-C33
SNAP FASTENERS		SCREEN INSTALLER	C29	REPLACEMENT	
SNAP-LOCK PUNCH TOOL		SIDING		WIPES	
SOIL TEST PROBE KIT	,	TOUCH & SEAL		WIRE	
SOLAR SCREEN		TOWING LIGHT		WIRE, THERMOSTAT	
SPACKLING		TRAILER GLITTER		WOOD STEPS	
SPEED WRENCH		TRUGARD SKIRTING		WORK GLOVES	
SQUEAK-ENDER		TUB MOLDING		WRENCH, FLAIR-IT	
SQUEEEEK-NO-MORE KIT	F16	TUB REPAIR KIT		,	
STA PUT		TUB SURROUNDS		1	
STABILIZING SYSTEM		TUB, ISLAND		ZOOM OILER	D8
STABILIZING PLATES		TUBING	137		
STABLE SAFE TIE		TUBING, COPPER	147, 152		
STAINLESS STEEL SINKS		U			
STAND, HVACSTAPLER, ELECTRIC		UNIVERSAL FITTINGS	138-130		
STEM & BONNETS		UTILITY KNIFE			
STEPS		UTILITY ROLLER	,		
STEPS, R-CO		V			
STONESKIRT		-			
STOPPERS, TUB		VALVES			
STORM DOOR HARDWARE		VAPOR BARRIER			
STORM DOORS		VECTOR STABILIZING SYSTEM VENT MATE AIR FILTERS			
STORM PATCH		VENT PACKAGES			
STORM WINDOW KIT	C29	VENT I AUNAGES			

PART NUMBER INDEX

0100125	K32
0100126	K32
0100127	K32
0100128	K32
0100129	K32
0100130	K32
0100131	
0100132	
0100142	
0100143	
0100144	
0100145	
0100146	
0100147 0100148	
0100148	
0100149	
0100151	
0100152	
0100153	
0100154	
0100155	
0100156	
0100235	
0100360	
0100361	K11
0100362	K11
0100498	K41
0100499	K41
0100500	K41
0100501	K41
0100502	K41
0100503	
0100504	
0100505	
0100506	
0100507	
0100509	K 11
0100510	K41
0100512	K41 K41
0100512 0100518	K41 K41 K41
0100512 0100518 0100520	K41 K41 K41 K41
0100512 0100518 0100520 0100525	K41 K41 K41 K41 K41
0100512 0100518 0100520 0100525 0100526	K41 K41 K41 K41 K41 K41
0100512 0100518 0100520 0100525 0100526	K41 K41 K41 K41 K41 K41 K41
0100512 0100518 0100520 0100525 0100526 0100527	K41 K41 K41 K41 K41 K41 K41
0100512	K41 K41 K41 K41 K41 K41 K41 K41
0100512	K41 K41 K41 K41 K41 K41 K41 K41 K41
0100512	K41 K41 K41 K41 K41 K41 K41 K41 K41
0100512	K41 K41 K41 K41 K41 K41 K41 K41 K41 K41

0100917 K11
0100918 K11
0100924K18
0100925K18
0100926K18
0101038K12
0101039 K12
0101040 K12
0101107 K12
0101107K13-K15
0101200 K18
0101201K18
0101227 K11
0102077K14
0102201K13
0102202K13
0102203K13
0102204K13
0102205 K13
0102206 K13
0102208 K14
0102209K14
0102210K14
0102211K14
0102212K14
0102213K14
0102214K17
0102215 K17
0102216 K17
0102217 K17
0102218 K17
0102219K17
0102220K17
0102221K17
0102222K17
0102223K17
0102224K17
0102225K17
0102226 K17
0102230 K18
0102231K18
0102232 K18
0102233K18
0102234K18
0102502K39
0.4000000
0102609K33
0102610K33
0102611K33
0102612 K33
0102613 K33
0102614 K33
0102615 K33
0102858K6
0102858K12
0102989K34
0102993 K34
0102994K34
0102995 K34
0102996 K34
0102997 K34
0102998 K34
0103001K12
0103002 K34
0103003K34
0103004K34
0103005K21
0103006K21
0103007 K21
0103008K21, K22
0103009 K22
0103010K21, K22
0103011K18, K22
0103013 K34
0103014K34

0103014..... K34

0103019..... K33

0103021	K33
0103022	
0103023	
0103024	
0103025	
0103027	
0103028	K33
0103029	K33
0103030	K33
0103037	K33
0103041	
0103041	
0103044	
0103048	
0103048	
0103049	K21
0103057	K21
0103058	K31
0103059	K31
0103060	K31
0103061	
0103063	
0103065	
0103073	
0103084	
0103085	K13
0103086	K21
0103087	K21
0103088	
0103088	
0103089	
0103092	K18
0103110	. K7
0103111	K10
0103112	. K7
0103113	
0103113	
0103114	
0103131	
0103138	
0103139	K12
0103140	
0103141	K12
0103142	
	K12
0103143	
0103143	K12
0103144	K12 K12
0103144 0103145	K12 K12 K12
0103144 0103145 0103146	K12 K12 K12 K11
0103144 0103145 0103146 0103147	K12 K12 K12 K11 K11
0103144 0103145 0103146 0103147 0103148F17,	K12 K12 K12 K11 K11 K12
0103144 0103145 0103146 0103147	K12 K12 K12 K11 K11
0103144 0103145 0103146 0103147 0103148F17,	K12 K12 K12 K11 K11 K12
0103144 0103145 0103146 0103147 0103148F17, 0103149	K12 K12 K12 K11 K12 K11 K11
0103144	K12 K12 K12 K11 K12 K11 K11 K11
0103144	K12 K12 K12 K11 K12 K11 K11 K11 K11
0103144	K12 K12 K12 K11 K12 K11 K11 K11 K11 K11
0103144	K12 K12 K11 K12 K11 K11 K11 K11 K11 K11
0103144	K12 K12 K12 K11 K12 K11 K11 K11 K11 K11
0103144	K12 K12 K12 K11 K12 K11 K11 K11 K11 K11
0103144	K12 K12 K11 K12 K11 K11 K11 K11 K11 K11
0103144	K12 K12 K12 K11 K12 K11 K11 K11 K11 K11
0103144	K12 K12 K12 K11 K11 K11 K11 K11 K11 K11

0104092..... K8

0104093	
0104094 0104095	
0104096	K8
0104097	K8
0104144	K33
0104148	K33
0104149	K33
0104150 0104151	
0104151	K18
0104156	
0104167	
0104168	K6
0104169	
0104170	
0104190	
0104191	K33
0104192 0104193	NJ:
0107506	K12
0107507	K14
0107508	
0107509	K14
0107510	
0107511	K14
0107515	
0107516 0107517	
0107517	
0107519	K17
0107520	K17
0107521	
0107522	K17
0107525	
0107526	K18
0107527	
0107528 0107529	
0107529	
0107531	
0107532	
0107533	
0107534	
0107535	
0108000	
0108001	
0108002 0108003	
0108005	
0108006	
0108007	K9
0108008	K9
0108020	
0108021	
0108022	
0108023 0108024	
0108025	K15
0108030	
0108031	
0108032	K16
0108033	K16
0110102	
0110105	
0110108 0110110	
0110110	
0110215	
0110216	
0110217	
0110218	
0110220	D2
0110223	
0110224	D'2

0110225	D1	0112032	D10	0120029	B1	0120321	B7
0110235	D8, 123	0112037	D10	0120032	B6	0120322	B7
0110250	D5, B20	0112038	D10	0120033	B6	0120323	B7
0110252	B20	0112039		0120034		0120324	
0110253	B20	0112042	D10	0120035	B6	0120325	B3
0110254		0112045		0120039		0120326	
0110255		0112102		0120040		0120327	
0110256		0112104		0120044		0120328	
0110257	D5	0112107		0120048		0120329	
0110258		0112108	D9	0120050		0120330	B3
0110259		0112131		0120051		0120331	
0110270		0112132		0120101		0120333	
0110311		0112150		0120102	B6	0120334	
0110313		0112151	D9	0120115		0120340	
0110331		0112401		0120120		0120346	
0110332		0112402		0120120		0120347	
0110336		0112410		0120180		0120348	
0110337		0112607		0120181		0120349	
0110341	D2	0112609	I49	0120186		0120350	
0110342		0112610		0120188		0120352	
0110343		0112611		0120192		0120353	
0110344		0112612		0120196		0120354	
0110345		0112613		0120197		0120355	
0110346		0112614		0120198		0120356	
0110350		0112615		0120199		0120357	
0110351		0112616		0120200		0120358	
0110352		0112617		0120202		0120359	
0110353		0112618		0120203		0120366	
0110354		0112619	I49	0120204		0120367	B13
0110355		0112620		0120205		0120368	B8
0110365		0112621		0120206		0120370	
0110383		0112622		0120209		0120377	
0110390		0112625		0120250		0120378	
0110410		0112630		0120255		0120379	
0110412		0112630		0120260		0120380	
0110413		0112631		0120261		0120383	
0110414		0112631		0120263		0120384	
0110420		0112640		0120264		0120385	
0110425		0112801		0120275		0120386	
0110450		0112901		0120276		0120387	
0110451		0119000		0120280		0120388	
0110500		0119001		0120281		0120389	
0110501		0119002		0120283		0120390	
0110507		0119005		0120285		0120395	
0110508		0119006		0120290		0120396	
0110600		0119007		0120291		0120400	
0110601		0119008		0120292		0120401	
0110650		0119010		0120294		0120402	
0110652		0119011		0120295		0120404	
0110653		0120000		0120296		0120405	
0112004		0120001		0120297		0120406	
0112005		0120002		0120298		0120407	
0112006		0120003		0120299		0120408	
0112008		0120004		0120300		0120409	
0112010		0120005		0120301		0120410	
0112011		0120006		0120302		0120415	
0112012		0120007		0120303		0120416	
0112013		0120008		0120304		0120417	
0112014		0120009		0120304		0120418	
0112015		0120010		0120305		0120420	
0112016		0120011		0120306		0120421	
0112017		0120012		0120307		0120430	
0112018		0120014		0120308		0120431	
0112019		0120015		0120309		0120435	
0112020		0120017		0120311		0120440	
0112021		0120018		0120312		0120441	
0112021		0120019		0120313		0120442	
0112022 0112023		0120020 0120021		0120314		0120445	
				0120315		0120446	
0112024		0120022		0120316		0120447	
0112025 0112026		0120023 0120024		0120317 0120317		0120448 0120450	
0112026		0120024		0120317		0120450	
0112027		0120025		0120318		0120451	
0112029		0120028		0120319		0120453	
J112001		0120020	וטו	0120020		U 12U4JJ	010

0120455	B18	0121012	B1	0143087	E13	0161513	146
0120460	B12	0121014	B2	0143089	E13	0161514	146
0120461		0121019		0143090		0161515	
0120462		0121022		0143091		0161516	
0120463		0121026		0143091		0161517	
0120464		0121180		0143095		0161518	
0120470		0121188		0143096		0161519	
0120473	B10	0121192	B15	0143111		0161520	146
0120477	B10	0121196	B15	0143112	E13	0161521	I46
0120478		0121197		0143113		0161522	
0120480		0121198		0143140		0161523	
0120481		0121199		0143141		0161524	
0120482		0121200		0143142		0161921	
0120487		0121202	B15	0143143	E4	0161932	I47
0120488	B11	0121203	B15	0143200	E1	0162203	I47
0120489		0121204	B15	0143200		0162321	
0120490		0121205		0143201		0162407	
0120491		0121206		0143201		0162414	
0120494		0139990		0153108		0162751	
0120495	B11	0139991		0154109	J7	0162752	I47
0120496	B11	0139992	K4	0156900	J7	0163209	151
0120497	B11	0140050	E16	0156915	J6	0163210	I51
0120498	B11	0140052	F15	0156925	.16	0163211	151
0120525		0140899		0157124		0163211	
				• . • –	••••••		
0120526		0140901		0157125		0164300	
0120527		0141001		0157130		0164301	
0120530		0141005	E7	0157160		0164302	I43
0120531	B12	0141006	E8	0157161	J7	0164303	143
0120532		0141010	F9	0157162		0164304	
0120533		0141026		0157163		0164305	
0120534		0141028		0157164		0164306	
0120535		0141030		0157166		0164307	
0120536	B12	0141034	E15	0157168	J7	0164308	I43
0120537	B12	0141195	E17	0157170	J6	0164309	143
0120538	B12	0141196	E17	0157172	J7	0164310	143
0120539		0141197		0157174		0164311	
0120575		0141198		0157176		0164315	
0120576		0141199		0157182		0164316	
0120577		0141200		0157184		0164317	
0120578	B12	0141201	E17	0157188	J6	0164318	143
0120579	B12	0141202	E17	0160221	147	0164320	143
0120580		0141203		0160232		0164322	
0120582		0141204		0160322		0164323	
		0141205		0160333			
0120583						0164324	
0120583		0141206		0160344		0164325	
0120584		0141208		0160522	I47	0164326	
0120585	B12	0141301	F20, J5	0160631	I47	0164327	I43
0120586	B12	0141302	J5	0160922	I47	0164328	143
0120587		0141303	J5	0160923	147	0164330	F6
0120588		0141303		0160935		0164330	
				0160936			
0120589		0141305				0164332	
0120590		0141508		0160937		0164333	
0120591		0143030		0161022		0164334	
0120592		0143031		0161023		0164336	
0120625	B13	0143032	E12	0161024	147	0164337	144
0120626	B13	0143033	E12	0161036	147	0164338	144
0120632		0143037		0161037		0164339	
0120633		0143038		0161122		0164340	
0120634		0143040		0161235		0164341	
0120635		0143042		0161321		0164342	
0120636	B13	0143043	E12	0161325	I47	0164343	I44
0120637	B13	0143044	E12	0161326	147	0164344	144
0120638	B13	0143046	E12	0161367	147	0164345	144
0120639		0143049		0161500		0164346	
0120640		0143054		0161501		0164347	
0120641		0143058		0161502		0164348	
0120642		0143063		0161503		0164350	
0120700		0143065		0161504		0164351	I44
0120701	B5	0143069	E2	0161505	146	0164352	144
0120702	B5	0143072	E7	0161506	146	0164355	144
0120710		0143074		0161507		0164356	
0121004		0143076		0161508		0164357	
0121005		0143080		0161510		0164358	
0121007		0143083		0161511		0164359	
0121009	B2	0143085	E6	0161512	I46	0164360	I44

0164361	145	0166099	137	0167078	134	0168243	142
0164365		0166101		0167080		0168244	
0164366	144	0166102	I40	0167082	I34	0168246	I42
0164367		0166105	I37	0167084	134	0168248	I41
0164368	I44	0166109	I37	0167085	I34	0168249	l41
0164369		0166111		0167090	l34	0168250	l41
0164370		0166112	I37	0167092	I34	0168251	I41
0164372	I45	0166113	I37	0167093	l34	0168253	I42
0164373		0166115		0167101	I34	0168254	I42
0164374	E6	0166116		0167102		0168255	
0164374	I36	0166117	I40	0167105		0168256	
0164375		0166118		0167106		0168257	
0164376		0166119	I40	0167107	I34	0168258	I42
0164378		0166120		0167108		0168259	
0164380	I43	0166121	I40	0167109	I34	0180101	
0164383		0166122		0167110		0180102	
0164385		0166123		0167111		0180104	
0164386		0166124		0167114		0180205	
0164390		0166125		0167115		0180205	
0164390		0166126		0167118		0180206	
0164397		0166127		0167119		0180206	
0164398		0166128		0167125		0180801	
0164404		0166130		0167126		0180802	
0164404		0166131		0167130		0180804	
0164410		0166133		0167131		0181350	
0164411		0166134		0167133		0181350	
0164412		0166135		0167134		0181375	
0164413		0166136		0167137		0181401	
0164415		0166200		0167138		0181401	
0165100		0166201		0167139		0181520	
0165101		0166202		0167140		0181521	
0165102		0166203		0167141		0181522	
0165105		0166204		0168001		0181523	
0165106		0166205		0168015		0181524	
0165121		0166206		0168106		0181818	
0165121		0166207		0168107		0185004	
0165132		0166208		0168109		0185006	
0165132		0166209		0168200		0185007	
0165133		0166210		0168201		0185011	
0165133		0166211		0168202		0185020	
0166020		0166212		0168203		0185024	
0166021		0166213		0168204		0185025	
0166022		0166214		0168205		0185026	
0166023		0166215		0168206		0185027	
0166024		0166220		0168207		0185028	
0166025		0166220		0168208		0185028	
0166026		0166221		0168210		0185030	
0166027		0166222		0168211		0185030	
0166029		0166223		0168212		0185038	
0166030		0166224		0168213		0185038	
0166033		0166225		0168214		0190601	
0166035		0166227		0168215		0190602	
0166037		0166227		0168216		0190603	
0166039		0167044		0168217		0190610	
0166040		0167046		0168219 0168219		0190611	
0166044 0166052		0167048 0167049		0168220		0192005 0192010	
		0167050		0168220			
0166053		0167052				0192011	
0166054 0166055		0167054		0168221 0168222		0200005 0200006	
0166056		0167056		0168223		0200010	
0166057		0167057		0168224		0200010	
0166058		0167058		0168226		0200011	
		0167059		0168227		0200013	
0166059 0166060		0167060		0168230		0200050	
0166070		0167062		0168231		0200051	
0166071		0167063		0168233		0200051	
0166072		0167064		0168235		0200053	
0166090		0167065		0168236		0200055	
0166091		0167066		0168237		0200056	
0166094		0167069		0168238		0200057	
0166095		0167070		0168239		0200058	
0166096		0167072		0168240		0200059	
0166097		0167073		0168241		0200200	
0166098		0167074		0168242		0200201	
		- : - : - : - :		 			

0200205	A25	0200717	A12	0201203	A6	0207123	A20
0200401		0200718		0201204		0207124	
0200404		0200719		0201205		0207125	
0200406		0200720		0201206		0207505	
0200407		0200818		0201207		0207600	
0200410	A11	0200818	A3	0201301	A10	0207601	A19
0200450	A7	0200819	A1	0201306	A10	0207602	A19
0200451		0200825		0201307		0207603	
0200452		0200826		0201309		0207605	
0200453	A7	0200900	A17	0201310	A10	0207606	
0200455	A8	0200950	A1	0201311	A10	0207607	A19
0200456	A7	0200951	A1	0201318	A10	0207608	A19
0200457		0200952	Δ1	0201320		0207610	Δ10
						0207611	
0200458		0200953		0201332			
0200459	A7	0200954	A1	0201336	A10	0207612	
0200460	A7	0200955	A2	0201341	A10	0207613	A19
0200461	A8	0201020	A1	0201344	A10	0207615	A19
0200462		0201021		0202015		0207616	
0200463		0201022		0202016		0207617	
0200464		0201028		0202019		0207618	
0200466	A7	0201028	A2	0202020	A9	0207620	A19
0200467	A7	0201040	A1	0202021	A9	0207621	A19
0200468		0201043		0202023		0207622	Δ10
0200469		0201050		0202024		0207623	
0200470		0201051		0202030		0207625	
0200471	A7	0201052	A1	0202032	A9	0207626	A19
0200480	A8	0201053	A2	0202033	A9	0207627	A19
0200485		0201054		0202035		0207628	
0200486		0201054		0202038		0207630	
0200590		0201055		0202040		0207631	
0200595	A3	0201056	A2	0202041	A9	0207632	A19
0200596	A3	0201057	A1	0202041	A9	0207633	A19
0200597		0201058	Α1	0202041	Α9	0207635	A19
0200598		0201059		0202042		0207636	
0200599		0201060		0202044		0207637	
0200600		0201061		0202045	A9	0207638	A19
0200601	A3	0201065	A1	0202047	A9	0207640	A19
0200602	A3	0201066	A3. A11	0202048	A9	0207641	A19
0200603		0201070	,	0202051		0207642	
0200604				0202054		0207643	
		0201072					
0200605		0201075	A1	0202056	A9	0207704	
0200606	A3	0201075	A3	0202060	A9	0207725	A19
0200607	A3	0201108	A6	0202070	A9	0207726	A19
0200608	Δ3	0201108	Δ17	0202200	Δ14	0207727	Δ10
0200609		0201111		0203600		0207730	
0200610		0201115		0203601		0207750	
0200611	A3	0201116	A5	0203602	K40	0207752	A19
0200611	A11	0201117	A5	0204019	A13	0207801	A21
0200612	A3	0201119	A5	0204020	A13	0207802	A21
0200612		0201120		0204021		0207803	
0200613		0201121		0205150		0207804	
0200613	A11	0201122	A5	0205151	A32	0207806	A14
0200614	A3	0201123	A5	0205152	A32	0207809	A14
0200615	A3	0201124	A5	0205152	A33	0207810	A14
0200616		0201125		0205153		0207811	
0200617		0201126		0205154		0207812	
0200618		0201127		0205155		0207813	
0200620	A3	0201128	A6	0205156	A33	0207814	A14
0200620	A11	0201129	A6	0205157	A33	0207815	A14
0200621	A3	0201130	A6	0205160	A33	0207816	A14
0200622		0201132		0207100		0207818	
0200623		0201133		0207101		0207819	
0200623		0201134		0207102		0207820	
0200624	A11	0201137	A6	0207103	A20	0207821	A14
0200700	A12	0201140	A5	0207104	A20	0207822	A14
0200701		0201141		0207105		0207823	
0200701		0201145		0207110		0207824	
0200703		0201146		0207112		0207825	
0200704	A12	0201147		0207113		0207826	
0200708	A12	0201150	A6	0207114	A20	0207828	A14
0200709	A12	0201151	A6	0207115		0207844	A14
0200710		0201152		0207116		0207845	
0200710		0201200		0207110		0207850	
0200712		0201201		0207121		0207851	
0200716	A12	0201202	A6	0207122	A20	0207951	A15

0207952	A15	0210745	C11	0210850	C11	0210930	C7
0207953		0210745		0210851		0210935	
0207955		0210746		0210852		0210936	
0207956	A15	0210747		0210853	C11	0210938	
0207957	A15	0210747	C13	0210854	C11	0210939	C11
0207958	A15	0210750	C13	0210855	C11	0210945	C14
0207960	A15	0210758	C9	0210856	C11	0210946	
0207961		0210761		0210857		0210947	
0207962		0210766		0210858		0210948	
						0210948C	
0207967		0210767		0210859			,
0207968		0210768		0210861		0210951	
0207969	A15	0210774	C12	0210862	C11	0210953	
0207971	A15	0210775	C12	0210863	C11	0210953	F8
0207972	A15	0210776	C12	0210864	C11	0210954	C22
0207975	A15	0210777	C12	0210865	C11	0210955	C22
0207976		0210778		0210866		0210959	
0207977		0210779		0210867		0210960	
0210205		0210780		0210868		0210961	
0210450		0210781		0210869		0210964	
0210452		0210782		0210870		0210965	
0210455		0210783	C12	0210872	C7	0210966	C8
0210470	C14	0210784	C12	0210873	C7	0210967	C8
0210601	C10	0210785	C12	0210874	C7	0210968	C8
0210602		0210786	C12	0210875	C7	0210969	C8
0210604		0210787		0210876		0210970	
0210605		0210788		0210870		0210970	
0210608		0210789		0210878		0210973	
0210609		0210790		0210879		0210976	
0210680		0210791		0210880	C7	0210978	
0210681	C17	0210792	C12	0210881	C7	0210989	C17
0210682	C17	0210793	C12	0210882	C7	0210989	F7
0210683	C17	0210794	C12	0210883	C7	0210990	C17
0210684		0210795		0210884		0210991	
0210687		0210796		0210885		0210991	
0210688		0210797		0210886		0210991	
0210689		0210798		0210887		0210993	
0210690		0210799		0210888		0210995	
0210691		0210800		0210889		0210996	
0210700		0210801	C11	0210890	C11	0210998	C17
0210701	C14	0210802	C11	0210891	C11	0211002	C21
0210702	C14	0210803	C13	0210892	C11	0211003	F9
0210705	C17	0210804	C12	0210893	C11	0211004	
0210706		0210805		0210894		0211005	
0210707		0210806		0210895		0211006	
0210707		0210807		0210896		0211007	
0210710		0210808		0210897		0211008	
0210711		0210809	C12	0210898		0211010	
0210712	C17	0210810	C11	0210899	C11	0211012	C14
0210713	C17	0210811	C12	0210901	C11	0211013	C14
0210714	C17	0210812	C11	0210902	C11	0211014	C14
0210715		0210814	C11	0210903		0211015	C14
0210716		0210815		0210904		0211016	
0210717		0210816		0210905		0211017	
0210718		0210817		0210906		0211020	
0210710		0210818		0210907		0211021	
0210721		0210819		0210908		0211022	
0210725		0210821		0210909		0211023	
0210726		0210822		0210910		0211024	
0210727	C17	0210823	C12	0210911	C7	0211027	
0210728	C17	0210824	C12	0210912	C11	0211028	C11
0210729	C17	0210828	C12	0210913	C11	0211029	
0210730		0210833		0210914		0211030	
0210731		0210835		0210915		0211031	
0210732		0210837		0210916		0211033	
0210734		0210838		0210917		0211035	
0210735		0210839		0210918		0211038	
0210736		0210840		0210919		0211040	
0210737		0210841		0210920		0211041	
0210738		0210842		0210921		0211042	
0210739	C17	0210843	C11	0210923	C7	0211043	C14
0210740	C13	0210844	C11	0210924	C7	0211044	C14
0210741		0210845		0210926		0211045	
0210742		0210847		0210927		0211046	
0210743		0210848		0210928		0211048	
0210744		0210849		0210929		0211049	
V∠ 1V1 TT	010	JL 1007J	• 11	JL 100LU	07	V£11V∃V	514

0211050		0211150	C3	0211307	C7	0211840	C12
0211051		0211151		0211308		0211841	
0211052		0211152		0211309		0211846	
0211053		0211153		0211310		0211850	
0211054	C14	0211154	C3	0211311	C7	0211851	C11
0211055	C14	0211155	C9	0211312	C7	0211855	C11
0211056		0211156		0211313	C7	0211858	
0211058		0211157		0211316		0211859	
0211059		0211158		0211317		0211860	
0211060	C14	0211159	C3	0211318	C3	0211862	C11
0211061		0211160	C3	0211319	C3	0211863	C11
0211062		0211161		0211400		0211871	
						0211878	
0211063		0211162		0211401			
0211064		0211163		0211402		0211879	
0211065	C7	0211164	C3	0211403	C11	0211882	C11
0211066		0211165	C7	0211404	C11	0211883	C11
0211075		0211166		0211405		0211886	
0211078		0211167		0211406		0211887	
0211079		0211168		0211407		0211888	
0211082	C7	0211169	C9	0211408	C11	0211889	C11
0211083	C7	0211170	C9	0211409	C11	0211900	C12
0211084		0211171		0211410		0211901	
0211086		0211172		0211411		0211990	
0211088		0211173		0211412		0211991	
0211089	C7	0211175	C9	0211413	C11	0211992	K37
0211090		0211176	C9	0211722		0211997	
0211091		0211178		0211723		0211999	
0211091		0211179		0211740		0212000	
0211093	C6	0211180	C7	0211741	C5	0212007	
0211098	C6	0211181	C7	0211742	C5	0212008	C16
0211099		0211182		0211743		0212009	
0211100		0211183		0211746		0212010	
0211101		0211186		0211747		0212011	
0211102	C3	0211187	C12	0211748		0212012	
0211103	C3	0211189	C12	0211749	C5	0212013	C10
0211106		0211190	C12	0211750		0212014	
0211107		0211192		0211751		0212016	
0211110		0211193		0211752		0212017	
0211111	C7	0211194	C12	0211753	C3	0212018	
0211112	C7	0211196	C12	0211754	C3	0212022	C10
0211114		0211197	C5	0211755		0212024	
0211115		0211198		0211756		0212025	
0211116		0211201		0211757		0212026	
0211117	C7	0211202	C6	0211758	C3	0212028	C15
0211118		0211205	C5	0211759	C3	0212029	C15
0211119		0211206		0211760		0212030	
				0211761		0212034	
0211120		0211207					
0211121		0211208		0211762		0212036	
0211122	C3	0211210	C5	0211763	C3	0212038	C14
0211123	C3	0211211	C5	0211766	C3	0212040	C16
0211124		0211212		0211800		0212041	
0211124		0211213		0211802		0212044	
0211127		0211214		0211803		0212045	
0211128		0211215	C6	0211804		0212100	C7
0211129	C9	0211216	C3	0211805	C11	0212101	C7
0211130		0211217		0211806		0212102	
0211131		0211219		0211807		0212103	
0211132		0211220		0211808		0212104	
0211133		0211233	C7	0211812		0212105	C14
0211134	C14	0211234	C7	0211813	C11	0212106	C7
0211135		0211246	C5	0211814		0212107	
0211136		0211247		0211816		0212108	
0211137		0211248		0211817		0212109	
0211138		0211249		0211820		0212110	
0211139	C7	0211270	C12	0211821	C11	0212111	C7
0211140		0211272	C12	0211822		0212112	
0211141		0211273		0211826		0212113	
0211142		0211279		0211827		0212300	
0211143		0211300		0211828		0212301	
0211144	C3	0211301	C7	0211829		0212302	A18
0211145		0211302		0211832		0212310	
0211146		0211303		0211833		0212311	
0211147		0211304		0211835		0212312	
0211148		0211305		0211836		0212313	
0211149	C3	0211306	C7	0211837	C12	0212314	A18

C212316 A18 C222300 H6 C233019 K28 C228127 K29 C212017 A18 C222310 H6 C233019 K28 C228128 K12 C019000 F9 C222311 H6 C233002 K28 D228167 K37 C019006 C22 C222314 H7 C233023 K28 D228169 K37 C019006 C22 C222314 H7 C233023 K28 D228171 K37 C219010 C22 C222318 H7 C033026 K29 D228172 K37 C219010 C22 C222318 H8 C033066 K29 D281773 K37 C219010 C23 C222211 H8 C0330276 K29 D281773 K37 C219010 C23 C222231 H7 C0330379 K27 D281872 K37 C219012 C23 C222234 H7 C0330379 K27 D281872 K40 C	0212315	Δ18	0222308	H6	0233016	K25	0238126	K29
2012117								
C219010								
C219005								
C219006								
0219009 C22 022315 H7 0233023 C26 0238170 K37 0219010 C22 022316 H7 0233024 K29 0238172 K37 0219011 C22 022317 H7 0233025 K29 0238172 K37 0219016 C23 022231 H6 0233027 K29 0238175 K37 0219016 C23 0222321 H6 0233027 K29 0238175 K37 0219018 C23 0222324 H7 02330387 K27 0238324 K40 0219019 C23 0222325 H8 0233039 K27 0238324 K40 0220030 H8 0223235 H8 0233141 K28 0238328 K40 0220030 H8 0223327 H6 0233142 K28 0238330 K40 022010 K36 0222328 H3 0233142 K28 0238334 K40 022011 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
0219010 C22 022316 H7 0233024 R29 0338171 K37 0219015 C22 022317 H7 0233026 R29 0388172 K37 0219015 C23 022318 H7 0233026 R29 0388173 K37 0219015 C23 022321 H6 0233026 R29 0388173 K37 0219017 C23 022322 H6 0233027 R29 0238175 K37 0219017 C23 022322 H6 0233026 R27 0238218 R34 0219017 C23 022322 H6 0233026 R27 0238218 R34 0219017 C23 022322 H6 0233026 R27 0238218 R34 0219018 R34 022325 H6 0233036 R27 023825 R34 0219018 R34 022325 H6 0233039 R27 023825 R34 022302 R34 R34 023303 R34 R34 R34 R34 R34 R34 R34 R34 R34 R3								
0219011								
0219015								
02191016. C23 0222323 H6 02330307. K29 0238175. K37 (191017). C23 0222323 H7 0233037. K27 0238218. K24 (191018). C23 0222323 H7 02330307. K27 0238221. K12 (191018). C23 0222324 H7 02330307. K27 0238221. K12 (191018). C23 0222325 H8 02330309. K27 0238282. K40 (191018). C23 0222255 H8 0233039. K27 0238328. K27 0238324. K40 (191018). C23 022225 H8 0233039. K27 0238328. K27 0238324. K40 (191018). C23 0222267. H8 0233039. K27 0238328. K20 (191018). C23 0222267. H8 0233141. K28 0238332. K40 (191018). K45 0222267. H8 0233141. K28 0238332. K40 (191018). K45 0222267. H8 0233144. K28 0238332. K40 (192018). K45 0222267. H8 0233144. K28 0238332. K40 (192018). K45 0222267. H8 0233144. K28 0238333. K40 (192018). K45 0222369. H7 0233148. K28 0238334. K40 (192018). K45 0222369. H7 0233148. K28 0238336. K40 (192018). K45 0222369. H7 0233148. K28 0238336. K40 (192018). K45 0222369. H7 0233148. K28 0238350. K20 (192018). K45 0222349. H7 0233148. K28 0238350. K20 (192018). K45 0222349. H7 0233148. K28 0238350. K20 (192018). K45 0222349. H6 0237801. K24 0238351. K24 0220408. K35 0222348. H6 0237801. K24 0238351. K24 0220408. K35 0222348. H6 0237801. K24 0238351. K24 0220410. K35 0222348. H6 0237801. K24 0238351. K24 0220410. K35 0222348. H6 0237801. K24 0238353. K24 0220410. K35 0222348. H6 0237801. K24 0238358. K24 0220428. K35 0222348. H6 0237801. K24 0238358. K24 0220428. K35 0222348. H6 0237801. K24 0238358. K24 0220428. K35 0222358. H6 0237801. K24 0238358. K24 0220428. K35 0222358. H6 0237801. K29 0238358. K24 0220428. K35 0222258. H6 0237801. K29 0238358. K24 0220428. K35 0222358. H6 0237801. K29 0238358. K24 0220428. K35 0222258. H6 0237801. K29 0238358. K24 0220428. K35 0222588. H5 0238358. K24 0220428. K35 0222588. H5 0238358. K24 0220428. K35 0222588. H5 0222588. H5 0222588. K36 02								
C219017								
C2191018								
02191019. C23								
0219025								
1202096								
0220307. E17 0222328. H6 0233142. K28 0238328 K40 0220310. K35 0222328. H8 0233144. K28 0238339. K40 0220313. H8 022230. H7 0233145. K28 0238334. K40 0220413. H8 022230. H7 0233146. K28 0238355. K24 0220406. K36 0222332. H7 0233147. K28 0238355. K24 0220406. K36 0222346. H6 0237601. K24 023855. K24 0220409. K36 0222344. H6 0237601. K34 023855. K24 0220412. K35 0222347. H6 0237999. K31 023855. K24 022042. K35 0222348. H6 0237999. K31 023855. K24 022042. K35 0222366. H6 0237943. K12 023856. K24 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
Decodo								
0220313. K35 0222349. H7 0233145. K28 0238348. K40 0220405. K36 0222331. H7 0233147. K28 023836. K40 0220405. K35 0222331. H7 0233147. K28 0238365. K24 0220408. K35 0222345. H6 0237601. K24 0238351. K24 0220408. K35 0222345. H6 0237601. K24 0238351. K24 0220409. K36 0222346. H6 0237601. K24 0238352. K24 0220409. K36 0222347. H6 0237601. K24 0238352. K24 0220410. K35 0222347. H6 0237638. K31 0238353. K24 0220412. K35 0222347. H6 0237638. K31 0238353. K24 0220424. K35 0222355. H6 0237638. K31 0238355. K24 0220426. K35 0222355. H6 0237638. K31 0238355. K24 0220426. K35 0222357. H6 0237641. K29 0238366. K24 0220426. K35 0222357. H6 0237644. K29 0238366. K24 0220428. K35 0222357. H6 0237644. K29 023836. K24 0220428. K35 02222367. H6 0237643. K12 0238359. K24 0220428. K35 02222367. H6 0237644. K12 0238359. K24 0220429. H9 0222602. H5 0237648. K12 0238369. K24 0220430. H9 0222602. H5 0237648. K26 0238369. K24 0220431. H9 0222602. H5 0237648. K26 0238369. K24 0220431. H9 0222602. H7 0237656. K26 0238369. K24 0220431. K35 02228815. H7 0237656. K26 0238369. K24 0220434. K35 02222815. H7 0237656. K26 0238369. K24 0220434. K35 0222889. H7 0237656. K26 0238369. K24 0220434. K35 0222889. H7 0237656. K26 0238369. K24 0220441. K35 0222889. H7 0237656. K26 0238369. K24 0220441. K35 0222889. H7 0237656. K26 0238369. K24 0220477. K36 0222011. H8 0237656. K26 0238369. K24 0220477. K36 0222011. H8 0237656. K26 0238369. K4 0220979. K36 0222011. H8 0237656. K26 0238369. K4 0220979. K36 0222011. H8 0237656. K26 0238369. K4 0220979. K36 0222011. H8 0237656. K29 0238991. K4 0220979. K36 0222001. H7 0237656. K26 0238999. K4 0220979. K36 0222001. H7 0237656. K26 0238999. K4 0220979. K36 0222001. H3 0239696. K36 0223009. K36 0223009. H3 0239696. K39 0239999. K4 0220999. K36 0222009. H3 0239999. K4 0220999. K36 0222009. H3 0239999. K4 0220999. K36 02200999. K36 0223009. K36								
0220313. HB 0222330. H7 0233146 K28 0238350. K24 0220406. K36 0222332. H7 0233147 K28 0238350. K29 0220408. K36 0222345. H6 0237601 K24 0238551 K24 0220409. K36 0222345. H6 0237601 K24 0238551 K24 0220409. K36 0222346. H6 0237601 K34 0238353 K24 0220410. K35 0222347. H6 0237608 K31 0238353 K24 0220412. K35 0222348. H6 02376936 K31 0238355 K24 0220412. K35 0222348. H6 02376939 K31 0238355 K24 0220412. K35 0222356. H6 02376939 K31 0238355 K24 0220412. K35 0222357. H6 0237693 K31 0238355 K24 0220412. K35 0222357. H6 0237694 K12 0238355 K24 0220412. K35 0222356. H6 0237694 K12 0238355 K24 0220413. H9 0222600. H5 0237694 K26 0238360 K24 0220430. H9 0222600. H5 0237694 K26 0238360 K24 0220430. H9 0222600. H5 0237694 K26 0238360 K24 0220430. K35 0222385. H7 0237656 K26 0238360 K24 0220441. K35 0222880 H7 0237656 K26 0238361 K24 0220441. K35 0222880 H7 0237656 K26 0238367 K24 0220441. K35 0222880 H7 0237656 K26 0238367 K24 0220414. K35 0222881 H7 0237656 K26 0238367 K24 0220478. K36 0223301 H8 0237696 K29 0239690 K4 0220977. K36 022301 H8 0237696 K29 0239950 K4 0220977. K36 0222301 H8 0237696 K29 0239950 K4 0220978. K36 0222301 H8 0237696 K29 0239950 K4 0220979. K36 022200 H36 0225006 H5 0237696 K29 0239950 K4 0220997. K36 0225006 H5 0237696 K29 0239950 K4 0220997. K36 0225006 H5 0237696 K29 0239950 K4 0220998. K36 0225006 H5 0237696 K29 0239950 K4 0220997. K36 0225006 H5 0237696 K29 0239950 K4 0220998. K36 0225006 H5 0237696 K29 0239950 K4 0220998. K36 0225006 H5 0237696 K29 0239950 K4 0220998. K36 0225006 H5 0237696 K29 0239950 K4 0220999. K36 0220999. K36 0220999. K36 0220999. K36 0220999. K36 0220999. K4 0239090 K30 0239997 K4 0220999. K36 0220999. K4 0239090 K30 0239997 K4 0220999. K36 0220999. K36 0220999. K36 0220999. K36 0220999. K36 0220999. K4 0230999. K30 0230997 K4 0220999. K36 0220999. K4 0230999. K30 0230997 K4 0			0222328	H8	0233144	. K28	0238332	K40
0220405. K35 0222331. H7 0233147. K28 0238350. K24 0220408. K36 0222332. H7 0233148. K28 0238350. K29 0220408. K35 0222346. H6 0237601. K24 0238351. K24 0220409. K36 0222346. H6 0237601. K24 0238352. K24 0220410. K35 0222347. H6 0237938. K31 0238353. K24 0220412. K35 0222348. H6 0237938. K31 0238353. K24 0220412. K35 0222355. H6 0237939. K31 0238355. K24 0220424. K35 0222356. H6 02379414. K29 0238366. K24 0220426. K35 0222357. H6 02379414. K29 0238366. K24 0220426. K35 0222357. H6 0237943. K11 0238353. K24 0220426. K35 0222357. H6 0237943. K12 0238358. K24 0220426. K35 0222357. H6 0237943. K12 0238358. K24 0220427. K35 0222357. H6 0237944. K12 0238359. K24 0220427. K35 02222357. H6 0237948. K12 0238359. K24 0220429. H9 0222602. H5 0237948. K26 0238369. K24 0220424. K35 02222357. H6 0237949. K26 0238369. K24 0220430. H9 0222602. H5 0237949. K26 0238369. K24 0220431. H9 0222602. H7 0237951. K26 0238369. K24 0220431. H9 0222602. H7 0237951. K26 0238369. K24 0220432. K35 02228319. H7 0237951. K26 0238369. K24 0220434. K35 0222889. H7 0237955. K26 0238369. K24 0220434. K35 0222889. H7 0237955. K26 0238369. K24 0220441. K35 0222891. H7 0237955. K26 0238369. K24 0220477. K36 0222011. H8 0237969. K26 0239990. K4 0220977. K36 0222011. H8 0237969. K26 0239990. K4 0220979. K36 0222011. H8 0237969. K29 0239991. K4 0220979. K36 0222001. H8 0237969. K29 0239991. K4 0220999. K36 0222009. K36 0222001. H8 0237969. K29 0239991. K4 0220999. K36 0222009. K36 0222009. H5 0239990. K36 02239990. K36 0222009. H5 0239990. K36 02239990. K3	0220313	K35	0222329	H7	0233145	. K28	0238334	K40
0224046 K36 0222345 H7 0233148 K28 0238350 K29 0220409 K36 0222346 H6 0237801 K24 0238351 K24 0220410 K36 0222347 H6 0237936 K31 0238353 K24 0220412 K35 0222355 H6 0237938 K31 0238354 K24 0220424 K35 0222355 H6 0237939 K31 0238356 K24 0220425 K35 0222356 H6 0237941 K29 0238356 K24 0220426 K35 0222356 H6 0237943 K31 0238356 K24 022047 K35 0222801 H5 0237948 K31 0238356 K24 022043 H9 0222602 H5 0237948 K26 0238360 K24 022043 K36 0222815 H7 0237954 K26 0238361 K24 022041<	0220313	H8	0222330	H7	0233146	. K28		
0220408 K35 0222446 H6 0237801 K24 0238351 C24 0220410 K36 0222347 H6 0237936 K31 0238352 K24 0220411 K35 0222348 H6 0237938 K31 0238353 K24 0220424 K35 0222356 H6 0237939 K31 0238355 K24 0220426 K35 0222356 H6 0237941 K12 0238356 K24 0220426 K35 0222501 H5 0237943 K12 0238357 K24 0220430 H9 0222602 H5 0237943 K21 0238358 K24 0220431 H9 0222602 H5 0237948 K26 0238360 K24 0220431 H9 0222602 H5 0237949 K26 0238361 K24 022043 K9 0223794 K26 0238361 K24 022044 K9 K27	0220405	K35	0222331	H7	0233147	. K28	0238350	K24
0220409 K36 0222446 H6 0237936 K34 0238552 K24 0220410 K35 0222447 H6 0237936 K31 0238353 K24 0220424 K35 0222355 H6 0237939 K31 0238355 K24 0220425 K35 0222356 H6 0237941 K29 0238356 K24 0220427 K35 0222567 H6 0237943 K31 0238356 K24 0220427 K35 0222602 H5 0237943 K31 0238358 K24 0220431 H9 0222602 H5 0237948 K26 0238360 K24 0220432 K35 0222815 H7 0237954 K26 0238361 K24 0220433 K35 0222818 H7 0237954 K26 0238362 K29 0220431 K36 0222889 H7 0237955 K26 0238362 K29 0220	0220406	K36	0222332	H7	0233148	. K28	0238350	K29
0220409 K36 022244F H6 0237936 K34 0238352 K24 0220410 K35 022244F H6 0237936 K31 0238353 K24 0220424 K35 0222355 H6 0237939 K31 0238355 K24 0220425 K35 0222356 H6 0237941 K29 0238356 K24 0220427 K35 0222567 H6 0237943 K31 0238367 K24 0220427 K35 0222602 H5 0237948 K31 0238368 K24 0220431 H9 0222602 H5 0237948 K26 0238369 K24 0220431 H9 0222603 H5 0237949 K26 0238369 K24 0220431 K9 0222603 H7 0237954 K26 0238361 K24 022043 K35 0222889 H7 0237955 K26 0238361 K24 022044<	0220408	K35	0222345	H6	0237801	. K24	0238351	. K24
0220410. K35 0222449. H6 0237936. K31 0238353. K24 0220424. K35 0222349. H6 0237939. K31 0238353. K24 0220424. K35 0222355. H6 0237939. K31 0238355. K24 0220425. K35 0222355. H6 0237941. K29 0238355. K24 0220426. K35 0222357. H6 0237943. K12 0238357. K24 0220427. K35 0222601. H5 0237943. K12 0238357. K24 0220420. H9 0222602. H5 0237948. K26 0238358. K24 0220430. H9 0222602. H5 0237948. K26 0238358. K24 0220431. H9 0222602. H5 0237949. K26 0238359. K24 0220431. H9 0222602. H5 0237949. K26 0238361. K24 0220432. K35 0222815. H7 0237951. K26 0238361. K24 0220433. K35 0222819. H7 0237951. K26 0238361. K24 0220434. K35 022289. H7 0237955. K26 0238361. K24 0220434. K35 0222899. H7 0237955. K26 0238367. K24 0220441. K35 0222891. H7 0237955. K26 0238367. K24 0220477. K36 022301. H8 0237958. K26 0238367. K24 0220977. K36 022301. H8 0237958. K26 0238369. K24 0220977. K36 022301. H8 0237958. K26 0239950. K4 0220979. K36 022301. E12 0237963. K29 0239951. K4 0220979. K36 022401. E12 0237968. K29 0239951. K4 0220989. K36 022401. E12 0237968. K29 0239959. K4 0220989. K36 022401. E17 0237968. K29 0239959. K4 0220989. K36 0225008. H5 0237968. K29 0239959. K4 0220989. K36 0225009. H5 0238000. K23 0239961. K2 0220989. K36 0225009. H5 0238000. K23 0239961. K2 0220989. K36 0225007. K36 0225009. K3 0220989. K36 0225009. K36 0225009. K3 0220989. K36 0225009. K36 0225009. K30 0239977. K4 022100. H5 023140. K37 023809. K30 0239977. K4 022100. H5 023140. K37 023809. K30 0239977. K4 022100. H5 023160. K37 023809. K30 0239977. K4 022100. H5 023160. K37 023809. K37 023809. K30 0239977. K4 022100			0222346	H6	0237801	. K34	0238352	. K24
0220424			0222347	H6	0237936	. K31	0238353	K24
0220424	0220412	K35	0222348	H6	0237938	. K31	0238354	K24
0220425 K35 0222356 H6 0237941 K29 0238356 K24 0220427 K35 0222801 H5 0237943 K11 0238357 K24 0220430 H9 0222602 H5 0237943 K31 0238358 K24 0220431 H9 0222603 H5 0237949 K26 0238360 K24 0220431 H9 0222603 H5 0237949 K26 0238360 K24 0220433 K35 0222815 H7 0237951 K26 0238360 K24 022043 K35 0222811 H7 0237955 K26 0238369 K24 022041 K35 0222891 H7 0237955 K26 0238369 K24 0220977 K36 022301 H8 0237958 K26 0239951 K4 0220978 K36 022301 H8 0237960 K29 0239959 K4 0220980			0222355	H6	0237939	. K31	0238355	. K24
0220426 K35 0222367 H6 0237943 K12 0238357 K24 0220427 K35 0222601 H5 0237943 K31 0238358 K24 0220430 H9 0222602 H5 0237948 K26 0238350 K24 0220431 H9 0222603 H5 0237948 K26 0238350 K24 0220432 K35 0222815 H7 0237951 K26 0238361 K24 0220434 K35 0222819 H7 0237955 K26 0238362 K29 0220414 K35 0222891 H7 0237955 K26 0238362 K29 0220978 K36 0222301 H8 0237956 K26 0238366 K24 0220978 K36 022301 H8 0237968 K29 0239955 K4 0220980 K36 022401 E12 0237963 K29 02399595 K4 0220981								
0220427								
0220430 H9 0222602 H5 0237948 K26 0238359 K24 0220431 H9 0222603 H5 0237949 K26 0238360 K24 0220432 K35 0222815 H7 0237951 K26 0238361 K24 0220432 K35 0222889 H7 0237951 K26 0238362 K29 0220434 K35 0222889 H7 0237955 K26 0238367 K24 0220441 K35 0222889 H7 0237955 K26 0238369 K24 0220414 K35 0222889 H7 0237956 K26 0238369 K24 0220977 K36 0223201 H8 0237958 K26 0238369 K24 0220977 K36 022301 H8 0237958 K26 0239365 K26 0220978 K36 022301 H8 0237958 K26 0239955 K4 0220978 K36 022301 H8 0237958 K26 0239951 K4 0220978 K36 022401 E12 0237963 K29 0239951 K4 0220978 K36 022401 E12 0237963 K29 0239951 K4 0220978 K36 022401 E12 0237963 K29 0239951 K4 0220980 K36 022401 E12 0237963 K29 0239959 K4 0220981 K36 022506 H5 02506 H5 0239966 K29 0239959 K4 0220982 K36 022506 H5 0237968 K29 0239959 K4 0220984 K36 0225006 H5 0237968 K29 0239959 K4 0220984 K36 0225006 H5 0237968 K29 0239959 K4 0220984 K36 0225006 H5 0237968 K29 0239960 K2 0239968 K36 0225006 H5 0237968 K29 0239960 K2 0239968 K36 0225007 H5 0238001 K23 0239966 K2 0220984 K36 0225007 H5 0238001 K23 0239966 K2 0220984 K36 0225009 H5 0238001 K23 0239966 K5 0220988 K36 0225009 H5 0238001 K23 0239966 K5 0220998 H10 0230104 K29 0238005 K23 0239966 K5 0220998 H10 0230104 K29 0238005 K23 0239966 K5 0220998 K36 0230077 K26 0238004 K23 0239966 K5 0220998 K36 0230077 K26 0238006 K24 0239968 K4 0221104 H8 0230675 K40 0238068 K31 0239970 K4 0221104 H8 0230675 K40 0238098 K30 0239971 K4 0221104 H8 0230675 K40 0238098 K30 0239971 K4 0221104 H8 0230675 K40 0238098 K30 0239977 K4 0221104 H8 0231137 K29 0238005 K31 0239977 K4 0221104 H8 0230675 K40 0238098 K30 0239977 K4 0221104 H8 0230675 K40 0238098 K30 0239977 K4 0221104 H5 0231337 K37 0238095 K30 0239977 K4 0221104 H5 0231330 K37 0238095 K30 0239977 K4 0221104 H5 0231331 K37 0238095 K31 0239997 K4 0221104 H5 0232968 K37 0238096 K33 0239977 K4 0221104								
0220431 H9 0222603 H5 0237949 K26 0238360 K24 0220432 K35 0222815 H7 0237951 K26 0238361 K24 0220433 K35 0222820 H7 0237954 K26 0238362 K29 0220434 K35 0222899 H7 0237955 K26 0238367 K24 0220441 K35 0222891 H7 0237956 K26 0238367 K24 0220441 K35 0222891 H7 0237956 K26 0238367 K24 0220977 K36 0223201 H8 0237958 K26 0238367 K24 0220978 K36 0223301 H8 0237958 K26 0239950 K4 0220979 K36 0224201 E12 0237958 K29 0239951 K4 0220980 K36 0224201 E12 0237968 K29 0239959 K4 0220981 K36 0224201 E17 0237958 K29 0239959 K4 0220982 K36 0225005 H5 0237968 K29 0239959 K4 0220983 K36 0225007 H5 0237968 K29 0239959 K4 0220984 K36 0225007 H5 0237968 K29 0239959 K2 0220984 K36 0225007 H5 0238001 K23 023996 K2 0220986 K36 025009 H5 0238001 K23 023996 K2 0220986 K36 025009 H5 0238001 K23 023996 K2 0220988 K36 025009 H5 0238001 K23 023996 K5 0220988 K36 025007 K26 0238004 K23 023996 K5 0220988 K36 025007 K26 0238004 K23 023996 K5 0220988 H10 0230140 K29 0238005 K23 023996 K4 022103 H8 0230675 K40 0238006 K24 023996 K5 0220988 H10 0230140 K29 0238005 K23 023996 K4 0221103 H8 0230675 K40 0238006 K24 023996 K4 0221104 H8 0230676 K40 023809 K30 0239971 K4 0221106 H8 0230676 K40 023809 K30 0239971 K4 0221106 H8 023137 K29 0238095 K30 0239971 K4 0221106 H8 0231287 K37 023809 K30 0239971 K4 0221106 H8 0231287 K37 023809 K30 0239971 K4 0221106 H5 0231287 K37 023809 K30 0239977 K4 0221106 H5 0231287 K37 023809 K30 0239977 K4 0221106 H5 0231287 K37 023809 K30 0239977 K4 0221107 H5 0231288 K37 023809 K30 0239977 K4 0221100 H7 0231351 K37 0238095 K3 0239978 K4 0221101 H5 0231288 K37 023809 K30 0239977 K4 0221100 H7 0231351 K37 023809 K30 0239977 K4 022120 H5 0231288 K37 023809 K30 0239977 K4 022120 H5 0231288 K37 023809 K30 0239977 K4 022120 H5 0231288 K37 023809 K30 0239979 K4 022120 H5 0231288 K37 023809 K30 0239979 K4 022120 H5 0231288 K37 023809 K30 0239977 K4 022120 H5 0231288 K37 023809 K30 0239979 K4 022120 H5 0231288 K37 023809 K30 0239979 K4 022120 H5 0231289 K37 023809 K30 0239979 K4 022120 H5 0231289 K25 0238110 K1 023998 K3 0222204 H5								
0220432 K35 0222815 H7 0237951 K26 0238361 K24 0220433 K35 0222889 H7 0237955 K26 0238362 K29 0220434 K35 0222889 H7 0237955 K66 0238367 K24 022047 K35 0222889 H7 0237955 K66 0238369 K24 022097 K36 0223201 H8 0237956 K26 0238369 K24 022097 K36 0223201 H8 0237960 K29 0239950 K4 022097 K36 0223201 H8 0237960 K29 0239951 K4 022097 K36 0224201 E12 0237963 K29 0239958 K5 0220980 K36 0224201 E17 0237963 K29 0239958 K5 0220981 K36 0224301 E17 0237963 K29 0239959 K4 0220981 K36 022500 H5 0237968 K29 0239959 K4 0220982 K36 022500 H5 0237968 K29 0239959 K4 0220983 K36 022500 H5 0237968 K29 0239960 K2 0220984 K36 022500 H5 0237968 K29 023996 K2 0220984 K36 022500 H5 023968 K29 023996 K2 0220988 K36 022507 H5 023800 K23 023996 K2 0220988 K36 022500 H5 023800 K23 023996 K2 0220988 K36 022500 H5 023800 K23 023996 K5 0220988 K36 022500 H5 023800 K23 023996 K5 0220988 K36 022500 H5 023800 K23 023996 K5 0220998 K36 0230077 K26 023800 K23 023996 K5 0220998 H10 0230077 K26 023800 K23 023996 K5 0220998 H10 0230140 K29 023800 K23 023996 K5 0220999 K36 0230077 K26 023800 K23 023996 K3 022100 H5 0230077 K26 023800 K23 023996 K4 0221104 H8 0230675 K40 023809 K30 023971 K4 0221105 H8 0230675 K40 023809 K30 023971 K4 0221106 H8 0230675 K40 023809 K30 023971 K4 0221106 H8 0231287 K37 023809 K30 023971 K4 0221106 H5 0231287 K37 023809 K30 023971 K4 0221107 H5 023128 K37 023809 K30 023997 K4 0221108 H5 023128 K37 023809 K30 023997 K4 0221109 H5 023128 K37 023809 K30 023997 K4 0221100 H5 023128 K37 023809 K30 023999 K4 022100 H5								
0220433 K35 0222880 H7 0237954 K26 0238362 K29 0220441 K35 0222891 H7 0237955 K26 0238367 K24 0220441 K35 0222891 H7 0237956 K26 0238369 K24 0220977 K36 0223201 H8 0237960 K29 0239951 K4 0220978 K36 0223201 H8 0237960 K29 0239951 K4 0220978 K36 0224201 E12 0237963 K29 0239951 K4 0220979 K36 0224201 E12 0237963 K29 0239959 K5 0220980 K36 0224201 E12 0237963 K29 0239959 K4 0220981 K36 0224501 H5 0237966 K29 0239959 K4 0220982 K36 0225005 H5 0237966 K29 0239959 K4 0220982 K36 0225006 H5 0237966 K29 0239959 K4 0220983 K36 0225006 H5 0237966 K29 0239950 K2 0220984 K36 0225006 H5 0238000 K23 0239961 K2 0220986 K36 0225007 H5 0238000 K23 0239961 K2 0220988 K36 0225009 H5 0238001 K23 0239961 K2 0220988 K36 0225009 H5 0238001 K23 0239964 K5 0220988 K36 0225010 H5 0238003 K23 0239965 K5 0220988 K36 0225010 H5 0238003 K23 0239965 K5 0220988 K36 0225010 H5 0238003 K23 0239965 K5 0220988 K36 0225010 H5 0238003 K23 0239966 K5 0220988 H10 0230140 K29 0238005 K23 0239967 K5 0220989 H10 0230140 K29 0238005 K24 0239968 K4 0221103 H8 0230675 K40 0238008 K31 0239969 K4 0221104 H8 0230675 K40 0238008 K31 0239970 K4 0221105 H8 0230676 K40 0238099 K30 0239971 K4 0221106 H8 023137 K29 023809 K30 0239971 K4 0221106 H8 0231284 K37 0238094 K30 0239971 K4 0221106 H8 0231284 K37 0238094 K30 0239971 K4 0221107 H5 0231288 K37 0238094 K30 0239975 K4 0221201 H5 0231288 K37 0238094 K30 0239976 K4 0221201 H5 0231288 K37 0238094 K30 0239976 K4 0221201 H5 0231288 K37 0238094 K30 0239976 K4 0221201 H5 0231288 K37 0238094 K30 0239977 K4 0221201 H5 0231287 K37 0238095 K1 0239998 K3 0221701 H5 0232502 K37 0238095 K1 0239997 K4 0221201 H5 0232502 K37 0238095 K1 0239997 K4 0221201 H5 0232503 K37 0238094 K30 0239976 K4 0221203 H5 0232503 K37 0238094 K30 0239976 K4 0221204 H5 0232503 K37 0238095 K1 0239997 K4 0221204 H5 0232503 K37 0238095 K1 0239997 K4 0221203 H5 0232503 K37 0238095 K1 0239997 K4 0221204 H5 0232503 K37 0238095 K1 0239998 K3 0222209 H5 0232504 H5 0232503 K37 0238095 K1 0239997 K4 0221204 H5 0232503 K37 0238095 K1 0239997 K4 0221203 H5 023								
0220434								
0220441 K35 0222891 H7 0237958 K26 0238369 K24 0220977 K36 0223201 H8 0237958 K26 0239950 K4 0220978 K36 0224201 E12 0237963 K29 0239958 K5 0220980 K36 0224201 E17 0237968 K29 0239959 K4 0220981 K36 0225005 H5 0237968 K29 0239959 K4 0220982 K36 0225006 H5 0237968 K29 0239960 K2 0220983 K36 0225007 H5 0238000 K23 0239961 K2 0220984 K36 0225009 H5 0238001 K23 0239963 K2 0220987 K36 0225009 H5 0238002 K23 0239965 K5 0220988 K36 0225009 H5 0238003 K23 0239966 K5 0220989 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
0220977 K36 0223011 H8 0237950 K26 0239950 K4 0220978 K36 0224301 H8 0237960 K29 0239951 K4 0220979 K36 0224201 E12 0237963 K29 0239959 K4 0220981 K36 0225005 H5 0237966 K29 0239959 K4 0220982 K36 0225006 H5 0237968 K29 0239960 K2 0220983 K36 0225008 H5 0237968 K29 0239960 K2 0220984 K36 0225008 H5 0238001 K23 0239961 K2 0220986 K36 0225009 H5 0238002 K3 0239964 K5 0220987 K36 0225010 H5 0238002 K3 0239965 K5 0220988 K36 0225077 K26 0238004 K23 0239966 K5 0220989								
0220978. K36 022301. H8 0237960. K29 0239951. K4 0220980. K36 0224201. E12 0237963. K29 0239958. K5 0220980. K36 0225005. H5 0237966. K29 0239959. K4 0220982. K36 0225006. H5 0237966. K29 0239960. K2 0220983. K36 0225007. H5 0238000. K23 0239961. K2 0220984. K36 0225008. H5 0238001. K23 0239961. K2 0220987. K36 0225009. H5 0238002. K23 0239965. K5 0220988. K36 0225010. H5 0238004. K23 0239965. K5 0220989. H10 0230140. K29 0238005. K23 0239967. K5 0220989. H10 0230676. K40 0238068. K31 0239976. K4								
0220979. K36 0224301. E12 0237963. K29 0239959. K4 0220980. K36 0224301. E17 0237968. K29 0239959. K4 0220981. K36 0225006. H5 0237968. K29 0239960. K2 0220983. K36 0225007. H5 0238000. K23 0239963. K2 0220984. K36 0225008. H5 0238001. K23 0239963. K2 0220986. K36 0225009. H5 0238001. K23 0239963. K2 0220987. K36 0225010. H5 0238003. K23 0239966. K5 0220988. K36 0230077. K26 0238004. K23 0239966. K5 0220989. H10 0230140. K29 0238005. K23 0239967. K5 0220999. K30 0230670. K40 0238006. K24 0239968. K4								
0220980 K36 0224001 E17 0237963 K29 0239959 K4 0220981 K36 0225005 H5 0237966 K29 0239959 K4 0220982 K36 0225006 H5 0237968 K29 0239960 K2 0220984 K36 0225008 H5 0238001 K23 0239961 K2 0220986 K36 0225009 H5 0238002 K23 0239965 K5 0220987 K36 0225010 H5 0238002 K23 0239965 K5 0220988 K36 0220077 K26 0238004 K23 0239965 K5 0220989 H10 0230140 K29 0238005 K23 0239966 K5 0220989 H3 0230670 K40 0238066 K24 0239968 K4 0221103 H8 0230677 K40 0238068 K31 0239977 K4 0221104 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
0220981 K36 0225005 H5 0237966 K29 0239959 K4 0220982 K36 0225006 H5 0237968 K29 0239960 K2 0220983 K36 0225007 H5 0238001 K23 0239961 K2 0220986 K36 0225009 H5 0238001 K23 0239964 K5 0220987 K36 0225010 H5 0238003 K23 0239965 K5 0220988 K36 0229010 H5 0238004 K23 0239966 K5 0220989 H10 0230140 K29 0238004 K23 0239966 K5 0220989 H10 0230140 K29 0238006 K24 0239966 K5 0220993 K36 0230670 K40 0238006 K24 0239968 K4 022103 H8 0230677 K40 0238019 K31 0239978 K4 022104								
0220982 K36 0225006 H5 0237668 K29 0239960 K2 0220983 K36 0225008 H5 0238001 K23 0239961 K2 0220984 K36 0225008 H5 0238001 K23 0239963 K2 0220987 K36 0225010 H5 0238002 K23 0239965 K5 0220988 K36 0225010 H5 0238003 K23 0239966 K5 0220989 H10 0230140 K29 0238005 K23 0239967 K5 0220993 K36 0230670 K40 0238066 K24 0239968 K4 0221103 H8 0230675 K40 0238068 K31 0239969 K4 0221104 H8 0230675 K40 0238089 K30 0239971 K4 0221105 H8 0230675 K40 0238089 K30 0239971 K4 0221106 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
0220983 K36 0225007 H5 0238000 K23 0239961 K2 0220984 K36 0225008 H5 0238001 K23 0239963 K2 0220986 K36 0225009 H5 0238002 K23 0239965 K5 0220988 K36 0225071 H5 0238003 K23 0239965 K5 0220988 K36 0230077 K26 0238004 K23 0239966 K5 0220989 H10 0230140 K29 0238005 K23 0239967 K5 0220993 K36 0230670 K40 0238006 K24 0239968 K4 0221104 H8 0230675 K40 0238098 K31 0239970 K4 0221105 H8 0230676 K40 0238098 K30 0239971 K4 0221106 H8 0231283 K37 0238090 K30 0239972 K4 0221200 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
0220984 K36 0225008 H5 0238001 K23 0239963 K2 0220986 K36 0225009 H5 0238002 K23 0239964 K5 0220987 K36 0225010 H5 0238003 K23 0239965 K5 0220988 K36 0230077 K26 0238004 K23 0239966 K5 0220989 H10 0230140 K29 0238005 K23 0239967 K5 0220989 K36 0230670 K40 0238006 K24 0239968 K4 0221103 H8 0230671 K40 0238068 K31 0239969 K4 0221104 H8 0230675 K40 0238068 K31 0239970 K4 0221105 H8 0230675 K40 0238089 K30 0239971 K4 0221106 H8 0231137 K29 0238090 K30 0239971 K4 0221200 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
0220986 K36 0225009 H5 0238002 K23 0239964 K5 0220987 K36 0225010 H5 0238003 K23 0239965 K5 0220988 K36 0230077 K26 0238004 K23 0239967 K5 0220989 H10 0230140 K29 0238005 K23 0239967 K5 0220993 K36 0230670 K40 0238019 K31 0239968 K4 0221103 H8 0230675 K40 0238068 K31 0239960 K4 0221104 H8 0230675 K40 0238068 K31 0239970 K4 0221105 H8 0230676 K40 0238089 K30 0239971 K4 0221106 H8 02311283 K37 0238090 K30 0239971 K4 0221201 H5 0231288 K37 0238090 K30 0239975 K4 0221201 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
0220987 K36 0225010 H5 0238003 K23 0239965 K5 0220988 K36 0230077 K26 0238004 K23 0239966 K5 0220989 H10 0230140 K29 0238005 K23 0239967 K5 0220993 K36 0230670 K40 0238006 K24 0239968 K4 0221103 H8 0230675 K40 0238068 K31 0239969 K4 0221104 H8 0230675 K40 0238088 K31 0239969 K4 0221105 H8 0230676 K40 0238089 K30 0239971 K4 0221106 H8 0231137 K29 0238090 K30 0239971 K4 0221201 H5 0231284 K37 0238092 K31 0239975 K4 0221202 H5 0231287 K37 0238093 K30 0239975 K4 0221202 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
0220988 K36 0230077 K26 0238004 K23 0239966 K5 0220989 H10 0230140 K29 0238005 K23 0239967 K5 0220993 K36 0230670 K40 0238006 K24 0239968 K4 0221103 H8 0230671 K40 0238019 K31 0239969 K4 0221104 H8 0230676 K40 0238088 K31 0239970 K4 0221105 H8 0230676 K40 0238089 K30 0239971 K4 0221106 H8 0231137 K29 0238090 K30 0239971 K4 0221200 H5 0231283 K37 0238091 K30 0239971 K4 0221200 H5 0231284 K37 0238099 K30 0239972 K4 0221201 H5 0231284 K37 0238093 K30 0239975 K4 0221201 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
0220989 H10 0230140 K29 0238005 K23 0239967 K5 0220993 K36 0230670 K40 0238006 K24 0239968 K4 0221103 H8 0230671 K40 0238019 K31 0239969 K4 0221104 H8 0230675 K40 0238068 K31 0239970 K4 0221105 H8 0230676 K40 0238089 K30 0239971 K4 0221106 H8 0231137 K29 0238090 K30 0239971 K4 0221201 H5 0231283 K37 0238091 K30 0239972 K4 0221201 H5 0231284 K37 0238092 K31 0239973 K4 0221202 H5 0231287 K37 0238093 K30 0239975 K4 0221204 H5 0231337 K37 0238093 K30 0239976 K4 022102								
0220993 K36 0230670 K40 0238006 K24 0239968 K4 0221103 H8 0230671 K40 0238019 K31 0239969 K4 0221104 H8 0230675 K40 0238068 K31 0239970 K4 0221105 H8 0230676 K40 0238089 K30 0239971 K4 0221106 H8 0231137 K29 0238099 K30 0239971 K4 0221200 H5 0231283 K37 0238091 K30 0239972 K4 0221201 H5 0231284 K37 0238092 K31 0239972 K4 0221202 H5 0231288 K37 0238093 K30 0239975 K4 0221203 H5 0231288 K37 0238093 K30 0239976 K4 0221204 H5 0231288 K37 0238093 K30 0239976 K4 022103	0220988	K36	0230077	K26	0238004	. K23	0239966	K5
0221103 H8 0230671 K40 0238019 K31 0239969 K4 0221104 H8 0230675 K40 0238068 K31 0239970 K4 0221105 H8 0230676 K40 0238089 K30 0239971 K4 0221106 H8 0231137 K29 0238090 K30 0239971 K4 0221200 H5 0231283 K37 0238091 K30 0239972 K4 0221201 H5 0231284 K37 0238092 K31 0239973 K4 0221202 H5 0231288 K37 0238093 K30 0239975 K4 0221203 H5 0231288 K37 0238094 K30 0239976 K4 0221204 H5 0231337 K37 0238095 K30 0239977 K4 0221205 H5 0231350 K37 0238100 K1 0239978 K4 022105	0220989	H10	0230140	K29	0238005	. K23		
0221104 H8 0230675 K40 0238068 K31 0239970 K4 0221105 H8 0230676 K40 0238089 K30 0239971 K4 0221106 H8 0231137 K29 0238090 K30 0239971 K4 0221200 H5 0231283 K37 0238091 K30 0239972 K4 0221201 H5 0231284 K37 0238092 K31 0239973 K4 0221202 H5 0231288 K37 0238093 K30 0239975 K4 0221203 H5 0231288 K37 0238093 K30 0239975 K4 0221204 H5 0231337 K37 0238094 K30 0239977 K4 0221205 H5 0231350 K37 0238100 K1 0239978 K4 0221400 H7 0231351 K37 0238101 K1 0239981 K4 0221405	0220993	K36			0238006	. K24	0239968	K4
0221105 H8 0230676 K40 0238089 K30 0239971 K4 0221106 H8 0231137 K29 0238090 K30 0239971 K4 0221200 H5 0231283 K37 0238091 K30 0239972 K4 0221201 H5 0231284 K37 0238092 K31 0239973 K4 0221202 H5 0231287 K37 0238093 K30 0239975 K4 0221203 H5 0231288 K37 0238094 K30 0239976 K4 0221204 H5 0231337 K37 0238095 K30 0239977 K4 0221205 H5 0231350 K37 0238100 K1 0239978 K4 0221400 H7 0231351 K37 0238101 K1 0239978 K4 0221405 H7 0231551 K37 0238105 K1 0239979 K4 0221701			0230671	K40	0238019	. K31	0239969	K4
0221106 H8 0231137 K29 0238090 K30 0239971 K4 0221200 H5 0231283 K37 0238091 K30 0239972 K4 0221201 H5 0231284 K37 0238092 K31 0239973 K4 0221202 H5 0231288 K37 0238093 K30 0239975 K4 0221203 H5 0231288 K37 0238094 K30 0239976 K4 0221204 H5 0231350 K37 0238095 K30 0239977 K4 0221205 H5 0231350 K37 0238100 K1 0239978 K4 0221400 H7 0231351 K37 0238100 K1 0239978 K4 0221400 H7 023151 K37 0238101 K1 0239979 K4 0221405 H7 0232501 K37 0238105 K1 0239981 K3 0221701	0221104	H8	0230675	K40	0238068	. K31	0239970	K4
0221200 H5 0231283 K37 0238091 K30 0239972 K4 0221201 H5 0231284 K37 0238092 K31 0239973 K4 0221202 H5 0231287 K37 0238093 K30 0239975 K4 0221203 H5 0231288 K37 0238094 K30 0239976 K4 0221204 H5 0231337 K37 0238095 K30 0239977 K4 0221205 H5 0231350 K37 0238100 K1 0239978 K4 0221400 H7 0231351 K37 0238100 K1 0239978 K4 0221405 H7 0231351 K37 0238101 K1 0239979 K4 0221405 H7 0232501 K37 0238105 K1 0239980 K3 0221701 H5 0232503 K37 0238106 K1 0239981 K3 0221702	0221105	H8	0230676	K40	0238089	. K30	0239971	K4
0221201 H5 0231284 K37 0238092 K31 0239973 K4 0221202 H5 0231287 K37 0238093 K30 0239975 K4 0221203 H5 0231288 K37 0238094 K30 0239976 K4 0221204 H5 0231337 K37 0238095 K30 0239977 K4 0221205 H5 0231350 K37 0238100 K1 0239978 K4 0221400 H7 0231351 K37 0238101 K1 0239978 K4 0221405 H7 0231351 K37 0238101 K1 0239978 K4 0221405 H7 0231351 K37 0238101 K1 0239979 K4 0221405 H7 02312501 K37 0238105 K1 0239980 K3 0221701 H5 0232502 K37 0238106 K1 0239981 K3 0221702	0221106	H8	0231137	K29	0238090	. K30	0239971	K4
0221202 H5 0231287 K37 0238093 K30 0239975 K4 0221203 H5 0231288 K37 0238094 K30 0239976 K4 0221204 H5 0231337 K37 0238095 K30 0239977 K4 0221205 H5 0231350 K37 0238100 K1 0239978 K4 0221400 H7 0231351 K37 0238101 K1 0239979 K4 0221405 H7 0232501 K37 0238105 K1 0239979 K4 0221405 H7 0232501 K37 0238105 K1 0239980 K3 0221701 H5 0232502 K37 0238106 K1 0239981 K3 0221702 H5 0232503 K37 0238107 K1 0239982 K3 0221703 H5 0232985 K25 0238108 K1 0239985 K3 0221802	0221200	H5	0231283	K37	0238091	. K30	0239972	K4
0221202 H5 0231287 K37 0238093 K30 0239975 K4 0221203 H5 0231288 K37 0238094 K30 0239976 K4 0221204 H5 0231337 K37 0238095 K30 0239977 K4 0221205 H5 0231350 K37 0238100 K1 0239978 K4 0221400 H7 0231351 K37 0238101 K1 0239979 K4 0221405 H7 0232501 K37 0238105 K1 0239979 K4 0221405 H7 0232501 K37 0238105 K1 0239980 K3 0221701 H5 0232502 K37 0238106 K1 0239981 K3 0221702 H5 0232503 K37 0238107 K1 0239982 K3 0221703 H5 0232985 K25 0238108 K1 0239985 K3 0221802	0221201	H5						
0221203 H5 0231288 K37 0238094 K30 0239976 K4 0221204 H5 0231337 K37 0238095 K30 0239977 K4 0221205 H5 0231350 K37 0238100 K1 0239978 K4 0221400 H7 0231351 K37 0238101 K1 0239979 K4 0221405 H7 0232501 K37 0238105 K1 0239980 K3 0221701 H5 0232502 K37 0238106 K1 0239981 K3 0221702 H5 0232503 K37 0238107 K1 0239982 K3 0221703 H5 0232985 K25 0238108 K1 0239983 K3 0221802 E11 0232986 K25 0238109 K1 0239985 K3 0222294 H6 0232987 K25 0238110 K1 0239986 K3 0222299			0231287	K37	0238093	. K30	0239975	K4
0221204 H5 0231337 K37 0238095 K30 0239977 K4 0221205 H5 0231350 K37 0238100 K1 0239978 K4 0221400 H7 0231351 K37 0238101 K1 0239979 K4 0221405 H7 0232501 K37 0238105 K1 0239980 K3 0221701 H5 0232502 K37 0238106 K1 0239981 K3 0221702 H5 0232503 K37 0238107 K1 0239982 K3 0221703 H5 0232985 K25 0238108 K1 0239983 K3 0221802 E11 0232986 K25 0238109 K1 0239985 K3 0222294 H6 0232987 K25 0238110 K1 0239986 K3 0222295 H5 023005 K25 0238111 K1 0239987 K3 0222300 <			0231288	K37	0238094	. K30	0239976	K4
0221205. H5 0231350 K37 0238100 K1 0239978 K4 0221400. H7 0231351 K37 0238101 K1 0239979 K4 0221405. H7 0232501 K37 0238105 K1 0239980 K3 0221701. H5 0232502 K37 0238106 K1 0239981 K3 0221702. H5 0232503 K37 0238107 K1 0239982 K3 0221703. H5 0232985 K25 0238108 K1 0239983 K3 0221802. E11 0232986 K25 0238109 K1 0239985 K3 0222294. H6 0232987 K25 0238110 K1 0239986 K3 0222295. H5 0233005 K25 0238111 K1 0239987 K3 0222300. H5 0233006 K25 0238112 K1 0239989 K3 022300.								
0221400. H7 0231351 K37 0238101 K1 0239979 K4 0221405. H7 0232501 K37 0238105 K1 0239980 K3 0221701. H5 0232502 K37 0238106 K1 0239981 K3 0221702. H5 0232503 K37 0238107 K1 0239982 K3 0221703. H5 0232985 K25 0238108 K1 0239983 K3 0221802. E11 0232986 K25 0238109 K1 0239985 K3 0222294. H6 0232987 K25 0238110 K1 0239986 K3 0222295. H5 0232988 K25 0238111 K1 0239987 K3 0222299. H5 0233005 K25 0238112 K1 0239988 K3 0222300. H5 0233006 K25 0238113 K1 02399989 K3 0222301. <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
0221405. H7 0232501 K37 0238105 K1 0239980 K3 0221701. H5 0232502 K37 0238106 K1 0239981 K3 0221702. H5 0232503 K37 0238107 K1 0239982 K3 0221703. H5 0232985 K25 0238108 K1 0239983 K3 0221802. E11 0232986 K25 0238109 K1 0239985 K3 0222294. H6 0232987 K25 0238110 K1 0239986 K3 0222295. H5 0232988 K25 0238111 K1 0239987 K3 0222299. H5 0233005 K25 0238112 K1 0239988 K3 0222300. H5 0233006 K25 0238113 K1 0239989 K3 022301. H5 0233007 K25 0238114 K1 02399993 K3 0222302. <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
0221701 H5 0232502 K37 0238106 K1 0239981 K3 0221702 H5 0232503 K37 0238107 K1 0239982 K3 0221703 H5 0232985 K25 0238108 K1 0239983 K3 0221802 E11 0232986 K25 0238109 K1 0239985 K3 0222294 H6 0232987 K25 0238110 K1 0239986 K3 0222295 H5 0232988 K25 0238111 K1 0239987 K3 0222299 H5 0233005 K25 0238112 K1 0239988 K3 0222300 H5 0233006 K25 0238113 K1 0239989 K3 0222301 H5 0233008 K25 0238114 K1 0239993 K3 0222302 H5 0233013 K25 0238116 K1 0239995 K3 0222304 H5 0233014 K25 0238124 K31 0239996 K3 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
0221702. H5 0232503 K37 0238107 K1 0239982 K3 0221703. H5 0232985 K25 0238108 K1 0239983 K3 0221802. E11 0232986 K25 0238109 K1 0239985 K3 0222294. H6 0232987 K25 0238110 K1 0239986 K3 0222295. H5 0232988 K25 0238111 K1 0239987 K3 0222299. H5 0233005 K25 0238112 K1 0239988 K3 0222300. H5 0233006 K25 0238113 K1 0239989 K3 0222301. H5 0233007 K25 0238114 K1 0239993 K3 0222302. H5 0233013 K25 0238115 K1 0239994 K3 0222303. H5 0233014 K25 0238124 K31 0239996 K3 022304. H5 0233014 K25 0238124 K31 0239996 K3 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
0221703. H5 0232985 K25 0238108 K1 0239983 K3 0221802. E11 0232986 K25 0238109 K1 0239985 K3 0222294. H6 0232987 K25 0238110 K1 0239986 K3 0222295. H5 0232988 K25 0238111 K1 0239987 K3 0222299. H5 0233005 K25 0238112 K1 0239988 K3 0222300. H5 0233006 K25 0238113 K1 0239989 K3 0222301. H5 0233007 K25 0238114 K1 0239993 K3 022302. H5 0233008 K25 0238115 K1 0239994 K3 0222303. H5 0233013 K25 0238116 K1 0239995 K3 0222304. H5 0233014 K25 0238124 K31 0239996 K3								
0221802 E11 0232986 K25 0238109 K1 0239985 K3 0222294 H6 0232987 K25 0238110 K1 0239986 K3 0222295 H5 0232988 K25 0238111 K1 0239987 K3 0222299 H5 0233005 K25 0238112 K1 0239988 K3 0222300 H5 0233006 K25 0238113 K1 0239989 K3 0222301 H5 0233007 K25 0238114 K1 0239993 K3 0222302 H5 0233008 K25 0238115 K1 0239994 K3 0222303 H5 0233013 K25 0238116 K1 0239995 K3 022304 H5 0233014 K25 0238124 K31 0239996 K3								
0222294 H6 0232987 K25 0238110 K1 0239986 K3 0222295 H5 0232988 K25 0238111 K1 0239987 K3 0222299 H5 0233005 K25 0238112 K1 0239988 K3 0222300 H5 0233006 K25 0238113 K1 0239989 K3 0222301 H5 0233007 K25 0238114 K1 0239993 K3 0222302 H5 0233008 K25 0238115 K1 0239994 K3 0222303 H5 0233013 K25 0238116 K1 0239995 K3 0222304 H5 0233014 K25 0238124 K31 0239996 K3								
0222295 H5 0232988 K25 0238111 K1 0239987 K3 0222299 H5 0233005 K25 0238112 K1 0239988 K3 0222300 H5 0233006 K25 0238113 K1 0239989 K3 0222301 H5 0233007 K25 0238114 K1 0239993 K3 0222302 H5 0233008 K25 0238115 K1 0239994 K3 0222303 H5 0233013 K25 0238116 K1 0239995 K3 0222304 H5 0233014 K25 0238124 K31 0239996 K3								
0222299 H5 0233005 K25 0238112 K1 0239988 K3 0222300 H5 0233006 K25 0238113 K1 0239989 K3 0222301 H5 0233007 K25 0238114 K1 0239993 K3 0222302 H5 0233008 K25 0238115 K1 0239994 K3 0222303 H5 0233013 K25 0238116 K1 0239995 K3 0222304 H5 0233014 K25 0238124 K31 0239996 K3								
0222300 H5 0233006 K25 0238113 K1 0239989 K3 0222301 H5 0233007 K25 0238114 K1 0239993 K3 0222302 H5 0233008 K25 0238115 K1 0239994 K3 0222303 H5 0233013 K25 0238116 K1 0239995 K3 0222304 H5 0233014 K25 0238124 K31 0239996 K3								
0222301 H5 0233007 K25 0238114 K1 0239993 K3 0222302 H5 0233008 K25 0238115 K1 0239994 K3 0222303 H5 0233013 K25 0238116 K1 0239995 K3 0222304 H5 0233014 K25 0238124 K31 0239996 K3								
0222302 H5 0233008 K25 0238115 K1 0239994 K3 0222303 H5 0233013 K25 0238116 K1 0239995 K3 0222304 H5 0233014 K25 0238124 K31 0239996 K3								
0222303								
0222304H5 0233014K25 0238124K31 0239996K3								
0222305H5 0233015K25 0238125K29 0239997K3								
	0222305	H5	0233015	K25	0238125	. K29	0239997	K3

						_
0239998 K3		I48	0263135		0265424	
0239999 K3	0262604		0263136		0265425	
0250103J6		F8	0263137		0265426	
0250104J6		C28	0263140		0265428	
0250105J6		G6	0263141		0265431	
0250106J6	0262607		0263142		0265432	
0250108J6	0262608	F4	0263143	F4	0265433	B17
0250120J6	0262609	C28	0263151	F3	0265436	B17
0250121J6	0262610	G6	0263200	G6	0265440	B7
0250811K38	0262610	F8	0263200	F2	0265444	B7
0250812 K38	0262611	A5	0263200	F8	0265445	B7
0250814K38	0262612	F3	0263201	G6	0265446	B7
0250815I3	0262613	F3	0263206	G6	0265447	B7
0250816I3	0262614	F3	0263206	F2	0265448	B7
0250817I3	0262615	F3	0263206	F8	0265448	B7
0260155I3		F3	0263207	G6	0265455	
0260156I3	0262617	F2	0264035	F3	0265457	
0260201F7		F3	0264036		0265491	
0260212F7		F2	0264037		0265492	
0260220 F7	0262632		0264038		0265501	
0260301F7	0262632		0264996		0265503	
0260306 F7	0262635		0264997		0265504	
0260401F11	0262643		0264998		0265505	
0260410F11			0264999		0265506	
0260417F10	0262653		0265000		0265507	
0260500C30	0263000		0265000		0265508	
0260501C30		F3	0265001		0265509	
0260502		F3	0265002		0265510	
0260503C30		F3	0265003		0265515	
0260504C30	0263010		0265004		0265518	
0260506C30		F3	0265005		0265520	
0260507C30	0263012	F3	0265006	B19	0265525	123
0260508	0263013	F3	0265007	B19	0265526	123
0261000G4	0263014	F3	0265008	B19	0265527	123
0261002G5	0263020	F2	0265009	B19	0265528	123
0261004G5	0263022	F2	0265011	G3	0265529	123
0261005G5	0263024	F2	0265015	G3	0265530	123
0261006G5		B18	0265016		0265531	
0261007G5	0263028		0265017		0265532	
0261008G5	0263029		0265018		0265535	
0261009G5	0263030		0265019		0265538	
0261010G5	0263031		0265025		0265539	
0261011G3		F2	0265026		0265541	
0261012G4		F2	0265027		0265701	
0261012G4		F2	0265028		0265701	
		F2			0265702	
0261015G4			0265030			
0261020G6		F2	0265031		0265712	
0261022G6		F2	0265050		0265714	
0261025 F16		A17	0265050		0265720	
0261027 F16	0263043		0265055		0265721	
0261029 F16	0263050		0265200		0265722	
0261030 F16	0263050	F3	0265202	B7	0265724	
0261510G1	0263075		0265203		0265725	
0261511G1		F3	0265204		0265726	
0261512G3	0263098		0265205		0265727	
0261514G2	0263099	F2	0265206	B7	0265730	
0261515G2	0263101	F3	0265208	B7	0265732	F22
0261520G1	0263102	A1	0265209	B7	0265735	A11
0261521G1	0263103	F3	0265210	B7	0269000	C29
0261528G3	0263104	F3	0265215	B17	0269001	C29
0261529G3	0263106	F11	0265216	B17	0269002	C29
0261530G3	0263108	F2	0265301		0269004	
0261531G3	0263110		0265302		0269005	
0262000F19		F2	0265303		0269006	
0262500	0263112		0265304		0269007	
0262501		F2	0265400		0269008	
0262502I51	0263115		0265401		0269005	
					0269025	
0262503	0263116		0265402		0269027	
0262508F4		F2	0265403			
0262508K12	0263118		0265411		0269035	
0262509F4	0263119		0265415		0269100	
0262550F15	0263120		0265416		0269101	
0262551F15	0263121		0265420		0269103	
0262600		F4	0265422		0269104	
0262601I48	0263123	F2	0265423	B17	0269105	F12

0269106	E12	0270525	113	0284050	HЗ	0295078	C18
0269107		0270525		0284050		0295079	
0269109		0270526		0284065		0295085	
0269111		0270526		0284070		0295086	
0269112		0270527		0285026		0295087	
0269113		0270527		0290103		0295125	
0269114		0270600	150	0290103	C21	0295126	C18
0269115	F12	0270601	150	0290104	C21	0320301	I26
0269116		0270801	113	0290105	C17	0320302	126
0269117	F12	0270801	113	0290106	C17	0320303	126
0269118		0270801		0290107		0320700	
0269119		0272304		0290110		0320706	
0269130		0272305		0290111		0320793	
		0272306h					
0269132				0290112		0320794	
0269134		0272307		0290113		0320795	
0269140		0272308		0290402		0320799	
0269141		0272310	112	0290403	C15	0320800	I31
0269142	F12	0272314	112	0290405	C16	0320801	I32
0269160	F12	0272316	112	0290406	C16	0320802	I31
0269163	F12	0272317	112	0290407	C16	0320803	I31
0269165	F12	0272318	112	0290408	C16	0320804	131
0269166	F12	0280098	H2	0290805	C20	0320805	131
0269167		0280102		0290810		0320806	
0269168		0280103		0290811		0320807	
0269169		0280105				0320808	
				0290812			
0269170		0280106		0290813		0320809	
0269171		0280107		0290815		0320810	
0269172		0280120	H3	0290816	C19	0320811	130
0269173	F12	0280201	H2	0290817	C19	0320812	I29
0269174	F12	0280301	H2	0290818	C19	0320813	130
0269175	F12	0280330	H2	0290819	C19	0320814	129
0269176	F12	0280331	H2	0290820	C19	0320815	129
0269177		0280402		0290825		0320816	
0269178		0280402		0290826		0320817	
0269179		0280405		0290827		0320818	
0269180		0280409		0290828		0320819	
0270221		0280502		0290830		0320820	
0270222		0280502		0290831		0320821	
0270400		0280503		0291300		0320822	
0270401	D11	0280902	H1	0291301		0320825	
0270402		0280902		0291302	C14	0320826	I30
0270403	D11	0280903	H1	0291305	C14	0320827	130
0270404	D11	0280904	H1	0291700	C21	0320828	130
0270405		0280906		0291701	C21	0320901	111
0270406		0280907		0291900		0320901	
0270407		0280999		0291901		0320902	
0270408		0281202		0295005		0320902	
0270409		0281202		0295006		0320903	
0270410		0281202		0295019		0320903	
0270411		0281501		0295020		0320904	
0270412		0281505		0295021		0320906	
0270413	D11	0281505	H3	0295030		0320908	
0270414	D11	0281605	H3	0295032	C18	0320910	133
0270415	D11	0281701	H4	0295039	C20	0320912	133
0270416	D11	0281702	H4	0295040	C9	0320914	133
0270417	D11	0281705	H4	0295040	C10	0320916	133
0270425	D12	0281709	H4	0295040	C12	0320918	133
0270426		0281710		0295041		0320920	
0270427		0281714		0295041		0320921	
0270428		0281715		0295041		0320925	
0270429		0281716		0295046		0320926	
0270430		0281725		0295050		0320927	
0270440		0281726		0295054		0320928	
0270441		0283701		0295055		0320929	
0270495		0283701		0295059		0320931	
0270495		0283704	H4	0295059	C18	0320932	
0270500	I3	0284030	H2	0295060	C18	0320950	134
0270501	I3	0284030	H4	0295061	C18	0320951	134
0270515		0284034		0295065		0321301	
0270516		0284035		0295066		0321301	
0270517		0284045		0295068		0321302	
0270518		0284047		0295070		0321302	
0270519		0284049		0295071		0321305	
0270520		0284050		0295076		0321305	
0270521	H I 1	0284050	ПJ	0295077	U8	0321402	111

0321402	111	0321816	129	0345031	J4	0351056	A27
0321485		0321817		0345032	J4	0351057	A27
0321486	133	0321818	129	0345033	J4	0351058	A27
0321487	132	0321819	129	0345034		0351067	
0321488	132	0321822	129	0345038	J4	0351069	A28
0321490		0321823		0345041		0351085	
0321491		0321825		0345042	J4	0351101	
0321492		0321827		0345043		0351154	
0321493		0321828		0345044		0351160	
0321494		0321829		0345045		0351161	
0321496		0321830		0345055		0351163	
0321497		0321836		0350046		0351290	
0321498		0321837		0350047		0351291	
0321499 0321500		0321838		0350050		0351292 0351300	
0321500		0321846 0321850		0350051		0351300	
0321501		0321850		0350052 0350053		0351303	
0321502		0321855		0350053		0351315	
0321504		0321857		0350055		0351318	
0321505		0321858		0350055		0351318	
0321506		0321862		0350057		0351321	
0321507		0321864		0350057		0351321	
0321508		0321866		0350059		0351324	
0321509		0321890		0350061		0351325	
0321510		0321891		0350062		0351326	
0321511		0321892		0350063		0351327	
0321512		0321893		0350067		0351328	
0321513		0321894		0350068		0351333	
0321514		0321895		0350069		0351333	
0321515		0321897		0350075		0351339	
0321516		0340103		0350078		0351340	
0321517		0340105		0350085		0351342	
0321518		0340106	J7	0350086	A29	0351348	A29
0321522		0340501		0350087		0351351	
0321523		0340507		0350090	A29	0351354	A29
0321524	132	0340508	F21	0350150		0351357	
0321525	132	0340509	J5	0350152	A29	0351360	A29
0321526	132	0340510	J5	0350154	A29	0351365	A29
0321530	I32	0340840	J2	0350158	A29	0351366	A29
0321534	132	0340841	J2	0350159	A29	0351367	A29
0321541	126	0340850	J2	0350161	A29	0351368	A29
0321555		0340851	J2	0350162		0351369	
0321601		0340852	J2	0350163		0351370	A29
0321602		0340855	J2	0350165	A29	0352047	
0321603		0340856	J2	0350168	A29	0352050	A29
0321604	I30	0340857		0350180		0352051	
0321605		0340859		0350190		0352052	
0321606		0340860		0350325		0352053	
0321607		0340862		0350326		0352054	
0321607		0341904		0350327		0352056	
0321610		0341905		0350328		0352057	
0321611		0341906		0350330		0352058	
0321612		0341907		0350331		0352059	
0321613		0341908		0350332		0352061	
0321614		0341909		0350333		0352063	
0321615		0341911		0350334		0352180 0352290	
0321616 0321617		0341912 0342001		0350335 0350350		0352291	
0321618		0342001		0350350		0352291	
0321619		0342001		0350351		0352303	
0321620		0342002		0350356		0352303	
0321621		0342005		0350360		0352315	
0321622		0342007		0350361		0352318	
0321623		0342009		0350901		0352321	
0321625		0342010		0350902		0352324	
0321627		0342015		0351001		0352325	
0321669		0342016		0351001		0352327	
0321670		0342102		0351002		0352327	
0321672		0342103		0351005		0352339	
0321674		0342104		0351006		0352340	
0321705		0342107		0351007		0360000	
0321707		0345010		0351008		0360001	
0321810		0345015		0351050		0360002	
0321811		0345016		0351052		0360003	
0321812		0345030		0351055		0360004	

0360005	B21	0371200	l11	0374426	112	0377850	115
0360006 (Use 0360016).		0371200		0374427		0377851	
0360007		0371201		0374428		0377852	
0360008		0371201		0374429		0377853	
0360010		0371204		0375001		0377858	
0360011		0371204		0375003		0377859	
0360090		0371205		0375004		0377860	
0360105		0371205		0375005		0377861	
0360106		0372901		0375006		0377862	
0360108		0372901		0375007		0377863	
				0375007			
0360110		0373200		0375203		0377864 0377865	
		0373201					
0360115		0373599		0375306		0377866	
0360117		0373600		0375308		0377867	
0360401		0373601		0375310		0378001	
0360410		0373602		0375891		0378003	
0360450		0373603		0375899		0378004	
0360450		0373606		0375900		0378007	
0360455		0374100		0375901		0378008	
0360501	. F14	0374100	I28	0375903	19	0378010	
0360502	. F15	0374101		0375904		0378010	
0360503		0374103		0375905		0378011	I4
0360600		0374104	I27	0375906	19	0378011	I8
0360702	. F14	0374105	l24	0375907	I5	0378012	I8
0360703	. B20	0374106	127	0375908	19	0378121	l10
0360704	. B20	0374107	l24	0375909	19	0378121	l10
0360725	. B19	0374108	I25	0375910	19	0378121	l10
0360726	. B19	0374109	124	0375911	19	0378123	l10
0360800		0374110	124	0375912		0378123	110
0370100		0374115	122	0375915		0378201	
0370100		0374115		0375916		0378204	
0370105		0374117		0375917		0378205	
0370105		0374120		0375918		0378206	
0370106		0374122		0376803		0378208	
0370106		0374123		0376804		0378209	
0370190		0374202		0376805		0378210	
0370191		0374202		0376807		0378210	
0370191		0374380		0376810		0378300	
				0376811		0378300	
0370192 0370192		0374381 0374393		0376815		0378303	
0370193		0374393		0376816		0378304	
0370193		0374394		0376902		0378305	
0370198		0374394		0376905		0378594	
0370198		0374395		0376906		0378596	
0370199		0374398		0377101		0378599	
0370199		0374399		0377103		0378599	
0370211		0374400		0377104		0378601	
0370211	I11	0374401	I6	0377105		0378602	
0370212		0374402		0377106		0378603	
0370212		0374406	I4	0377107		0378604	l6
0370217		0374407	14	0377108	I5	0378606	
0370217	l11	0374408	I7	0377109	16	0378612	152
0370218	111	0374409	15	0377126	15	0378613	152
0370218	I11	0374410	I5	0377135	I5	0378614	152
0370320	I10	0374411	14	0377136	I5	0378616	18
0370320	I10	0374412	14	0377150		0378617	18
0370320	I10	0374413	I51	0377151	18	0378620	152
0370325	I10	0374414	I51	0377155	16	0378621	152
0370325		0374415		0377156		0378622	
0370332		0374415		0377157		0378801	
0370332		0374416		0377158		0378802	
0370332		0374416		0377161		0378803	
0370333		0374417		0377162		0378809	
0370333		0374417		0377200		0378811	
0370333		0374418		0377201		0378813	
0370807		0374418		0377202		0378814	
0370807		0374419		0377203		0378815	
0370901		0374420		0377204		0378816	
0370901		0374420		0377205		0378817	
0370902		0374421		0377225		0378818	
0370902		0374421		0377225		0378819	
0371004		0374422		0377226		0378821	
0371004		0374423		0377226		0378850	
0371005		0374425		0377227		0378851	
0371005	111	0374426	112	0377227	110	0379003	124

0379006I6	0379631	120	0380105	F6	0420509	E11
037900816	0379632	120	0380107	B2	0420510	E11
0379010I7	0379666	120	0380108	A17	0420517	E10
037901217	0379850		0380109		0420520	
037901317	0379851		0380115		0420522	
0379014	0379852		0380150		0420525	
0379016I5	0379853		0380201		0420526	
0379017I5	0379855		0380202	F1	0420527	
0379024l22	0379856	I17	0380250	148	0420528	E10
0379025l21	0379858	I17	0380251	148	0420600	F5
0379026l21	0379859	I17	0380255	148	0420703	F19
0379029121	0379860		0380301		0420709	
0379031l21	0379861		0380410		0420710	
0379033121	0379862				0420711	
			0380453			
0379034l21	0379863		0380502		0421200	
0379035I15	0379864		0381002		0421200	
0379035l21	0379865	I18	0381003		0421201	F19
0379036I15	0379866	I18	0381004	F6	0421201	I13
0379036l21	0379867	I18	0381005	D2	0421202	F18
0379037l21	0379868		0381012	F6	0421203	F19
0379038l21	0379869		0381014		0421203	
0379039l23	0379875		0381105		0421203	
0379040l21	0379876		0381106		0421203	
0379041I16	0379877		0381107		0421204	
0379042I16	0379878		0381500	I45	0421204	
0379043I16	0379880	120	0381501	145	0421204	I13
0379056I17	0379881	120	0382006	13	0421205	F19
0379058I17	0379885	I19	0382008	B15	0421205	I13
0379060I18	0379886		0382009		0421206	
0379061I18	0379912		0382038		0421206	
0379062I18	0379915		0382042		0421207	
0379063I18	0379915		0382060		0421207	
0379070I14	0379916		0390500		0421208	
0379071I14	0379917	I17	0390601	F3	0421208	I13
0379072l14	0379919	123	0390608	A17	0421280	A9
0379073I14	0379935	I14	0390609	F3	0421281	A9
0379080I14	0379936		0390611		0421282	
0379081114	0379937		0390612		0421283	
0379084I14	0379938		0390613		0421290	
0379085I14	0379939		0390615		0421291	
0379090l22	0379945		0390617		0421292	
0379091l22	0379965		0390618		0421293	F17
0379092l22	0379966	I19	0390626	F3	0421294	F17
0379093l22	0379967	I19	0390627	F3	0421295	F17
0379095l22	0379967		0390628	F3	0421296	
0379096122	0379968		0390634		0421297	
0379097122	0379969		0390636		0421301	
0379098	0379970		0390637		0421302	
0379099l22	0379971		0390638		0421303	
0379100l22	0379972	I19	0390639	F3	0421304	F17
0379105I15	0379973	I19	0390641	F3	0421305	F17
0379105l21	0379974	120	0390642	F3	0421306	F17
0379106I15	0379975	120	0390643	F3	0421307	F17
0379106l21	0379978		0390650		0421308	
0379107l21	0379979		0390650		0421310	
0379108121	0379980		0390670		0421315	
0379109l21	0379981		0390671		0421316	
0379110l21	0379982		0390674	G4	0421317	
0379500I51	0379983	120	0390676	F5	0421318	
0379501I11	0379984	I19	0410050	B14	0421320	F17
0379501I11	0379985	I19	0410051	B14	0421321	F17
0379502I11	0379993		0410155		0421322	
0379502I11	0379994		0410189		0421323	
0379504	0379995		0410190		0421324	
0379505	0379996		0410191		0421325	
0379506	0379997		0410192		0421399	
0379509I51	0379998	I19	0410193		0421400	
0379623l20	0379999		0410196	B14	0421401	E11
0379624120	0380000	I19	0411465		0421401	I13
0379625120	0380028		0411466		0421402	
0379626120	0380028		0411470		0421402	
0379627I19	0380028		0420100		0422604	
0379628I19	0380101		0420103		0422605	
0379629I19	0380103		0420500		0422606	
0379630I19	0380104	F6	0420505	F18	0422607	E10

0422611	F10	0440018	13	0461807	C32	0462496	C27
0422612		0440050		0461815		0462497	
0422615		0440055		0461816		0462498	
0422616		0440101		0461818		0462499	
0422620		0440102		0461819		0462505	
0422623		0440199		0461822		0462506	
0422630		0440203		0461823		0462507	
0422635		0440204		0461825		0462508	
0425001		0440206		0461826		0462509	
0425003		0440208		0461827		0462510	
0425004		0440301		0461831		0462522	
0425195		0440401		0461832		0462524	
0425202		0440405		0461833		0462525	
0425204		0440406		0461834		0462526	
0425208		0440410		0461838		0462527	
0425208		0440415		0461839		0462528	
0430120		0440416		0461845		0462529	
0430415		0440420		0462100		0462530	
0430416	l2	0440425	I35	0462102		0462531	
0430502	l2	0440620	I37	0462325		0462532	
0430503	l2	0440622		0462326		0462533	
0430504	l2	0440626	I37	0462327	C30	0462534	
0430604	l2	0440632	I37	0462330		0462535	
0430702	l2	0440650	I35	0462331		0462536	
0430703	l2	0441628	136	0462332		0462537	
0431201		0441630		0462348		0462538	
0431203		0441638		0462349		0462539	
0431204		0441642		0462350		0462540	
0431600		0441643		0462351		0462541	
				0462352		0462542	
0431601		0451001					
0431602		0451002		0462353		0462543	
0431603		0451612		0462354		0462544	
0431604		0460101		0462356		0462545	
0431607		0460102		0462357		0462559	
0431625	I3	0460201	C31	0462358		0462560	
0431703	l1	0460202	C31	0462362		0462561	
0431705	l1	0460203	C31	0462366		0462563	
0431706	l1	0460204	C31	0462367		0462564	
0431707	11	0460300		0462368		0462565	
0431708		0460301		0462380		0462567	
0431709		0460302		0462400		0462569	
0431710		0460308		0462402		0462571	
0431711		0460310		0462403		0462572	
		0460401		0462404		0462573	
0431712							
0431714		0460402		0462405		0462574	
0431715		0460403		0462406		0462575	
0431716		0460404		0462407		0462577	
0431717	I1	0461001		0462408		0462578	
0431718	l1	0461101	C33	0462409		0462579	
0431721	I1	0461105	C31	0462410		0462580	
0431723	l1	0461106	C31	0462411		0462581	
0431724	l1	0461109	C31	0462413		0462582	
0431726	I1	0461200	C33	0462414		0462583	
0431727	l1	0461201	C33	0462424		0462584	
0431735		0461202	C33	0462425		0462585	
0431738		0461203		0462426		0462586	
0431739		0461204		0462427		0462587	
0431740		0461205		0462428		0462588	
0431741		0461206		0462430		0462589	
0431742		0461208		0462435		0462590	
0431743		0461301		0462470		0462592	
0431746		0461303		0462479		0462593	
0431748		0461304		0462481		0462594	
0431749		0461598		0462482		0462600	
0431750		0461599		0462484		0462601	
0431901		0461601		0462485		0462602	
0431904		0461602		0462487		0462603	
0431906	I3	0461603	C32	0462488		0462604	
0432046	l2	0461604	C32	0462489		0462605	
0432048	l2	0461701	C31	0462490		0462606	
0432050	l2	0461702	C16	0462491		0462607	
0440010		0461703		0462492		0462608	
0440012		0461802		0462493		0462609	
0440015		0461803		0462494		0462610	
0440017		0461804		0462495		0462611	
J 1 100 17		5 15 100 7		0.102-100		0.02011	

0462612C27	0462758C25
0462613C27	0462759C25
0462614C27	0462760
0462615C27	0462777C25
0462616C27	0462778C25
0462617C27	0462780
0462618C27	0462783
0462619C27	0462785
0462620C27	0462786
0462621C27	0462787
0462622C27	0462788C25
0462623C27	0462789C25
0462624C26	0462790C25
0462625C27	0462791C25
0462626C27	0462792
0462627C27	0462794C25
0462628C27	0462795
0462629C27	0462797C25
0462630C27	0462798C25
0462631C27	0462804C25
0462632C27	0462805
0462633C27	0462806
0462634C27	0462807
0462635C27	0462808
0462636C26	0462818C25
0462639C32	0462819C25
0462694C27	0462820C25
0462699C27	0462822
0462700C27	0462824C25
0462701C27	0462826
0462702C27	0462828C25
0462703C27	0462829
0462704C27	0462833C25
0462705C27	0462834C25
0462706C27	0462837
0462707C27	0462839
0462708C27	0462842C25
0462709C27	0462843C25
0462710C27	0462845
0462711C27	0462847C25
0462712C27	0462851C25
0462713C27	0462852C25
0462714C27	0462854C25
0462715C27	0462856
0462716C27	0462857
0462717C27	0462858
0462718C27	0462860
0462719C27	0462862
0462720	0462864
0462721C27	0462870
0462722	*
* - *	
	0462876
0462723C27	0462879C25
0462725C27	0462879
0462725	0462879
0462725	0462879
0462725	0462879 C25 0462883 C25 0462887 C25 0462891 C25 0462892 C25
0462725	0462879
0462725	0462879 C25 0462883 C25 0462887 C25 0462891 C25 0462892 C25
0462725	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462901. C25
0462725 C27 0462726 C27 0462727 C27 0462728 C27 0462729 C27 0462732 C27	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462901. C25 0462904. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462737. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462901. C25 0462904. C25 0462916. C25 0462927. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462737. C25 0462739. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462901. C25 0462904. C25 0462916. C25 0462927. C25 0462933. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462737. C25 0462739. C25 0462740. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462901. C25 0462904. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462737. C25 0462739. C25 0462740. C25 0462741. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462901. C25 0462904. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25 0462951. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462737. C25 0462739. C25 0462740. C25 0462741. C25 0462742. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462901. C25 0462904. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25 0462951. C25 0462952. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462737. C25 0462739. C25 0462740. C25 0462741. C25 0462742. C25 0462743. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462901. C25 0462904. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25 0462951. C25 0462952. C25 0462953. C25 0462953. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462739. C25 0462740. C25 0462741. C25 0462742. C25 0462743. C25 0462744. C25 0462744. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462901. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25 0462951. C25 0462952. C25 0462953. C25 0462954. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462737. C25 0462740. C25 0462741. C25 0462742. C25 0462743. C25 0462744. C25 0462744. C25 0462749. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462901. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25 0462951. C25 0462952. C25 0462953. C25 0462954. C25 0462955. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462737. C25 0462739. C25 0462741. C25 0462742. C25 0462743. C25 0462744. C25 0462749. C25 0462750. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462901. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25 0462951. C25 0462952. C25 0462953. C25 0462954. C25 0462955. C25 0462956. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462739. C25 0462740. C25 0462741. C25 0462742. C25 0462743. C25 0462744. C25 0462749. C25 0462750. C25 0462751. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462904. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25 0462951. C25 0462952. C25 0462953. C25 0462954. C25 0462955. C25 0462956. C25 0462957. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462737. C25 0462740. C25 0462741. C25 0462742. C25 0462743. C25 0462744. C25 0462749. C25 0462750. C25 0462751. C25 0462752. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462904. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25 0462951. C25 0462952. C25 0462953. C25 0462954. C25 0462955. C25 0462956. C25 0462957. C25 0462958. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462739. C25 0462740. C25 0462741. C25 0462742. C25 0462743. C25 0462744. C25 0462749. C25 0462750. C25 0462751. C25 0462752. C25 0462753. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462904. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25 0462951. C25 0462952. C25 0462953. C25 0462954. C25 0462955. C25 0462956. C25 0462957. C25 0462958. C25 0462959. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462739. C25 0462740. C25 0462741. C25 0462742. C25 0462743. C25 0462744. C25 0462749. C25 0462750. C25 0462751. C25 0462752. C25 0462753. C25 0462754. C25 0462754. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462904. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25 0462951. C25 0462952. C25 0462953. C25 0462954. C25 0462955. C25 0462956. C25 0462957. C25 0462958. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462739. C25 0462740. C25 0462741. C25 0462742. C25 0462743. C25 0462744. C25 0462749. C25 0462750. C25 0462751. C25 0462752. C25 0462753. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462904. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25 0462951. C25 0462952. C25 0462953. C25 0462954. C25 0462955. C25 0462956. C25 0462957. C25 0462958. C25 0462959. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462739. C25 0462740. C25 0462741. C25 0462742. C25 0462743. C25 0462744. C25 0462749. C25 0462750. C25 0462751. C25 0462752. C25 0462753. C25 0462754. C25 0462754. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462904. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25 0462951. C25 0462952. C25 0462953. C25 0462954. C25 0462955. C25 0462956. C25 0462957. C25 0462958. C25 0462959. C25
0462725. C27 0462726. C27 0462727. C27 0462728. C27 0462729. C27 0462732. C27 0462733. C27 0462739. C25 0462740. C25 0462741. C25 0462742. C25 0462743. C25 0462744. C25 0462749. C25 0462750. C25 0462751. C25 0462752. C25 0462753. C25 0462754. C25 0462755. C25	0462879. C25 0462883. C25 0462887. C25 0462891. C25 0462892. C25 0462904. C25 0462916. C25 0462927. C25 0462933. C25 0462950. C25 0462951. C25 0462952. C25 0462953. C25 0462954. C25 0462955. C25 0462956. C25 0462957. C25 0462958. C25 0462959. C25