



Raychem
FrostexTM
PLUS
Pipe-Heating System

- Built-In Ground-Fault Protection and Signal Light
- Complies with National Electrical Code
- UL and Factory Approved
- OK for Plastic Pipe
- Two Year Warranty
- Cut - to - Length
- Won't Overheat
- No Thermostat
- OK to Overlap

PLUG KIT

FrostexTM
PLUS



549800 PLUG KIT

HEAT CABLE CONSTANT HEAT

FrostexTM
PLUS



542102 100' REEL

544250 250' REEL

PIPE INSULATION

6 FT. LENGTH



5238118 6' ID SIZE 1 1/8"
(FOR USE WITH 3/4" PVC)

52381 6' ID SIZE 1 1/8"
(FOR USE WITH 3/4" BLACK
POLY PIPE)

523878 6' ID SIZE 7/8"

FIBERGLASS PIPE INSULATION KIT

3" WIDE



5416525 25' ROLL W/VINYL OUTER
WRAP - 24/CTN

ANTI-FREEZE HAND PUMP

PUMPS ANTIFREEZE DIRECTLY INTO WATER
LINES AND SUPPLY TANKS



44501 BLOWOUT PLUG - PLASTIC

44503 ANTIFREEZE HAND PUMP

ANTI-FREEZE

PROTECTS TO -50° F SAFE FOR COPPER, BRASS,
AND ALL PLASTICS (EXCEPT ACETATE)



445000 FOR FULL STRENGTH USAGE
1 GALLON—6/CTN SKID
QUANTITY: 240 GALLONS

PLUMBING

PIPE HANGER STRAP

GALVANIZED



116507 GALVANIZED $\frac{3}{4}$ " x 100'
28 GAUGE ROLL 10/CARTON

PIPE HANGER STRAP

PLASTIC



1113038 PLASTIC, $\frac{3}{4}$ " x 100',
.050 GAUGE ROLL

PIPE CLAMPS



5034112 FITS $\frac{3}{4}$ "—1 $\frac{1}{2}$ " WATER LINE
500/CTN
505212 FITS $\frac{1}{2}$ "—1 $\frac{1}{4}$ " WATER LINE
500/CTN

STOVE BOLT W/NUT

20 ROUND HEAD



651434 $\frac{1}{4}$ " x $\frac{3}{4}$ " W/NUT — 100/BOX

BALL VALVE

PVC $\frac{3}{4}$ " FPT X $\frac{3}{4}$ " FPT



500007 PVC $\frac{3}{4}$ " BALL VALVE

PVC COUPLING

SLIP X SLIP



504408 $\frac{3}{4}$ "—50/CTN

CHECK VALVE

$\frac{3}{4}$ " PVC GLUE IN



5026206 $\frac{3}{4}$ " CHECK VALVE

PVC ELBOW

SLIP X SLIP



504505 90° $\frac{3}{4}$ "—50/CTN

CONDENSATION DRAIN TRAP

$\frac{3}{4}$ "



5015411 $\frac{3}{4}$ " CONDENSATION DRAIN TRAP

PLUMBING

ABS FOAMCORE PIPE

HEAVY DUTY, THICK WALL, BLACK
SCHEDULE 40 ABS PIPE



49315104 1 1/2" x 10'
4932104 2" x 10'
4933104 3" x 10'
4933204 3" x 20'

SCHEDULE 40 PVC PIPE

HEAVY DUTY, THICK WALL, WHITE PVC - DWV PIPE



4963104 3" x 10', 260 PSI, BELLED END

SCHEDULE 40 PVC RIGID PIPE

20 FT. LENGTHS



4963420 3/4" x 20', BELLED END

BACKFLOW PREVENTER

BRASS, 3/4" FPT X 3/4" MPT



57234 STAINLESS STEEL SPRINGS
50/CTN

ANTI-SIPHON VALVE

3/4" MHT X 3/4" FHT



5111850 CONNECTS TO ANY HOSE
THREAD BREAK OFF BOLT
12/CTN

PIPE SWIVELS & ADAPTERS

3/4"



5030002 3/4" HOSE x 3/4" PIPE SWIVEL
10/CTN

SWING CHECK VALVE

DOUBLE CHECK VALVE BRASS - 3/4"



5110543 3/4" SWING CHECK VALVE

WATER PRESSURE REGULATING VALVE

BRASS - 3/4"



53EB87 REGULATING VALVE

IN-LINE CHECK VALVE

S. S. SPRING LOADED



519444 BRASS, 3/4" PIPE

PLUMBING

GATE VALVES

BRASS - 3/4"



5110133 3/4" REGULAR VALVE

5110153 IPS NOMINAL; HEAVY DUTY
SIZE 3/4"

BOILER DRAIN VALVE

MIP X HOSE



5111702 1/2" MIP x HOSE

518971 3/4" MIP x HOSE

HOSE BIBB VALVE

BRASS 3/4" STD. PATTERN, TEE HANDLE



5130217 ROUGH BRASS

BALL VALVE

3/4" FPT BRASS LVR HD



51252074 BALL VALVE 3/4" FPT BRASS

FROST-FREE SILCOCK VALVE

BRONZE BODY NICKEL PLATED



5111816 1/2" x 10"

VENT CAPS

FOR 1 1/4" - 2 1/2" PIPE GALVANIZED STEEL



522084 2 3/8" DIA., REMOVABLE CAP
50/CTN

VENT CAP

WHITE PLASTIC, REMOVABLE CAP



522049 1 1/2" DIAMETER—100/CTN



MANUFACTURED HOUSING

PLUMBING

ABS 22 1/2° ELBOW

ALL HUB (1/16 BEND)



502901 3" x 3" 20/CARTON

ABS LONG-TURN TEE WYES

SINGLE



502853 1 1/2" x 1 1/2" x 1 1/2"

15/CARTON

502858 2" x 2" x 2" 20/CARTON

502852 3" x 3" x 3" 10/CARTON

502837 3" x 3" x 1 1/2" 15/CARTON

502857 3" x 3" x 2" 1/CARTON

ABS TEES

SANITARY ALL HUB



502752 1 1/2" x 1 1/2" x 1 1/2"

100/CARTON

502754 3" x 3" x 3" 30/CARTON

ABS ELBOWS

STREET SPIGOT X HUB



502882 3" x 3" 90° 20/CARTON

502892 3" x 3" 45° 20/CARTON

ABS 45° WYE

ALL HUB



502824 3" x 3" x 3" 25/CARTON

ABS 45° ELBOWS

ALL HUB (1/8 BEND)



502885 1 1/2" x 1 1/2" 100/CARTON

502887 3" x 3" 20/CARTON

ABS 90° ELBOWS

LONG TURN ALL HUB



502871 1 1/2" x 1 1/2" 50/CARTON

502873 3" x 3" 10/CARTON

ABS 90° ELBOWS

ALL HUB (1/4 BEND)



502876 1 1/2" x 1 1/2" 100/CARTON

502878 3" x 3" 25/CARTON

ABS P-TRAP

HUB X HUB W/UNION JOINT



502215 1 1/2" x 1 1/2" 25/CARTON

ABS P-TRAP

HUB X HUB W/UNION JOINT



502220 1 1/2" x 1 1/2" x 1/4" 25/CARTON

ABS FITTING CLEAN OUT ADAPTERS

SPIGOT X FPT (W/O PLUG)



502922 1 1/2" x 1 1/2" 50/CARTON

502923 2" x 2" 50/CARTON

502924 3" x 3" 25/CARTON

ABS TRAY PLUG

SCHEDULE 40



503419 1 1/2" SP x SPSM

PLUMBING

ABS CLOSET FLANGE



502903 4" x 3" - HUB 25/CARTON
506336343 4" x 3" - MPT 25/CARTON
506336345 4" x 3" - FPT 25/CARTON

ABS THREADED PLUGS

MPT



502938 1 1/2" 50/CARTON
502941 3" 25/CARTON

ABS P-TRAP ADAPTERS

SPIGOT X SLIP JOINT



502975 1 1/2" x 1 1/2" 25/CARTON
503409 1 1/2" x 1 1/4" W/TUBE STOP & SJ WASHERS

ABS COUPLINGS

HUB X HUB



502933 1 1/2" x 1 1/2" 100/CARTON
502934 2" x 2" 100/CARTON
502935 3" x 3" 60/CARTON

ABS FLUSH BUSHING

SPIGOT X HUB



502906 2" x 1 1/2" 50/CARTON

SEWER RING



5211959 SEWER RING 50/CARTON

FLEXIBLE TRANSITION COUPLINGS

W/STAINLESS STEEL CLAMPS FITS PLASTIC, CAST IRON, COPPER, STEEL & LEAD



500540 FITS 1 1/2" PIPE
50542 FITS 2" PIPE
50543 FITS 3" x 3" PIPE
50544 FITS 4" x 3" PIPE 50/CARTON
50545 FITS 4" PIPE 50/CARTON



MANUFACTURED HOUSING

PLUMBING

PVC CLEAN OUT ADAPTER

SPIGOT X FPT SCHEDULE 40



505924 3" 25/CARTON

PVC THREADED PLUG

MPT SCHEDULE 40



505941 3" 25/CARTON

PVC SANITARY TEE

ALL HUB



505754 3" 30/CARTON

PVC 90° VENT ELBOW

HUB ¼ BEND



505878 3" x 3" 25/CARTON

PVC 90° LONG TURN ELBOW

HUB LGTN 90



505873 3" x 3" 10/CARTON

PVC LONG TURN TEE WYE

ALL HUB



505852 3" 10/CARTON

PVC 45° ELBOW

HUB X HUB (¼ BEND)



505887 3" 20/CARTON

PVC 22-1/2° ELBOW

HUB X HUB (¼ BEND)



505901 3" 20/CARTON

PVC ELBOWS - STREET

SPIGOT X HUB SCHEDULE 40



505882 3" x 3", 90° 20/CARTON

PVC COUPLING

HUB X HUB SCHEDULE 40




505935 3" x 3" 60/CARTON



MANUFACTURED HOUSING

PLUMBING

[illegible]

PLUMBING

ALL PURPOSE CLEANER



508030 ALL PURPOSE CLEANER ¼ PT
24/CARTON

3-WAY CEMENT

CLEAR FOR USE WITH PVC, CPVC AND ABS
PIPE. DAUBER INCLUDED



507115 1 PINT 12/CARTON
507120 1 QUART 12/CARTON
5070614 ¼ PINT

ABS PIPE CEMENT

BLACK MEDIUM BODY, AND SETTING
FOR FITTINGS UP TO 6" DIAMETER



507260 CEMENT ABS BLACK ¼ PINT
24/CARTON
507265 CEMENT ABS BLACK ½ PINT
24/CARTON
507270 CEMENT ABS BLACK 1 PINT
12/CARTON
507275 CEMENT ABS BLACK 1 QUART
12/CARTON

PLASTIC PIPE PRIMER/CLEANER

USE PRIOR TO APPLYING SOLVENT



508005 ½ PINT W/DAUBER 24/CARTON
508030 ¼ PINT W/DAUBER 24/CARTON

PLASTIC PIPE PVC CEMENT

ALL WEATHER - CLEAR



507070 PINT FOR SCH. 40 & 80
UP TO 6" DIA. -12/CTN

PVC ALL PURPOSE CEMENT



507051 1 PINT 12/CARTON

PIPE JOINT COMPOUND



502000 PIPE JOINT COMPOUND
2 OZ TUBE 12/CARTON

RAIN-R-SHINE PVC CEMENT




501044 CEMENT RAIN-R-SHINE
¼ PINT 24/CARTON
501045 CEMENT RAIN-R-SHINE
½ PINT 24/CARTON



MANUFACTURED HOUSING

PLUMBING

[illegible]



MOBILE HOME ELECTRIC

6-Year Limited Tank/Parts Warranty*

APPROVED FOR MANUFACTURED HOUSING

- All residential electric water heaters are compliant with HUD Standards for mobile homes/manufactured homes.

LONG LASTING HEATING ELEMENTS

- Screw-in, direct immersion, 3500 watt, 240 volt heating elements for maximum efficiency (20U unit has 1 element).

CSA CERTIFIED AND ASME RATED T&P RELIEF VALVE

- Conveniently located on the side of the tank to facilitate piping to a drain or external to the building.

BLUE DIAMOND® GLASS COATING

- Provides superior corrosion resistance compared to industry standard glass lining.

COREGARD™ ANODE ROD

- Our anode rods have a stainless steel core that extends the life of the anode rod allowing superior tank protection longer than standard anode rods.

ENHANCED BRASS DRAIN VALVE

- Our residential water heaters have a solid brass, tamper resistant, enhanced flow, ball type, drain valve. The drain valve uses a standard female hose fitting that allows for fast and easy draining during maintenance. The drain valve is designed for easy operation, this valve includes an integral screwdriver slot that features a ¼" turn (open/close) radius, which not only permits full straight-through water flow but also a quick and positive shut off.

SIDE WATER CONNECTIONS

- For ease of installation in Mobile Home Applications (except for 19 and 50 gallon models)

CODE COMPLIANCE

- Meets UBC, CEC and HUD National Codes
- Meets the thermal efficiency and standby loss requirements of the U. S. Department of Energy and current edition of ASHRA/IESNA 90.1.
- Complies with the Federal Energy Conservation Standards effective April 16, 2015, in accordance with the Energy Policy and Conservation Act (EPCA) as amended.

CERTIFIED TO UL 174 FOR HOUSEHOLD ELECTRIC WATER HEATERS

CSA CERTIFIED AND ASME RATED T&P RELIEF VALVE

DESIGN-LISTED BY CSA INTERNATIONAL

- Certified at 300 PSI test pressure and 150 PSI working pressure.
- Listed according to ANSI Z21.10.1- CSA 4.1 standards governing storage tank-type water heaters.




*For complete warranty information consult the written warranty of American Water Heater found at www.americanwaterheater.com or call (800.999.9515)

Product Availability, Prices and Specifications Subject to Change without Notice



MOBILE HOME ELECTRIC

6-Year Limited Tank/Parts Warranty*



Dimensions and specifications subject to change without notice in accordance with our policy of continuous product improvement. Dimensions on all charts shown in inches. "Dual element models are wired for non-simultaneous element operation." 3/4" water connections. Available with side T&P only.

WATER HEATER MODEL NUMBER	MANUFACTURES MODEL NUMBER	GALLON CAPACITY	GPH RECOVERY 90° RISE	FIRST HOUR RATING	ENERGY FACTOR (EF)	ELEMENT WATTAGE UPPER/ LOWER	DIAMETER (INCHES)	HEIGHT TO TOP OF HEATER (INCHES)	HEIGHT TO SIDE T&P (INCHES)	APPROX. SHIPPING WEIGHT (LBS)
56010008 ⁺⁺	E61-20U-015SV	19	7.0	N/A	N/A	1500	8"	25"	18 1/2"	65 lbs.
56010009	MHE6-30L-035D	28	16.0	40	0.95	3500/3500	22"	30"	21 3/4"	96 lbs.
56010006	MHE6-30H-035D	30	16.0	42	0.95	3500/3500	19"	46 3/4"	39 1/2"	98 lbs.
56010007	MHE6-40R-035D	40	16.0	52	0.95	3500/3500	22"	50"	40 3/4"	109 lbs.

⁺⁺ water heater with top and side plumbing connections

*For complete warranty information consult the written limited warranty of American Water Heater found at www.americanwaterheater.com or call (800.999.9515)



RESIDENTIAL GAS MOBILE HOME FVIR ATMOSPHERIC

6-Year Limited Tank/Parts Warranty*

CONVERTIBLE GAS CONTROL FOR NATURAL OR PROPANE GAS

- For flexibility to meet the needs of different mobile home installations.
- All models ship from the factory for use with natural gas, a complete propane burner is supplied for converting to propane gas.
- Conversion must be completed by qualified technician.

GREEN CHOICE® GAS BURNER

- Patented eco-friendly burner design reduces NOx emissions by up to 33% and complies with Low-NOx emission requirements of less than 40 ng/J.

BLUE DIAMOND® GLASS COATING

- Provides superior corrosion resistance compared to industry standard glass lining.

COREGARD™ ANODE ROD

- Our anode rods have a stainless steel core that extends the life of the anode rod allowing superior tank protection longer than standard anode rods.

ENHANCED BRASS DRAIN VALVE

- Our residential water heaters have a solid brass, tamper resistant, enhanced flow, ball type, drain valve. The drain valve uses a standard female hose fitting that allows for fast and easy draining during maintenance.

The drain valve is designed for easy operation, this valve includes an integral screwdriver slot that features a ¼" turn (open/close) radius, which not only permits full straight-through water flow but also a quick and positive shut off.

CODE COMPLIANCE

- Meets UBC, CEC and HUD National Codes
- Meets the thermal efficiency and standby loss requirements of the U. S. Department of Energy and current edition of ASHRA/IESNA 90.1.
- Complies with the Federal Energy Conservation Standards effective April 16, 2015, in accordance with the Energy Policy and Conservation Act (EPCA) as amended.

COMPLIES WITH HUD STANDARDS FOR MANUFACTURED HOUSING INSTALLATION

CSA CERTIFIED AND ASME RATED T&P RELIEF VALVE

MAXIMUM HYDROSTATIC WORKING PRESSURE 150 PSI




*For complete warranty information consult the written warranty of American Water Heater found at www.americanwaterheater.com or call (800.999.9515)



RESIDENTIAL GAS MOBILE HOME FVIR ATMOSPHERIC

6-Year Limited Tank/Parts Warranty*



WATER HEATER MODEL NUMBER	MANUFACTURES MODEL NUMBER	GALLON CAPACITY	INPUT BTU PER HOUR		GPH RECOVERY 90° RISE		VENT DIAM.	ENERGY FACTOR (EF)	JACKET DIAM.	HEIGHT TO TOP OF HEATER (INCHES)	HEIGHT TO SIDE T&P (INCHES)	APPROX. SHIPPING WEIGHT (LBS)
			NAT.	LP	NAT.	LP						
56020006	MHG62-30T30	30	30,000	29,000	31	31	3"or 4"	0.63	17 ¾"	56 ½"	49 ¼"	129 lbs.
56020007	MHG62-40T40	40	40,000	36,000	41	41	3"or 4"	0.62	19 ¾"	58 ½"	51 ¾"	153 lbs.

All models ship from the factory for use with natural gas, a complete propane burner is supplied for converting to propane gas, which must be completed by a qualified technician. All models are certified from sea level to 10,000 ft. elevation. Dimensions and specifications subject to change without notice, in accordance with our policy of continuous product improvement.



ROOF JACK ATMOSPHERIC VENT—MEASURE TOP OF WATER HEATER TO ROOF FLANGE

ACCESSORY MODEL NUMBER	MANUFACTURES MODEL NUMBER	DESCRIPTION
56030005	9002964005	ROOF STACK-WH-GAS 12"
56030006	9002965005	ROOF STACK-WH-GAS 12"-32"
56030007	9002966005	ROOF STACK-WH-GAS 32"-60"
56030008	9002967005	ROOF STACK-WH-GAS 60"-95"
56030003	9002588005	OUTDOOR VENT EXTENSION 18"

*For complete warranty information consult the written warranty of American Water Heater found at www.americanwaterheater.com or call (800.999.9515)



MOBILE HOME DIRECT VENT

6-Year Limited Tank/2 Year Parts Warranty*

CONVERTIBLE GAS CONTROL FOR NATURAL OR PROPANE GAS

- For flexibility to meet the needs of different mobile home installations.
- All models ship from the factory for use with natural gas, a complete propane burner is supplied for converting to propane gas.
- Conversion must be completed by qualified technician.

GREEN CHOICE® GAS BURNER

- Patented eco-friendly burner design reduces NOx emissions by up to 33% and complies with Low-NOx emission requirements of less than 40 ng/J.

BLUE DIAMOND® GLASS COATING

- Provides superior corrosion resistance compared to industry standard glass lining.

COREGARD™ ANODE ROD

- Our anode rods have a stainless steel core that extends the life of the anode rod allowing superior tank protection longer than standard anode rods.

ENHANCED BRASS DRAIN VALVE

- Our residential water heaters have a solid brass, tamper resistant, enhanced flow, ball type, drain valve. The drain valve uses a standard female hose fitting that allows for fast and easy draining during maintenance.

The drain valve is designed for easy operation, this valve includes an integral screwdriver slot that features a ¼" turn (open/close) radius, which not only permits full straight-through water flow but also a quick and positive shut off.

CODE COMPLIANCE

- Meets UBC, CEC and HUD National Codes
- Meets the thermal efficiency and standby loss requirements of the U. S. Department of Energy and current edition of ASHRA/IESNA 90.1.
- Complies with the Federal Energy Conservation Standards effective April 16, 2015, in accordance with the Energy Policy and Conservation Act (EPCA) as amended.

COMPLIES WITH HUD STANDARDS FOR MANUFACTURED HOUSING INSTALLATION

CSA CERTIFIED AND ASME RATED T&P RELIEF VALVE

MAXIMUM HYDROSTATIC WORKING PRESSURE 150 PSI



*For complete warranty information consult the written warranty of American Water Heater found at www.americanwaterheater.com or call (800.999.9515)

Product Availability, Prices and Specifications Subject to Change without Notice





MOBILE HOME DIRECT VENT

6-Year Limited Tank/2 Year Parts Warranty*

APPROVED ROOF JACK KITS

Direct Vent Manufactured Housing water heaters must be installed using one of these approved Roof Jack Kits, which must be ordered separately. "Min." and "Max." dimensions indicate kit adjustability for varying vent distance, as shown in drawing.



WATER HEATER MODEL NUMBER	MANUFACTURES MODEL NUMBER	GALLON CAPACITY	INPUT BTU PER HOUR		GPH RECOVERY 90° RISE		VENT DIAM.	ENERGY FACTOR (EF)	JACKET DIAM.	HEIGHT TO TOP OF HEATER (INCHES)	HEIGHT TO SIDE T&P (INCHES)	APPROX. SHIPPING WEIGHT (LBS)
			NAT.	LP	NAT.	LP						
56020008	MHDV-62-30T30-3NV	30	30,000	29,000	31.0	31.0	3"	0.63	18	58"	52 1/2"	129 lbs.
56020009	MHDV-62-40T32-3NV	40	32,000	29,000	33.0	33.0	3"	0.62	20	58 3/4"	52 1/4"	153 lbs.


Water connection—3/4" on all models. No option available for top T&P. All models approved for installation from seal level to 5,400 ft. elevation. All models ship from the factory for use with natural gas, a complete propane burner is supplied for converting to propane gas. Dimensions and specification subject to change without notice in accordance with our policy of continuous product improvement. Conversion must be completed by qualified technician.



ROOF JACK DIRECT VENT—MEASURE TOP OF WATER HEATER TO ROOF FLANGE



AIR INLET KIT—DIRECT VENT BASEMENT/CRAWL



ACCESSORY MODEL NUMBER	MANUFACTURES MODEL NUMBER	DESCRIPTION
56030005	9002964005	ROOF STACK—WH—GAS 12"
56030006	9002965005	ROOF STACK—WH—GAS 12"—32"
56030007	9002966005	ROOF STACK—WH—GAS 32"—60"
56030008	9002967005	ROOF STACK—WH—GAS 60"—95"
56030003	9002588005	OUTDOOR VENT EXTENSION 18"
56030009	9002968005	AIR INLET KIT—DIRECT VENT—BASEMENT/CRAWL

*For complete warranty information consult the written warranty of American Water Heater found at www.americanwaterheater.com or call (800.999.9515)

WATER HEATER DOORS

- *Universal, for Gas or Electric*
- *Metal Exterior Panel*
- *Welded Frame for Strength & Positive Seal*
- *White*



Blank 20" x 60"



Blank 23" x 60"



Louvered 23" x 60"

69K30001 BLANK 20" X 60"
69K30002 BLANK 23" X 60"
69K30003 LOUVERED 23" X 60"

INTERIOR PLUMBING

TEMPERATURE RELIEF VALVE

BRASS BODY, TEFLON COATED ACTUATOR



5710471 LONG BODY
3/4" M x 3/4" F OUTLET

DIELECTRIC NIPPLE

2 PER PACK



570325 3/4" MPT x 3/4" MPT

EXTERIOR GAS CONNECTOR

STAINLESS STEEL CORRUGATED TUBING



603634 1" O.D. (3/4" I.D.)
W/ 3/4" FITTINGS
36" LONG W/PVC COATING

SCREW-IN ELEMENT SOCKET WRENCH



579932 FITS 1 1/2" NUT

SCREW-IN IMMERSION ELEMENT



572143 120V 1500W ELEMENT
572183 120V 1750W ELEMENT
572283 240V 3500W ELEMENT
572343 240V 4500W ELEMENT

THERMOSTATS

U.L. LISTED, 1 YEAR WARRANTY



577843 SINGLE POLE ELEMENT W/HLC
577863 UPPER W/HIGH LIMIT
577723 SINGLE POLE, LOWER ELEMENT



AQUATIC

Tubs and Showers

Designed Especially for Manufactured Homes

Aquatic, the largest producer of everyday bath products in the USA, now offers through **Style Crest®**, tubs and showers designed specifically for manufactured homes!

Product Features:

- Attractive subtle contours and patterns
- Slip resistant bottom surfaces in all units
- Strong base with ArmorCore™ support
- AcrylX™ applied acrylic for clean, seamless appearance and easy cleaning
- 2 stage resin/fiber base coat for extra strength
- Strengthened with ArmorCore™ for unmatched strength
- Rugged integral front skirt
- Rigorous quality control process ensures consistently high quality
- Made in the United States of America



**5 Year and 10 Year
Limited Warranties**

Against manufacturing defects



THE BATH PEOPLE

BATH 27" x 54"

Manufacturers Dimensions
27 1/8" x 54" x 15"



FEATURES

- Alcove bath
- Ergonomic backrest
- Integral tiling flange
- Integral skirt
- Slip resistant textured bottom
- Left, right or center drain
- AcrylX™ surface
- Almond and white

5 Year Limited Warranty



53111101-1	27" X 54" TUB LH DRAIN BOXED-WHITE
53111101-2	27" X 54" TUB LH DRAIN BOXED-ALMOND
53111102-1	27" X 54" TUB RH DRAIN BOXED-WHITE
53111102-2	27" X 54" TUB RH DRAIN BOXED-ALMOND
53111103-1	27" X 54" TUB CENTER DRAIN BOXED-WHITE
53111103-2	27" X 54" TUB CENTER DRAIN BOXED-ALMOND

SHOWER PAN 27" x 54"

Manufacturers Dimensions
27 1/8" x 54" x 15"



FEATURES

- Shower pan
- Center back drain
- 4" threshold
- Slip resistant textured bottom
- AcrylX™ surface
- Almond and white

5 Year Limited Warranty



53111105-1	27" X 54" SHOWER BASE BOXED-WHITE
53111105-2	27" X 54" SHOWER BASE BOXED-ALMOND

WALL SET 27" x 54"

Manufacturers Dimensions
27 1/8" x 54" x 58"



FEATURES

- Smooth wall finish
- Integral toiletry shelves
- Wall set fits the following Aquatic models:
27" x 54" tub
27" x 54" shower pan
- AcrylX™ surface
- Almond and white

5 Year Limited Warranty



53111104-1	27" X 54" WALL KIT BOXED-WHITE
53111104-2	27" X 54" WALL KIT BOXED-ALMOND



GARDEN TUB 41" x 54"

Manufacturers Dimensions

41" x 54 1/4" x 23 1/8"



Against manufacturing defects

FEATURES

- Garden tub
- Ergonomic backrest
- 6 1/2" wainscot
- Integral tiling flange
- Integral skirt
- Slip resistant textured bottom
- Center drain
- AcrylX™ surface
- Almond and white

5 Year Limited Warranty

53111110-1

41" X 54" TUB CENTER DRAIN BOXED-WHITE

53111110-2

41" X 54" TUB CENTER DRAIN BOXED-ALMOND



GARDEN TUB 41" x 60"

Manufacturers Dimensions

40 3/4" x 60" x 23"



Against manufacturing defects

FEATURES

- Garden tub
- Ergonomic backrest
- 6" wainscot
- Integral tiling flange
- Integral skirt
- Slip resistant textured bottom
- Center drain
- AcrylX™ surface
- Almond and white

5 Year Limited Warranty

53111107-1

41" X 60" TUB CENTER DRAIN BOXED-WHITE

53111107-2

41" X 60" TUB CENTER DRAIN BOXED-ALMOND



GARDEN TUB 48" x 60"

Manufacturers Dimensions

48" x 60" x 27 3/4"



Against manufacturing defects

FEATURES

- Garden tub
- Ergonomic backrest
- 6 1/2" wainscot
- Integral tiling flange
- Integral skirt
- Slip resistant textured bottom
- Center drain
- AcrylX™ surface
- Almond and white

5 Year Limited Warranty

53111108-1

48" X 60" TUB CENTER DRAIN BOXED-WHITE

53111108-2

48" X 60" TUB CENTER DRAIN BOXED-ALMOND



A² COMPOSITE SHOWER

Manufacturers Dimensions

32" x 32" x 76"

Lightweight and durable, our A Composite is an engineered compound of resin, glass and special fillers formed into sheets. These sheets are then placed under high pressure and heat to liquify the compound, allowing it to flow and take the shape of almost any form imaginable. The results are simple, stylish and a snap to install.



FEATURES

- **Durable high gloss finish**
- Smooth wall, 4 piece molded sectionals
- Pre-Leveled base
- Caulkless installation
- Leakproof right angle joint flanges
- Easy wedge & lock installation
- Multiple integral soap shelves
- Center drain
- Slip resistant textured bottom
- AcrylX™ surface
- White
- 10 Year Limited Warranty**



53111109-3A	32" X 32" SHOWER BASE-WHITE
53111109-3B	32" X 74" SHOWER WALL BACK-WHITE
53111109-3C	32" X 74" SHOWER WALL SIDE-WHITE



STANDARD TUBS

- Calfgain Finish Hides Scuffs & Mars
- Reinforcement at Drain for Increased Support
- Prevents Drain Area Cracking
- Front Apron
- 12" Inside Depth
- 1 Year Warranty



5327541L WHITE 27" x 54" LH
 5327541R WHITE 27" x 54" RH
 5327542L ALMOND 27" x 54" LH
 5327542R ALMOND 27" x 54" RH



HEAVY DUTY TUBS

- Heaviest Gauge ABS Offered
- Calfgain Finish Hides Scuffs & Mars
- Reinforcement at Drain for Increased Support
- Prevents Drain Area Cracking
- Foam Support Base - (Injected Molded Foam vs. Cut-Block) for Twice the Support Strength. Glued to Tub Base
- Front Apron
- 12" Inside Depth
- 5 Year Warranty



5327543C WHITE 27" x 54" CENTER DRAIN
 5327544C ALMOND 27" x 54" CENTER DRAIN
 5330001L WHITE 27" x 54" LH
 5330001R WHITE 27" x 54" RH
 5330012L ALMOND 27" x 54" LH
 5330012R ALMOND 27" x 54" RH



GARDEN TUBS

- 1/8" Masonite Around Entire Bowl & Drain for Increased Strength
- Additional Plastic Reinforcement Around Drain
- Support Legs are Rigid PVC Pipe
- 14" Inside Depth
- ABS
- Center Drain




HEAVY DUTY

5330041 WHITE 40" x 54" W/OUTSIDE STEP
 5330042 ALMOND 40" x 54" W/OUTSIDE STEP



ONE PIECE SURROUND

- Calgrain Finish & Tile Look
- All ABS Stock Formed From .060 Sheet
- Flanged Lip at Bottom - Easier Installation & Straight Wall Finish
- 57 3/4" Height




- 5330061 WHITE FOR 27" x 54" TUB
 5330062 ALMOND FOR 27" x 54" TUB
 5330071 WHITE FOR 40" x 54" GARDEN TUB
 5330072 ALMOND FOR 40" x 54" GARDEN TUB



THREE PIECE SURROUND

- Calgrain Finish & Tile Look
- All ABS Stock Formed From .060 Sheet
- Flanged Lip at Bottom - Easier Installation & Straight Wall Finish
- 57 3/4" Height



- 5330091 WHITE PANELS FOR 40" x 54" TUB
 (REQUIRES CORNER CADDY - 5330101)
 5330092 ALMOND PANELS FOR 40" x 54" TUB
 (REQUIRES CORNER CADDY - 5330102)
 5330101 WHITE CORNER CADDY FOR 3-PIECE SURROUND
 5330102 ALMOND CORNER CADDY FOR 3-PIECE SURROUND
 5332754A ALMOND PANELS FOR 27" x 54" TUB
 5332754W WHITE PANELS FOR 27" x 54" TUB



ONE PIECE SHOWER PAN



- 5332321 WHITE 32" x 32"
 5332322 ALMOND 32" x 32"
 535428WLH WHITE LH 54" x 28"
 535428WRH WHITE RH 54" x 28"
 535428ALH ALMOND LH 54" x 28"
 535428ARH ALMOND RH 54" x 28"



SHOWER SURROUND



- 5302321 WHITE 68"H x 32"W x 32"D
 5302322 ALMOND 68"H x 32"W x 32"D
 5335428ALM ALMOND 68"H x 54"W x 28"D
 MULTI-PIECE SURROUND
 5335428W WHITE 68"H x 54"W x 28"D
 MULTI-PIECE SURROUND

PERMALUX™ TUBS

PERMALUX STANDARD TUBS



- **Rigid**
- **High Impact Strength**
- **Patented 2 Part Composite Material**
- **Acrylic Polymer Provides Superior Gloss Finish**
- **Cleaner, Chemical and Stain Resistant**
- **No Chipping, Peeling or "Spider Webs"**
- **5 Year Warranty**

532754LHB	ALMOND 27" x 54" / LH DRAIN
532754LHW	WHITE 27" x 54" / LH DRAIN
532754RHB	ALMOND 27" x 54" / RH DRAIN
532754RHW	WHITE 27" x 54" / RH DRAIN

PERMALUX™ TUBS

PERMALUX GARDEN TUBS



- **Rigid**
- **High Impact Strength**
- **Patented 2 Part Composite Material**
- **Acrylic Polymer Provides Superior Gloss Finish**
- **Cleaner, Chemical and Stain Resistant**
- **No Chipping, Peeling or "Spider Webs"**
- **5 Year Warranty**

534054B ALMOND 40" x 54" W/ STEP
534054W WHITE 40" x 54" W/STEP
534260B ALMOND 42" x 60" W/O STEP
534260W WHITE 42" x 60" W/O STEP

Bath Shower Door *Series*

Expensive in Style, Economical in Price

The **By-Pass Shower Door** features exclusive "Free Flow" sill track with floating nylon guides attached to the door panels, which allows for both positive door traction, and easy cleaning.

A classic look with a solid touch is created with towel bars that are set in cast brackets and finished front and back.



The **Hinge Shower Door** offers an innovative alternative to traditional hinge-style doors. Internalized hinge to improve function, strength, durability and look.

- The doors have been sized so that adjustments are from -0" to +1½".
- The up to ¾" out-of-square adjustment on each wall will work better in fiberglass stalls



5327501	SHOWER DOOR	28" x 65"	HINGE
5331501	SHOWER DOOR	32" x 65"	HINGE
5354010	SHOWER DOOR	54" x 57"	BYPASS
5354011	SHOWER DOOR	54" x 65"	BYPASS

GLASS SHOWER DOOR MATCHUP

SHOWER DOOR	DESCRIPTION	FITS BETTER BATH BASE	WITH BETTER BATH WALL KITS	FITS AQUATIC BASE	AQUATIC W/BETTER BATH SURROUNDS	W/AQUATIC WALL KIT
5327501	SHOWER DOOR 28"X 65" HINGED	NA	NA	53111109-3A	NA	53111109-3B/C
5331501	SHOWER DOOR 32"X 65" HINGED	5332321 5332322	5302321 5302322	NA		NA
5354010	SHOWER DOOR 54"X 57" BYPASS	532754xx 5330001x 5330012x 5340542 5330041 5330042 5330051 5330052 532754xx 534505x	5302321 5302322 5330061 530062 5330071 5330072	53111101-1 53111110-1 53111110-1P 53111110-2 53111110-2P 53111101-2 53111102-1 53111102-2 53111103-1 53111103-2	5302321 5302322 5330061 530062 5330071 5330072	53111104-1 53111104-2
5354011	Shower Door 54"x 65" BYPASS	535428xxx	5335428xxx	53111105-1 53111105-2		53111104-1 53111104-2

NOTES: DOORS WILL HAVE 1 ½" OVERLAY ON AQUATIC 54" SURROUND

RIVETS



- 53139 ALMOND RIVETS
25/BAG
53140 WHITE RIVETS
25/BAG

TUB TRIM KIT

CHROME



- 534964 REG. 54" TUB TRIM KIT
534860 GARDEN TUB TRIM KIT
53120 TUB MOULDING
BAR 120"
53301 END CAP LEFT
53305 END CAP RIGHT
53309 INSIDE CORNER

TUB MOULDING

VINYL 7'



- 60010002 TUB MOULDING
WHITE 8'

SHOWER CURTAIN

ROD



- 522012 ALUMINUM, 60"
ROD W/FLANGE

INTERIOR PLUMBING

BATHTUB DRAIN

1-1/2" POPSTOP - CHROME FINISH FEATURES
POSITIVE PUSH/PULL SEAL PLUG COMPLETELY
REMOVABLE FOR CLEANING



- 52227 1 1/2" BATHTUB DRAIN
(SHOWN)
52200112 GASKET NEEDED FOR
52227

SHOWER STRAINER



- 5233R45 SHOWER STRAINER 3 1/2"

METAL DRAIN & PLUG



- 522109 DRAIN & PLUG

AUTOMATIC ANTI-SIPHON TRAP VENT



- 522020 PRO-VENT WITH 1 1/2" MPT
50/PK

CHROME C.O. PLUG

1 1/4" X 5" NO OVERFLOW



- 532112 CHROME C.O. PLUG W
CHAIN & STOPPER

TOILET SEATS

PLASTIC OR WOODEN



- 53201021 BONE - PLASTIC
53202030 WHITE - PLASTIC
535232 WHITE - WOODEN

LAVATORY SINKS

PLASTIC, OVAL 17" X 20"



- 53163701 WHITE W/OVERFLOW
53163702 IVORY W/OVERFLOW
5316370W WHITE W/O-OVERFLOW
5316370V IVORY W/O-OVERFLOW

LAVATORY SINKS

PLASTIC, SQUARE SELF-RIM NO OVERFLOW



- 5316270W WHITE, 16" x 20"
5316270I IVORY, 16" x 20"

LAVATORY SINKS



- 53172001 LAVATORY-17" x 20"
PORCELAIN-WHITE
53010001 LAVATORY-17" x 20"
PORCELAIN COVERED
STEEL-IVORY

INTERIOR PLUMBING

TUBULAR TAILPIECE CHROME PLATED DRAIN CONNECTION



50413 KITCHEN SINK, 1 1/2" x 6"
BRASS FLANGED, 22 GA.

TUBULAR TAILPIECE CHROME PLATED DRAIN CONNECTION



50414 BATHROOM SINK, 1 1/4" x 6"

HOSE WASHER

3/4" VINYL



53493 3/4" HOSE WASHER, VINYL 10/PK

KITCHEN SINK STRAINER ASSEMBLY



5220002 3 1/2" TWIST TOP BASKET
STRAINER

KITCHEN SINK STRAINER BASKET ONLY



5220003 BASKET ONLY FOR 5220002

SINK STRAINER

STAINLESS STEEL



522115 SINK STRAINER
STAINLESS STEEL 4"

PLUG PO CHROME 5"



532105 PLUG PO CHROME 5"

DOUBLE KITCHEN SINKS

NICKEL STAINLESS STEEL, SELF RIM
4 FAUCET HOLES ON 4" CTRS



533319 STAINLESS STEEL
33" x 19" x 6" DEPTH

533320 STAINLESS STEEL
33" x 19" x 7" DEPTH

533321 STAINLESS STEEL
33" x 19" x 8" DEPTH

5360013 SINK RIM CLAMP 10/BAG

WASTE OUTLET

WITH DISHWASHER BRANCH



502267 UNIVERSAL, 16"-21"
TELESCOPIC

WASTE OUTLET

WITH OUT DISHWASHER BRANCH



502260 UNIVERSAL WASTE OUTLET,
16"-24", TELESCOPIC

STRAINER ADAPTERS

1 1/2" X 1" SWIVEL



50080 STRAINER ADAPTER
1 1/2" x 1" SWVL
501122 STRAINER ADAPTER
1 1/2" x 2" SWVL
50300001 GASKET FOR 501122

DRAIN TUB TIP TOE W/LOCKNUT

CHROMER



53878 DRAIN TIP TOE W/LOCKNUT

SLIP JOINT NUT/WASHER 1 1/2"



503492 SLIP JOINT NUT/WASHER

WAX GASKETS

FOR SETTING CLOSET BOWLS



524005 WAX GASKET W/FLANGE
FITS 3"-4" WASTE LINES
24/CTN
524000 WAX GASKET 48/CTN

TOILET BOWL / TANK

ACUACER PORCELAIN - 12" 1.6 GALLON WATER
SAVING COMPLIES WITH THE COMPREHENSIVE
NATIONAL ENERGY POLICY ACT OF 1992



533161 BOWL WHITE
534161 TANK WHITE W/ACC.

TOILET BOWL / TANK COMPLETE UNIT



53582529 TOILET COMPLETE WHITE
1.6 GPF
53271621 TOILET COMPLETE WHITE
1.28 GPF *
(* AVAILABLE IN TEXAS ONLY)

BALLCOCK W/WATER LEVEL WITH ADJUSTING SCREW

NON-CORRODING



50401 REGULAR, 8 1/2"
OVERALL HT.
6 3/16" CRITICAL LEVEL

BALLCOCK FLUIDMASTER



5081254 FLUIDMASTER 400A
BALLCOCK

FLUSH VALVE



50407 MANSFIELD WATER SAVER
FLUSH VALVE (SHOWN)
10 3/4"H FOR ANY
TOILET TANK - 50/CTN
50191093 MANSFIELD TANK LEVER
#123-8867

FLUSH VALVE



502634 FLUSH VALVE 10 3/4"H
WITH BALL & CHAIN

TOILET BOLT SET

CLOSE COUPLED SOLID BRASS



50402 5/16" x 3"

TOILET HOLD DOWN FASTENERS

W/ NUTS & WASHERS
BRASS PLATED
2 PER PACKAGE



502740 FASTENERS W/NUTS
1/4" x 2 1/4"

BALLCOCK FLOAT ROD



50405 BRASS 8" - 25/CTN

STANDARD TANK LEVER

CHROME LEVER



50406 8" METAL ARM, PLASTIC SPUD

STANDARD TANK LEVER

PLASTIC LEVER



508667 FLUIDMASTER TANK LEVER

BOWL GASKET KIT

W/ GASKET, BOLTS, WASHERS, NUTS,
WING-NUTS



50275 BOWL GASKET KIT

ONE PC. RUBBER FLAPPER



50403 TANK BALL W/CHAIN & HOOK

INTERIOR PLUMBING

TOILET TANK FLOAT BALL



50404 BLACK PLASTIC 4" x 5"

CLAMPS HOSE




505212 CLAMP HOSE ½" 1 ¼"
5034112 CLAMPS ¾" TO 1 ½"



MANUFACTURED HOUSING

INTERIOR PLUMBING



Handwritten notes in blue ink on a lined background. The notes are organized into three columns. The first column contains the word "Notes" followed by a list of items: "1. Check for leaks", "2. Check for clogs", "3. Check for water damage", "4. Check for gas leaks", "5. Check for electrical issues", "6. Check for plumbing issues", "7. Check for structural issues", "8. Check for environmental issues", "9. Check for safety issues", "10. Check for accessibility issues". The second column contains the word "Notes" followed by a list of items: "1. Check for leaks", "2. Check for clogs", "3. Check for water damage", "4. Check for gas leaks", "5. Check for electrical issues", "6. Check for plumbing issues", "7. Check for structural issues", "8. Check for environmental issues", "9. Check for safety issues", "10. Check for accessibility issues". The third column contains the word "Notes" followed by a list of items: "1. Check for leaks", "2. Check for clogs", "3. Check for water damage", "4. Check for gas leaks", "5. Check for electrical issues", "6. Check for plumbing issues", "7. Check for structural issues", "8. Check for environmental issues", "9. Check for safety issues", "10. Check for accessibility issues".

Handwritten notes in blue ink on a lined background. The notes are organized into three columns. The first column contains the word "Notes" followed by a list of items: "1. Check for leaks", "2. Check for clogs", "3. Check for water damage", "4. Check for gas leaks", "5. Check for electrical issues", "6. Check for plumbing issues", "7. Check for structural issues", "8. Check for environmental issues", "9. Check for safety issues", "10. Check for accessibility issues". The second column contains the word "Notes" followed by a list of items: "1. Check for leaks", "2. Check for clogs", "3. Check for water damage", "4. Check for gas leaks", "5. Check for electrical issues", "6. Check for plumbing issues", "7. Check for structural issues", "8. Check for environmental issues", "9. Check for safety issues", "10. Check for accessibility issues". The third column contains the word "Notes" followed by a list of items: "1. Check for leaks", "2. Check for clogs", "3. Check for water damage", "4. Check for gas leaks", "5. Check for electrical issues", "6. Check for plumbing issues", "7. Check for structural issues", "8. Check for environmental issues", "9. Check for safety issues", "10. Check for accessibility issues".



For all your plumbing needs!



www.valterra.com



Phoenix® Catalina Faucets Designed for Manufactured Homes



KITCHEN FAUCET W/O SPRAY 8" CENTER

PLASTIC UNDERBODY



53R5003 KITCHEN FAUCET W/O SPRAY 8" CENTER, CHROME

KITCHEN FAUCET WITH SPRAY 8" CENTER

PLASTIC UNDERBODY



53R15003 KITCHEN FAUCET WITH SPRAY 8" CENTER, CHROME

LAVATORY FAUCET LESS POP-UP 4" CENTER

PLASTIC UNDERBODY



53R4003 LAVATORY FAUCET LESS POP-UP 4" CENTER, CHROME

GARDEN TUB FAUCET ADJUSTABLE CENTER

PLASTIC UNDERBODY



53R38 GARDEN TUB FAUCET ADJUSTABLE CENTERS, CHROME

TUB/SHOWER FAUCET, DIVERter 8" CENTER

PLASTIC UNDERBODY



53R801 TUB/SHOWER FAUCET, DIVERter 8" CENTER



MANUFACTURED HOUSING

INTERIOR PLUMBING

KITCHEN 8"

NM STEM/BONNET & UNDERBODY



53190007 KITCHEN 8" W/O SPRAY

KITCHEN 8" SINGLE LEVER

HYBRID



53190008 KITCHEN 8" SL WITH SPRAY

KITCHEN 8" SINGLE LEVER

HYBRID



53190009 KITCHEN 8" SL W/O SPRAY

KITCHEN 8" HIGH RISE

HYBRID



53190005 KITCHEN 8" W/O SPRAY

KITCHEN 8" HIGH RISE

HYBRID



53190006 KITCHEN 8" WITH SPRAY

8" DECK FAUCET

CHROME W/CELCON UNDERBODY



532012 8" D-SPOUT, CLEAR HANDLES AND AERATOR

HIGH RISE KITCHEN

BRUSHED NICKEL, W/CELCON BODY



532038 HIGH RISE KITCHEN 8"

4" BAR FAUCET

CHROME W/CELCON UNDERBODY



532010 CLEAR HANDLES
8" GOOSE NECK SPOUT

3 3/8" TUB SHOWER

BRASS STEM BONNET & UNDERBODY



5363712 LONG SPOUT-RISER
OUTLET FOR EXPOSED SHOWER

INTERIOR PLUMBING

3 3/8" TUB SHOWER

BRASS STEM BONNET & UNDERBODY



5363812 LONG SPOUT FOR
CONCEALED SHOWER

4" TUB SHOWER

BRASS STEM/BONNET / PLASTIC UNDERBODY



531402 4" SHOWER ONLY
CONCEALED RISER

4" TUB SHOWER

BRASS STEM BONNET & UNDERBODY



5364712 LONG SPOUT-RISER
OUTLET FOR EXPOSED \SHOWER

4" TUB SHOWER

BRASS STEM BONNET & UNDERBODY



5364812 LONG SPOUT FOR
CONCEALED SHOWER

8" TUB SHOWER

BRASS STEM BONNET W/CELCON UNDER-
BODY



536801 TUB & SHOWER HEAD
ARM & FLANGE 2" SHANKS
536881 SHOWER ONLY W/ ARM &
FLANGE 2" SHANKS

8" 3-VALVE TUB SHOWER

BRASS STEM BONNET & UNDERBODY



536603 FOR 7/8" MAX. WALL
THICKNESS, ABS SHOWER
HEAD, METAL ARM FLANGE

8" 2-VALVE TUB SHOWER

BRASS STEM BONNET & UNDERBODY



536703 FOR 7/8" MAX. WALL
THICKNESS, ABS SHOWER
HEAD, METAL ARM FLANGE

GARDEN TUB

BRASS STEM BONNET & UNDERBODY



53638 ADJUSTABLE TO 24" CENTERS,
ACRYLIC HANDLES

8" DECK, TUB/SHOWER FAUCET

CHROME W/CELCON UNDERBODY



Note: Center hole offset inlet to spout connector



532013 CLEAR HANDLES, SHOWER
HEAD, ARM & FLANGE

INTERIOR PLUMBING

4" CENTER LAVATORY FAUCET

CHROME W/CELCON UNDERBODY



- 532011 CLEAR HANDLES, DRILLED
LESS POP-UP ASSEMBLY
532011 CLEAR HANDLES, DRILLED
LESS POP-UP ASSEMBLY

8" SHOWER VALVE

CHROME W/CELCON UNDERBODY



- 53204 SMOKE COLORED HANDLES,
SHOWER HEAD, ARM & FLANGE

LAVATORY FAUCET

BRUSHED NICKEL, W/CELCON BODY



- 532077 LAVATORY FAUCET 4"

4" LAVATORY

HYBRID W/O POP UP



- 53190001 LAVATORY 4" W/O POP UP

4" CENTER LAVATORY SL

HYBRID



- 53190003 LAVATORY SL WITH POP UP
53190010 LAV 4" SL W/O POP UP

4" LAVATORY NM

NM STEM/BONNET & UNDERBODY



- 53190004 LAVATORY 4" NM STEM

KITCHEN FAUCET SPOUT

NO AERATOR



- 536012 8" PLASTIC, CHROME FINISH

KITCHEN SPRAYER



- 536010 METAL SPRAYER AND HOSE

UTOPIA® REPLACEMENT STEM & BONNET



- 5339004 FOR 1995 & NEWER FAUCETS
2/CARD

SHOWER HEAD

ABS



- 5392438 3/8" ABS SHOWER HEAD WITH C.P. RING
- 5393412 1/2" ABS SHOWER HEAD WITH C.P. RING

CENTER DIVERTER STEM



- 536040 CENTER DIVERTER STEM

TUB SPOUT

W/ POP-UP



- 53185 TUB SPOUT - 50/CTN

TUB SPOUT



- 536015 FOR 3 VALVE; DIVERTER 8" CENTER. 50/CTN

ARROW FAUCET HANDLE

CLEAR



- 536049 ARROW FAUCET HANDLE CLEAR

HANDLES



- 5340916H HOT - CLEAR ACRYLIC
- 5340916C COLD - CLEAR ACRYLIC

RENU SEAT



536381

536601

536401

- 536381 RENU SEAT-GARDEN TUB #53638
- 536401 FOR ALL EXPOSED FITTINGS
- 536601 FOR ALL CONCEALED FITTINGS

STEM & BONNET ASSEMBLY

COMPRESSION TYPE



A

B

- 5364050 EXPOSED FITTING WITH ACRYLIC HANDLES (A)
- 5366050 CONCEALED FITTINGS (B)

FLANGE



- 536016 8" CENTER FLANGE

INTERIOR PLUMBING

HANDLES



53359H HOT - METAL LEVER
53359C COLD - METAL LEVER

GARDEN TUB FAUCET PARTS

FOR FAUCET 53638



5333970 SPOUT GARDEN TUB
1/2" INLET
53638916HC HANDLE HOT & COLD

SHOWER ARM & FLANGE

ABS - PLATED



ITEMS SOLD SEPARATELY

530258 1/2" SHORT ARM
536014 FLANGE

SHOWER ARM & FLANGE KIT

ABS - PLATED KIT



53960108 1/2" SHOWER ARM
W/ THREADED FLANGE KIT

POP UP ASSEMBLIES

CHROME



536029 POP UP W/O OVERFLOW

FAUCET REPAIR KIT

(FITS MOST BRANDS)




5360299 162 PIECE KIT



MANUFACTURED HOUSING

INTERIOR PLUMBING

This image shows a single page of white paper with horizontal blue lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.




A Watts Water Technologies Company

The **Sea Tech 35 Series** products are designed and manufactured to be trouble free for many years of service. All 35 Series products are approved and certified to NSF-61, NSF-14, CSA B 137.5, ASTM F877 and the uniformed Plumbing Code. These fittings work interchangeably with copper, CPVC, polybutyl and PEX tubing.

FITTING PERFORMANCE RATING

Operating Pressure: Vacuum to 250psi
Max Temperature 180° @ 100psi / 75° @ 250psi



Not All Products are Illustrated! ~ Additional Products are Available!

COLLET CLIPS

**NOTE: RECOMMENDED FOR
USE WITH ALL FITTINGS**




50354708 3/8" COLLET CLIP
50354710 1/2" COLLET CLIP
50354714 3/4" COLLET CLIP

1/2" DROP EAR ELBOW



5035211008 1/2" DROP EAR ELBOW

UNION TEES



50352308 3/8" UNION TEE
50352310 1/2" UNION TEE
50352314 3/4" UNION TEE

STOP VALVES



50353908 3/8" STOP VALVE
50353910 1/2" STOP VALVE
50353914 3/4" STOP VALVE

UNION CONNECTORS



50351508 3/8" UNION CONNECTOR
50351510 1/2" UNION CONNECTOR
50351514 3/4" UNION CONNECTOR

1/2" UNION CHECK VALVE



50354010 1/2" UNION CHECK VALVE

STACKABLE ELBOWS



50351810 1/2" STACKABLE ELBOW

90° ELBOWS



50351710 1/2" 90° ELBOW
50351714 3/4" 90° ELBOW

1/2" FEMALE SWIVEL ELBOWS



5035200808 3/8" FEMALE SWIVEL ELBOW
5035201008 1/2" FEMALE SWIVEL ELBOW

INTERIOR PLUMBING

STACKABLE TEES



50353310 1/2" STACKABLE TEE
50353314 3/4" STACKABLE TEE

MALE CONNECTORS



5035011008 1/2" MALE
5035011014 1/2" x 3/4" MALE
5035011412 3/4" MALE

FEMALE CONNECTORS



5035100808 3/8" FEMALE
5035101008 1/2" FEMALE
5035101412 3/4" FEMALE
5035101013 1/2" CLOSET

1/2" MALE ELBOW



5035191008 1/2" MALE ELBOW

3/4" X 1/2" REDUCING STEM



5035141410 3/4" X 1/2" REDUCING STEM

1/2" END STOP



50354510 1/2" END STOP

REDUCING UNIONS



5035013516 1/2" x 3/8"
5035151410 1/2" x 3/4"
5035161004 1/2" x 1/4"

REDUCING TEES



5035241410 3/4" x 1/2" REDUCING TEE
5035241004 1/2" x 1/4" REDUCING TEE




MANUFACTURED HOUSING



HOW TO USE FLAIR-IT FITTINGS


FLARED - CONE & NUT FITTINGS

- Designed for normal hot & cold potable water • Reusable fittings - No corrosion or scaling
- Simple installation - No crimping tools, cements, solder or teflon tape needed
- Complies with ASTM D 3309 & NSF listed (standard 14) • For Manufactured Housing & Rec. Vehicles



STEP 1

Slide nut over tubing.



STEP 2

Firmly press tubing onto the flare of the fitting until the tubing rests against the fittings threads.



STEP 3

Slide the nut to the threads and tighten securely onto the fitting.

ADAPTER - PEX FITTING



5006792 3/4" x 3/4" ADAPTER
PEX FITTING-10 BAG

SWIVEL ELBOWS

FAUCET TO FLAIR-IT



5006816 1/2" x 1/2" F SWIVEL POLY
PEX 10/BAG
5006807 3/4" x 3/4" F SWIVEL PEX
ONLY 10/BAG
5006817 3/8" x 1/2" F SWIVEL
POLY / PEX 10 BAG

DROP EAR ELBOW

SHOWER/TUB TO FLAIR-IT



5006801 1/2" x 1/2" POLY / PEX 10 BAG

ADAPTERS - FEMALE



5006841 1/2" x 1/2" F POLY / PEX 10 BAG
5006847 3/4" x 3/4" F PEX ONLY 10 BAG
5006858 1/2" x 3/4" F PEX ONLY 10 BAG

ADAPTERS - MALE



5006842 1/2" x 1/2" M POLY / PEX 10 BAG
5006848 3/4" x 3/4" M PEX ONLY 10 BAG

MALE ELBOWS



5006803 1/2" x 1/2" POLY / PEX 10 BAG
5006810 1/2" x 3/8" POLY / PEX 10 BAG

ICE MAKER TEE & VALVE

FOR 1/2" PEX



5005834 ICE MAKER TEE W/VALVE

ELBOWS

WITH 2 FLAIR-IT CONNECTIONS



5006800 1/2" P x 1/2" P POLY / PEX 10 BAG
5006806 3/4" P x 3/4" P PEX ONLY 10 BAG
5006815 3/8" P x 3/8" P POLY / PEX 10 BAG

ELBOWS

W/FEMALE PIPE THREAD AND
FLAIR-IT CONNECTIONS



5006813 3/4" P x 3/4" FPT PEX ONLY 10 BAG

CAPS



5006860 1/2" PIPE CAP POLY/PEX10BAG
5006861 3/4" PIPE CAP POLY/PEX 10BAG

SWIVEL STRAIGHT COUPLINGS

FAUCET TO FLAIR-IT CONNECTION



5006873 1/2" P x 1/2" FPT POLY / PEX10 BAG
5006874 3/8" P x 1/2" FPT POLY / PEX10 BAG
5006849 3/4" P x 3/4" FPT PEX ONLY 10 BAG
5006856 1/2" P x 3/4" FPT PEX ONLY 10 BAG

BALLCOCK ADAPTERS

TOILET TO FLAIR-IT CONNECTION



A X B
5006865 1/2" x 3/4" F PEX ONLY 10 BAG
5006869 3/8" x 3/4" F PEX ONLY 10 BAG

STRAIGHT STOP VALVES

IN-LINE VALVE



5006879 3/8" P STRAIGHT VALVE
POLY / PEX
5006880 1/2" P STRAIGHT VALVE
POLY / PEX

COUPLINGS



5006855 3/8" P x 3/8" POLY / PEX 10 BAG
5006840 1/2" P x 1/2" POLY / PEX10 BAG
5006846 3/4" P x 3/4" PEX ONLY10 BAG
5006853 1/2" P x 3/8" POLY / PEX10 BAG
5006845 1/2" x 3/4" P PEX ONLY10 BAG

PLUGS


INSERTION INTO PIPE END




5006863 1/2" PEX ONLY 10 BAG
5006864 3/4" PEX / FLAIR 10 BAG

TEES - WITH 3 FLAIR-IT

CONNECTIONS



	A	B	C
5006820	1/2" P x 1/2" P x 1/2" P	POLY / PEX	10 BAG
5006825	3/4" P x 1/2" P x 3/4" P	POLY / PEX	10 BAG
5006826	3/4" P x 3/4" P x 1/2" P	POLY / PEX	10 BAG
5006827	3/4" P x 3/4" P x 3/4" P	POLY / PEX	10 BAG
5006830	1/2" P x 1/2" P x 3/8" P	POLY / PEX	10 BAG
5006831	3/8" P x 3/8" P x 3/8" P	POLY / PEX	10 BAG



INTERIOR PLUMBING

TUFF-PEX TUBING

CROSS LINKED POLYETHYLENE



50100001 1/2" x 100' BLUE
50100002 1/2" x 100' RED
50100003 3/4" x 100' BLUE
50100004 3/4" x 100' RED

TUFF-PEX TUBING

CROSS LINKED POLYETHYLENE



5012020 1/2" x 20' (1/2"ID-5/8"OD)
5012100 1/2" x 100' (1/2"ID-5/8"OD)
5038100 3/8" x 100' (3/8"ID-1/2"OD)
5034020 3/4" x 20' (3/4"ID-7/8"OD)
5034100 3/4" x 100' (3/4"ID-7/8"OD)

PEX STOP VALVES



504947 1/2" PEX STOP VALVE

SWIVEL ELBOWS



504433 1/2" PEX SWIVEL ELBOW
504449 3/4" PEX SWIVEL ELBOW"

FAUCET CONNECTION

1/2" X 1/2"



504933 1/2" x 1/2" FAUCET CONNECTION

ELBOWS

BARB X BARB / BRASS



5074425 ELBOW 1/2" x 1/2" 25 BAG
5076425 ELBOW 3/4" x 1/2" 25 BAG
5076625 ELBOW 3/4" x 3/4" 25 BAG

MALE PIPE ADAPTERS


BRASS INSERT FITTING FOR PEX TUBING



50104425 BRASS 1/2" PEX x 1/2" MP
50104625 BRASS 1/2" PEX x 3/4" MP
50106425 BRASS 3/4" PEX x 1/2" MP
50106625 BRASS 3/4" PEX x 3/4" MP

FEMALE PIPE ADAPTERS

BRASS INSERT FITTING FOR PEX TUBING



5094425 BRASS 1/2" PEX x 1/2" FP
5096625 BRASS 3/4" PEX x 3/4" FP

FEMALE PIPE ADAPTER

BRASS INSERT FITTING FOR PEX TUBING
THREE PIECE SWIVEL




50246625 BRASS 3/4" PEX x 3/4" SFP

INTERIOR PLUMBING

TEES

BARB X BARB X BARB / BRASS



50644425 TEE 1/2" x 1/2" x 1/2" 25 BAG
 50664612 TEE 3/4" x 1/2" x 3/4" 12 BAG
 50666425 TEE 3/4" x 3/4" x 1/2" 25 BAG
 50666625 TEE 3/4" x 3/4" x 3/4" 25 BAG

COPPER CRIMP RINGS

BLACK - HARDENED / COPPER



50254100 1/2" TUBING RING 100 BAG
 50256100 3/4" TUBING RING 100 BAG

1/2" BALLCOCK SWIVEL

3 PIECE



506475 1/2" BALLCOCK SWIVEL 3 PIECE

COUPLINGS

BARB X BARB / BRASS



5014425 COUPLER 1/2" x 1/2" 25 BAG
 5016625 COUPLER 3/4" x 3/4" 25 BAG

ADAPTER COUPLINGS

PEX BARB X PB BARB / BRASS



50184425 ADAPTER 1/2" x 1/2" 25 BAG
 50186625 ADAPTER 3/4" x 3/4" 25 BAG

CRIMP TOOL

NON RATCHETING
 SHORT HANDLE TOOLS 12"



6212 CRIMP TOOL, 1/2" TUBING
 6234 CRIMP TOOL, 3/4" TUBING

UNIVERSAL TUBING CUTTER



62125 FOR 3/8"-3/4" TUBING



MANUFACTURED HOUSING



ACETAL FITTINGS

- Standard Pipe Thread
- Compression Fittings
- Use with Copper, CPVC,
- Galvanized & Polybutylene


NUT/RING/CONE SETS



- 501001 FOR 1/4" NOMINAL TUBE
 501002 1/2" THREAD FOR 3/8"
 NOMINAL TUBE SIZE
 501003 3/4" THREAD FOR 1/2"
 NOMINAL
 501004 1" THREAD FOR 3/4"

TEES

ALL MPT



- 501024 1/2" MPT
 501025 3/4" x 1/2" x 3/4" MPT
 501026 3/4" MPT
 501027 1" x 3/4" x 3/4" MPT
 501028 1" x 1" x 3/4" MPT
 501029 1" MPT

ELBOWS

ALL MPT



- 501019 1/2" MPT
 506432 1/2" x 3/8" MPT – DISHWASHER
 506443 1/2" x 3/4" MPT
 501020 3/4" MPT
 501021 1" x 3/4" MPT
 501022 1" MPT

FEMALE ELBOW

DROP EAR



501018 3/4" MPT x 1/2" FPT

STREET ELBOW



501023 1/2" MPT x 1/2" FPT

ADAPTERS

MALE/FEMALE



501012 3/4" MPT x 1/2" FPT

501015 1" MPT x 3/4" FPT

COUPLINGS/NIPPLES



501010 1/2" MPT

501011 3/4" MPT x 1/2" MPT

501013 3/4" MPT

501014 1" MPT x 3/4" MPT

501016 1" MPT

IN-LINE GLOBE SHUT OFF VALVES



501100 1/2" MPT x 1/2" MPT

501101 3/4" MPT x 3/4" MPT

STOP VALVES



506441 1/2" MPT x 1/2" MPT

506442 3/4" MPT x 1/2" MPT